

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092221\
 Data File : BF125563.D
 Acq On : 22 Sep 2021 17:22
 Operator : JU/CG
 Sample : M3750-05
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 NAPL-AREA-03-(10-12)-END-POINT

Quant Time: Sep 22 18:32:21 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 21 19:21:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	172645	20.000	ng	0.00
21) Naphthalene-d8	8.175	136	727647	20.000	ng	# 0.00
39) Acenaphthene-d10	9.933	164	392692	20.000	ng	0.00
64) Phenanthrene-d10	11.416	188	702394	20.000	ng	0.00
76) Chrysene-d12	14.057	240	538090	20.000	ng	0.00
86) Perylene-d12	15.533	264	408584	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	1044482	95.670	ng	0.00
7) Phenol-d6	6.510	99	1264154	89.808	ng	-0.01
23) Nitrobenzene-d5	7.451	82	747850	65.553	ng	-0.01
42) 2,4,6-Tribromophenol	10.716	330	378650	98.446	ng	-0.01
45) 2-Fluorobiphenyl	9.251	172	1544162	69.071	ng	-0.01
79) Terphenyl-d14	13.004	244	1631188	48.952	ng	0.00
Target Compounds						Qvalue
9) Benzaldehyde	6.510	77	1865	Below Cal	#	1
19) n-Nitroso-di-n-propyla...	7.451	70	94071	11.166	ng	# 51
25) Isophorone	7.451	82	745160	30.352	ng	# 59
51) 2,6-Dinitrotoluene	9.933	165	48440	9.009	ng	# 28
57) 2,4-Dinitrotoluene	9.933	165	48440	7.517	ng	# 19
67) 4-Bromophenyl-phenylether	10.716	248	21176	2.638	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092221\
Data File : BF125563.D
Acq On : 22 Sep 2021 17:22
Operator : JU/CG
Sample : M3750-05
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-03-(10-12)-END-POINT

Quant Time: Sep 22 18:32:21 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 21 19:21:36 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.892 min Scan# 817
Delta R.T. -0.006 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-03-(10-12)-END-POINT


Tgt Ion:152 Resp: 172645
Ion Ratio Lower Upper
152 100
150 162.4 117.6 176.4
115 60.9 47.1 70.7



#5
2-Fluorophenol
Concen: 95.670 ng
RT: 5.510 min Scan# 582
Delta R.T. 0.000 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22

Tgt Ion:112 Resp: 1044482
Ion Ratio Lower Upper
112 100
64 52.4 44.2 66.2
63 25.8 26.2 39.2#









#7
Phenol-d6
Concen: 89.808 ng
RT: 6.510 min Scan# 752
Delta R.T. -0.012 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-03-(10-12)-END-POINT


Tgt Ion: 99 Resp: 1264154
Ion Ratio Lower Upper
99 100
42 15.1 23.5 35.3#
71 30.0 25.6 38.4



#9
Benzaldehyde
Concen: Below Cal
RT: 6.510 min Scan# 752
Delta R.T. 0.059 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22

Tgt Ion: 77 Resp: 1865
Ion Ratio Lower Upper
77 100
105 0.0 75.9 115.9#
106 0.0 84.0 124.0#









#19
n-Nitroso-di-n-propylamine
Concen: 11.166 ng
RT: 7.451 min Scan# 912
Delta R.T. 0.135 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-03-(10-12)-END-POINT


Tgt Ion: 70	Resp: 94071
Ion Ratio	Lower Upper
70 100	
42 41.4	72.2 108.2#
101 0.0	7.8 11.8#
130 2.3	21.8 32.6#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.006 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22

Tgt Ion: 136	Resp: 727647
Ion Ratio	Lower Upper
136 100	
137 10.7	9.8 14.6
54 6.8	6.4 9.6
68 5.7	3.3 4.9#





#23

Nitrobenzene-d5

Concen: 65.553 ng

RT: 7.451 min Scan# 912

Delta R.T. -0.012 min

Lab File: BF125563.D

Acq: 22 Sep 2021 17:22

Tgt Ion: 82 Resp: 747850

Ion Ratio Lower Upper

82 100

128 47.2 40.6 60.8





54 43.9 49.6 74.4#

Instrument :

BNA_F

ClientSampleId :

NAPL-AREA-03-(10-12)-END-POINT



#25

Isophorone

Concen: 30.352 ng

RT: 7.451 min Scan# 912

Delta R.T. -0.271 min

Lab File: BF125563.D

Acq: 22 Sep 2021 17:22




Tgt Ion: 82 Resp: 745160


Ion Ratio Lower Upper

82 100

95 0.0 6.5 9.7#

138 0.0 18.4 27.6#





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.933 min Scan# 1334

Delta R.T. -0.006 min

Lab File: BF125563.D

Acq: 22 Sep 2021 17:22





Tgt Ion:164 Resp: 392692

Ion Ratio Lower Upper

164 100

162 103.8 81.3 121.9

160 45.0 38.0 57.0



#42

2,4,6-Tribromophenol

Concen: 98.446 ng

RT: 10.716 min Scan# 1467

Delta R.T. -0.012 min

Lab File: BF125563.D

Acq: 22 Sep 2021 17:22




Tgt Ion:330 Resp: 378650


Ion Ratio Lower Upper

330 100

332 92.8 76.2 114.4

141 31.8 44.6 66.8#









#45
2-Fluorobiphenyl
Concen: 69.071 ng
RT: 9.251 min Scan# 1218
Delta R.T. -0.012 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-03-(10-12)-END-POINT


Tgt Ion:172 Resp: 1544162
Ion Ratio Lower Upper
172 100
171 36.8 26.5 39.7
170 24.8 18.8 28.2



#51
2,6-Dinitrotoluene
Concen: 9.009 ng
RT: 9.933 min Scan# 1334
Delta R.T. 0.218 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22

Tgt Ion:165 Resp: 48440
Ion Ratio Lower Upper
165 100
63 1.2 42.6 63.8#
89 0.9 40.6 60.8#









#57
2,4-Dinitrotoluene
Concen: 7.517 ng
RT: 9.933 min Scan# 1334
Delta R.T. -0.188 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-03-(10-12)-END-POINT


Tgt Ion:165 Resp: 48440
Ion Ratio Lower Upper
165 100
63 1.2 40.9 61.3#
89 0.9 59.7 89.5#
182 0.0 0.0 0.0



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.416 min Scan# 1586
Delta R.T. -0.006 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22

Tgt Ion:188 Resp: 702394
Ion Ratio Lower Upper
188 100
94 10.1 6.7 10.1
80 10.7 7.5 11.3









#67
4-Bromophenyl-phenylether
Concen: 2.638 ng
RT: 10.716 min Scan# 1467
Delta R.T. -0.253 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-03-(10-12)-END-POINT


Tgt Ion:248 Resp: 21176
Ion Ratio Lower Upper
248 100
250 195.9 74.2 111.4#
141 578.5 60.4 90.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.057 min Scan# 2035
Delta R.T. -0.006 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22

Tgt Ion:240 Resp: 538090
Ion Ratio Lower Upper
240 100
120 11.8 10.8 16.2
236 25.6 21.6 32.4









#79
Terphenyl-d14
Concen: 48.952 ng
RT: 13.004 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22

Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-03-(10-12)-END-POINT

Tgt Ion:244 Resp: 1631188
Ion Ratio Lower Upper
244 100
212 6.8 5.9 8.9
122 12.5 9.0 13.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.533 min Scan# 2286
Delta R.T. -0.006 min
Lab File: BF125563.D
Acq: 22 Sep 2021 17:22

Tgt Ion:264 Resp: 408584
Ion Ratio Lower Upper
264 100
260 24.0 19.6 29.4
265 21.1 17.2 25.8

