

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092221\
 Data File : BF125568.D
 Acq On : 22 Sep 2021 20:07
 Operator : JU/CG
 Sample : M3733-08
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 NAPL-AREA-02-(25-27)

Quant Time: Sep 23 04:49:19 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 21 19:21:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	178318	20.000	ng	0.00
21) Naphthalene-d8	8.175	136	740765	20.000	ng	# 0.00
39) Acenaphthene-d10	9.933	164	398848	20.000	ng	0.00
64) Phenanthrene-d10	11.416	188	696655	20.000	ng	0.00
76) Chrysene-d12	14.051	240	509380	20.000	ng	-0.01
86) Perylene-d12	15.533	264	403354	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	953344	84.544	ng	0.00
7) Phenol-d6	6.510	99	1145488	78.788	ng	-0.01
23) Nitrobenzene-d5	7.451	82	681016	58.637	ng	-0.01
42) 2,4,6-Tribromophenol	10.716	330	332996	85.240	ng	-0.01
45) 2-Fluorobiphenyl	9.251	172	1419469	61.276	ng	-0.01
79) Terphenyl-d14	13.004	244	1498684	47.511	ng	0.00
Target Compounds						
					Qvalue	
9) Benzaldehyde	6.510	77	1693	Below Cal	#	1
19) n-Nitroso-di-n-propyla...	7.451	70	86238	9.911 ng	#	50
25) Isophorone	7.451	82	680341	27.221 ng	#	59
51) 2,6-Dinitrotoluene	9.928	165	50216	9.195 ng	#	27
57) 2,4-Dinitrotoluene	9.928	165	50216	7.673 ng	#	19
67) 4-Bromophenyl-phenylether	10.716	248	18618	2.339 ng	#	1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092221\
Data File : BF125568.D
Acq On : 22 Sep 2021 20:07
Operator : JU/CG
Sample : M3733-08
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-02-(25-27)

Quant Time: Sep 23 04:49:19 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF092121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Sep 21 19:21:36 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.892 min Scan# 817
Delta R.T. -0.006 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-02-(25-27)


Tgt Ion:152 Resp: 178318
Ion Ratio Lower Upper
152 100
150 159.9 117.6 176.4
115 61.1 47.1 70.7



#5
2-Fluorophenol
Concen: 84.544 ng
RT: 5.504 min Scan# 581
Delta R.T. -0.006 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07

Tgt Ion:112 Resp: 953344
Ion Ratio Lower Upper
112 100
64 54.1 44.2 66.2
63 27.2 26.2 39.2









#7
Phenol-d6
Concen: 78.788 ng
RT: 6.510 min Scan# 752
Delta R.T. -0.012 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-02-(25-27)


Tgt Ion: 99 Resp: 1145488
Ion Ratio Lower Upper
99 100
42 14.6 23.5 35.3#
71 29.6 25.6 38.4



#9
Benzaldehyde
Concen: Below Cal
RT: 6.510 min Scan# 752
Delta R.T. 0.059 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07


Tgt Ion: 77 Resp: 1693
Ion Ratio Lower Upper
77 100
105 0.0 75.9 115.9#
106 0.0 84.0 124.0#








#19
n-Nitroso-di-n-propylamine
Concen: 9.911 ng
RT: 7.451 min Scan# 912
Delta R.T. 0.135 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07

Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-02-(25-27)







Tgt Ion: 70 Resp: 86238
Ion Ratio Lower Upper
70 100
42 40.5 72.2 108.2#
101 0.0 7.8 11.8#
130 2.1 21.8 32.6#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.006 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07

Tgt Ion: 136 Resp: 740765
Ion Ratio Lower Upper
136 100
137 10.3 9.8 14.6
54 6.7 6.4 9.6
68 5.8 3.3 4.9#









#23
Nitrobenzene-d5
Concen: 58.637 ng
RT: 7.451 min Scan# 912
Delta R.T. -0.012 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-02-(25-27)


Tgt Ion: 82 Resp: 681016
Ion Ratio Lower Upper
82 100
128 46.8 40.6 60.8
54 44.0 49.6 74.4#



#25
Isophorone
Concen: 27.221 ng
RT: 7.451 min Scan# 912
Delta R.T. -0.270 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07

Tgt Ion: 82 Resp: 680341
Ion Ratio Lower Upper
82 100
95 0.0 6.5 9.7#
138 0.0 18.4 27.6#









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.933 min Scan# 1334
Delta R.T. -0.006 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-02-(25-27)


Tgt Ion:164 Resp: 398848
Ion Ratio Lower Upper
164 100
162 103.1 81.3 121.9
160 44.5 38.0 57.0



#42
2,4,6-Tribromophenol
Concen: 85.240 ng
RT: 10.716 min Scan# 1467
Delta R.T. -0.012 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07

Tgt Ion:330 Resp: 332996
Ion Ratio Lower Upper
330 100
332 96.0 76.2 114.4
141 32.9 44.6 66.8#









#45
2-Fluorobiphenyl
Concen: 61.276 ng
RT: 9.251 min Scan# 1218
Delta R.T. -0.012 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-02-(25-27)


Tgt Ion:172 Resp: 1419469
Ion Ratio Lower Upper
172 100
171 36.9 26.5 39.7
170 24.2 18.8 28.2



#51
2,6-Dinitrotoluene
Concen: 9.195 ng
RT: 9.928 min Scan# 1333
Delta R.T. 0.212 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07


Tgt Ion:165 Resp: 50216
Ion Ratio Lower Upper
165 100
63 1.0 42.6 63.8#
89 1.0 40.6 60.8#








#57
2,4-Dinitrotoluene
Concen: 7.673 ng
RT: 9.928 min Scan# 1333
Delta R.T. -0.194 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07

Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-02-(25-27)







Tgt Ion:165 Resp: 50216
Ion Ratio Lower Upper
165 100
63 1.0 40.9 61.3#
89 1.0 59.7 89.5#
182 0.0 0.0 0.0



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.416 min Scan# 1586
Delta R.T. -0.006 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07

Tgt Ion:188 Resp: 696655
Ion Ratio Lower Upper
188 100
94 10.0 6.7 10.1
80 10.5 7.5 11.3









#67
4-Bromophenyl-phenylether
Concen: 2.339 ng
RT: 10.716 min Scan# 1467
Delta R.T. -0.253 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07




Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-02-(25-27)


Tgt Ion:248 Resp: 18618
Ion Ratio Lower Upper
248 100
250 204.0 74.2 111.4#
141 593.5 60.4 90.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2034
Delta R.T. -0.012 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07


Tgt Ion:240 Resp: 509380
Ion Ratio Lower Upper
240 100
120 14.0 10.8 16.2
236 25.1 21.6 32.4








#79
Terphenyl-d14
Concen: 47.511 ng
RT: 13.004 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07

Instrument :
BNA_F
ClientSampleId :
NAPL-AREA-02-(25-27)



Tgt Ion:244 Resp: 1498684
Ion Ratio Lower Upper
244 100
212 6.7 5.9 8.9
122 12.6 9.0 13.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.533 min Scan# 2286
Delta R.T. -0.006 min
Lab File: BF125568.D
Acq: 22 Sep 2021 20:07

Tgt Ion:264 Resp: 403354
Ion Ratio Lower Upper
264 100
260 22.6 19.6 29.4
265 19.7 17.2 25.8

