

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092223\
 Data File : BF135404.D
 Acq On : 22 Sep 2023 17:34
 Operator : CG\JU
 Sample : 04474-03MS
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 H-2313-SOILMS

Quant Time: Sep 23 04:55:56 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 00:19:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.757	152	158720	20.000	ng	0.00
21) Naphthalene-d8	8.040	136	609048	20.000	ng	0.00
39) Acenaphthene-d10	9.792	164	288649	20.000	ng	-0.01
64) Phenanthrene-d10	11.286	188	496655	20.000	ng	# 0.00
76) Chrysene-d12	13.945	240	247317	20.000	ng	0.00
86) Perylene-d12	15.410	264	333745	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.410	112	1056075	108.219	ng	0.02
7) Phenol-d6	6.410	99	1260292	101.565	ng	0.00
23) Nitrobenzene-d5	7.328	82	943150	84.133	ng	0.00
42) 2,4,6-Tribromophenol	10.592	330	289749	101.012	ng	0.00
45) 2-Fluorobiphenyl	9.116	172	1534746	80.219	ng	-0.01
79) Terphenyl-d14	12.880	244	1243018	77.913	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.658	88	184509	43.130	ng	# 78
3) Pyridine	3.393	79	376408	32.692	ng	95
4) n-Nitrosodimethylamine	3.322	42	284030	46.487	ng	89
6) Aniline	6.428	93	332298	20.421	ng	# 30
8) 2-Chlorophenol	6.551	128	462034	44.352	ng	97
9) Benzaldehyde	6.316	77	82798	11.713	ng	99
10) Phenol	6.422	94	491695	36.136	ng	97
11) bis(2-Chloroethyl)ether	6.504	93	497659	48.759	ng	99
12) 1,3-Dichlorobenzene	6.699	146	450792	42.579	ng	97
13) 1,4-Dichlorobenzene	6.775	146	448005	41.592	ng	99
14) 1,2-Dichlorobenzene	6.928	146	425909	42.578	ng	98
15) Benzyl Alcohol	6.910	79	402896	45.247	ng	96
16) 2,2'-oxybis(1-Chloropr...	7.040	45	853775	44.379	ng	89
17) 2-Methylphenol	7.022	107	359999	39.160	ng	95
18) Hexachloroethane	7.263	117	169424	42.570	ng	91
19) n-Nitroso-di-n-propyla...	7.175	70	311535	40.533	ng	94
20) 3+4-Methylphenols	7.181	107	414287	37.478	ng	# 78
22) Acetophenone	7.169	105	606888	43.584	ng	# 94
24) Nitrobenzene	7.346	77	496381	44.799	ng	98
25) Isophorone	7.581	82	928166	45.089	ng	98
26) 2-Nitrophenol	7.657	139	242538	45.608	ng	99
27) 2,4-Dimethylphenol	7.698	122	370025	41.396	ng	96
28) bis(2-Chloroethoxy)met...	7.793	93	586728	47.621	ng	99
29) 2,4-Dichlorophenol	7.904	162	362308	43.742	ng	99
30) 1,2,4-Trichlorobenzene	7.981	180	382415	44.172	ng	100
31) Naphthalene	8.057	128	1298096	43.867	ng	98
32) Benzoic acid	7.846	122	265069	39.381	ng	97
33) 4-Chloroaniline	8.116	127	213964	16.480	ng	97
34) Hexachlorobutadiene	8.169	225	213419	40.883	ng	99
35) Caprolactam	8.493	113	79916	28.748	ng	95
36) 4-Chloro-3-methylphenol	8.610	107	388502	42.202	ng	95
37) 2-Methylnaphthalene	8.751	142	812580	40.851	ng	98
38) 1-Methylnaphthalene	8.851	142	780783	41.925	ng	98
40) 1,2,4,5-Tetrachloroben...	8.916	216	379109	45.335	ng	99
41) Hexachlorocyclopentadiene	8.898	237	219956	61.568	ng	98
43) 2,4,6-Trichlorophenol	9.040	196	243002	44.382	ng	99


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092223\
 Data File : BF135404.D
 Acq On : 22 Sep 2023 17:34
 Operator : CG\JU
 Sample : 04474-03MS
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 H-2313-SOILMS

Quant Time: Sep 23 04:55:56 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Sep 12 00:19:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.087	196	263032	41.716	ng	98
46) 1,1'-Biphenyl	9.216	154	1019686	45.969	ng	98
47) 2-Chloronaphthalene	9.245	162	769946	47.839	ng	99
48) 2-Nitroaniline	9.345	65	299693	47.931	ng	96
49) Acenaphthylene	9.657	152	1243464	46.488	ng	99
50) Dimethylphthalate	9.528	163	901342	46.186	ng	99
51) 2,6-Dinitrotoluene	9.592	165	198938	46.533	ng	88
52) Acenaphthene	9.828	154	727890	46.066	ng	96
53) 3-Nitroaniline	9.763	138	148448	29.581	ng	93
54) 2,4-Dinitrophenol	9.881	184	150920	63.575	ng	90
55) Dibenzofuran	10.004	168	1011876	41.965	ng	99
56) 4-Nitrophenol	9.940	139	217890	68.316	ng	97
57) 2,4-Dinitrotoluene	9.998	165	219407	40.994	ng	# 80
58) Fluorene	10.351	166	795253	42.902	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.128	232	195934	40.396	ng	99
60) Diethylphthalate	10.228	149	875981	44.726	ng	99
61) 4-Chlorophenyl-phenyle...	10.339	204	367982	41.326	ng	95
62) 4-Nitroaniline	10.381	138	191134	39.622	ng	97
63) Azobenzene	10.504	77	894866	46.684	ng	99
65) 4,6-Dinitro-2-methylph...	10.416	198	108133	40.992	ng	84
66) n-Nitrosodiphenylamine	10.463	169	739951	49.212	ng	98
67) 4-Bromophenyl-phenylether	10.834	248	234505	47.475	ng	99
68) Hexachlorobenzene	10.898	284	250379	49.754	ng	94
69) Atrazine	10.998	200	217680	53.804	ng	97
70) Pentachlorophenol	11.098	266	224138	74.444	ng	98
71) Phenanthrene	11.316	178	1110710	47.285	ng	99
72) Anthracene	11.369	178	1138691	47.161	ng	99
73) Carbazole	11.528	167	1018184	46.324	ng	99
74) Di-n-butylphthalate	11.857	149	1295213	50.009	ng	100
75) Fluoranthene	12.510	202	1066317	43.566	ng	99
77) Benzidine	12.633	184	98232	19.388	ng	99
78) Pyrene	12.739	202	1060040	45.019	ng	99
80) Butylbenzylphthalate	13.363	149	432439	52.162	ng	97
81) Benzo(a)anthracene	13.933	228	757326	47.422	ng	99
82) 3,3'-Dichlorobenzidine	13.898	252	225575	45.221	ng	# 99
83) Chrysene	13.975	228	761880	47.984	ng	100
84) Bis(2-ethylhexyl)phtha...	13.922	149	536857	63.105	ng	# 99
85) Di-n-octyl phthalate	14.539	149	929906	68.781	ng	100
87) Indeno(1,2,3-cd)pyrene	16.898	276	922402	42.152	ng	96
88) Benzo(b)fluoranthene	14.986	252	850759	47.090	ng	# 98
89) Benzo(k)fluoranthene	14.986	252	850759	47.670	ng	98
90) Benzo(a)pyrene	15.351	252	783575	45.480	ng	98
91) Dibenzo(a,h)anthracene	16.910	278	757570	42.311	ng	97
92) Benzo(g,h,i)perylene	17.345	276	729275	39.001	ng	98





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.757 min Scan# 79
 Delta R.T. -0.006 min
 Lab File: BF135404.D
 Acq: 22 Sep 2023 17:34




Instrument :
 BNA_F
 ClientSampleId :
 H-2313-SOILMS


Tgt Ion:152 Resp: 158720
 Ion Ratio Lower Upper
 152 100
 150 158.3 127.8 191.6
 115 62.9 49.8 74.8



#2
 1,4-Dioxane
 Concen: 43.130 ng
 RT: 2.658 min Scan# 97
 Delta R.T. 0.189 min
 Lab File: BF135404.D
 Acq: 22 Sep 2023 17:34

Tgt Ion: 88 Resp: 184509
 Ion Ratio Lower Upper
 88 100
 58 90.7 78.3 117.5
 43 0.0 29.4 44.0#





#3

Pyridine

Concen: 32.692 ng

RT: 3.393 min Scan# 210

Delta R.T. 0.177 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion: 79 Resp: 376408

Ion Ratio Lower Upper

79 100

52 87.9 74.1 111.1

51 40.9 35.8 53.8



#4

n-Nitrosodimethylamine

Concen: 46.487 ng

RT: 3.322 min Scan# 210

Delta R.T. 0.136 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion: 42 Resp: 284030


Ion Ratio Lower Upper

42 100

74 121.4 87.7 131.5

44 7.4 5.6 8.4









#5
2-Fluorophenol
Concen: 108.219 ng
RT: 5.410 min Scan# 50
Delta R.T. 0.024 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:112 Resp: 1056075
Ion Ratio Lower Upper
112 100
64 68.7 55.9 83.9
63 35.3 29.0 43.6



#6
Aniline
Concen: 20.421 ng
RT: 6.428 min Scan# 738
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion: 93 Resp: 332298
Ion Ratio Lower Upper
93 100
66 87.4 35.4 53.0#
65 58.3 17.8 26.8#









#7
Phenol-d6
Concen: 101.565 ng
RT: 6.410 min Scan# 710
Delta R.T. 0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion: 99 Resp: 1260292
Ion Ratio Lower Upper
99 100
42 22.7 17.9 26.9
71 32.4 27.0 40.6



#8
2-Chlorophenol
Concen: 44.352 ng
RT: 6.551 min Scan# 759
Delta R.T. 0.000 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:128 Resp: 462034
Ion Ratio Lower Upper
128 100
130 32.6 12.7 52.7
64 52.2 35.9 75.9





#9

Benzaldehyde

Concen: 11.713 ng

RT: 6.316 min Scan# 719

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion: 77 Resp: 82798

Ion Ratio Lower Upper

77 100

105 102.0 81.4 121.4

106 97.6 76.9 116.9



#10

Phenol

Concen: 36.136 ng

RT: 6.422 min Scan# 737

Delta R.T. 0.000 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion: 94 Resp: 491695


Ion Ratio Lower Upper

94 100

65 37.1 15.9 55.9

66 52.4 29.8 69.8









#11
bis(2-Chloroethyl)ether
Concen: 48.759 ng
RT: 6.504 min Scan# 751
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion: 93 Resp: 497659
Ion Ratio Lower Upper
93 100
63 86.5 67.3 107.3
95 32.7 12.7 52.7



#12
1,3-Dichlorobenzene
Concen: 42.579 ng
RT: 6.699 min Scan# 784
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:146 Resp: 450792
Ion Ratio Lower Upper
146 100
148 62.0 51.3 76.9
75 33.1 27.4 41.2









#13
1,4-Dichlorobenzene
Concen: 41.592 ng
RT: 6.775 min Scan# 798
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:146 Resp: 448005
Ion Ratio Lower Upper
146 100
148 63.3 51.3 76.9
111 44.8 35.1 52.7



#14
1,2-Dichlorobenzene
Concen: 42.578 ng
RT: 6.928 min Scan# 823
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:146 Resp: 425909
Ion Ratio Lower Upper
146 100
148 62.6 49.7 74.5
111 44.3 37.4 56.2









#15
Benzyl Alcohol
Concen: 45.247 ng
RT: 6.910 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion: 79 Resp: 402896
Ion Ratio Lower Upper
79 100
108 81.1 61.2 91.8
77 61.8 50.5 75.7



#16
2,2'-oxybis(1-Chloropropane)
Concen: 44.379 ng
RT: 7.040 min Scan# 842
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion: 45 Resp: 853775
Ion Ratio Lower Upper
45 100
77 14.8 0.0 30.6
79 12.3 0.0 28.3









#17
2-Methylphenol
Concen: 39.160 ng
RT: 7.022 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:	107	Resp:	359999
Ion	Ratio	Lower	Upper
107	100		
108	118.3	92.0	138.0
77	51.5	36.7	55.1
79	49.1	36.3	54.5



#18
Hexachloroethane
Concen: 42.570 ng
RT: 7.263 min Scan# 880
Delta R.T. -0.011 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:	117	Resp:	169424
Ion	Ratio	Lower	Upper
117	100		
119	95.7	74.7	112.1
201	87.4	81.8	122.8





#19

n-Nitroso-di-n-propylamine

Concen: 40.533 ng

RT: 7.175 min Scan# 8

Delta R.T. -0.011 min

Lab File: BF135404.D


Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS



Tgt Ion: 70 Resp: 311535




Ion Ratio Lower Upper

70 100

42 75.1 55.4 83.0

101 8.7 7.7 11.5

130 19.6 17.0 25.6



#20

3+4-Methylphenols

Concen: 37.478 ng

RT: 7.181 min Scan# 866

Delta R.T. 0.000 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Tgt Ion: 107 Resp: 414287




Ion Ratio Lower Upper


107 100

108 96.9 74.7 114.7

77 74.4 102.0 142.0


79 30.3 11.7 51.7








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.040 min Scan# 1013
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34


Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS





Tgt Ion:136 Resp: 609048
Ion Ratio Lower Upper
136 100
137 10.7 8.8 13.2
54 9.1 7.7 11.5
68 6.1 4.6 6.8




#22
Acetophenone
Concen: 43.584 ng
RT: 7.169 min Scan# 864
Delta R.T. -0.011 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34



Tgt Ion:105 Resp: 606888
Ion Ratio Lower Upper
105 100
71 5.6 5.8 8.6#
51 40.2 37.0 55.4
120 21.9 17.0 25.6





#23

Nitrobenzene-d5

Concen: 84.133 ng

RT: 7.328 min Scan# 891

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion: 82 Resp: 943150

Ion Ratio Lower Upper

82 100

128 45.1 35.8 53.6

54 63.8 50.6 76.0



#24

Nitrobenzene

Concen: 44.799 ng

RT: 7.346 min Scan# 894

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion: 77 Resp: 496381


Ion Ratio Lower Upper

77 100

123 48.9 37.6 56.4

65 15.3 12.2 18.4









#25
Isophorone
Concen: 45.089 ng
RT: 7.581 min Scan# 91
Delta R.T. -0.011 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion: 82 Resp: 928166
Ion Ratio Lower Upper
82 100
95 6.5 6.0 9.0
138 17.5 14.5 21.7



#26
2-Nitrophenol
Concen: 45.608 ng
RT: 7.657 min Scan# 947
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion: 139 Resp: 242538
Ion Ratio Lower Upper
139 100
109 26.0 22.6 33.8
65 58.8 47.0 70.4





#27

2,4-Dimethylphenol

Concen: 41.396 ng

RT: 7.698 min Scan# 91

Delta R.T. -0.006 min

Lab File: BF135404.D


Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS






Tgt Ion:122 Resp: 370025

Ion Ratio Lower Upper

122 100

107 107.7 90.2 135.4

121 55.2 46.3 69.5



#28

bis(2-Chloroethoxy)methane

Concen: 47.621 ng

RT: 7.793 min Scan# 970

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion: 93 Resp: 586728


Ion Ratio Lower Upper

93 100

95 33.0 26.2 39.2

123 11.4 8.8 13.2









#29
2,4-Dichlorophenol
Concen: 43.742 ng
RT: 7.904 min Scan# 989
Delta R.T. 0.000 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:162 Resp: 362308
Ion Ratio Lower Upper
162 100
164 64.2 44.1 84.1
98 38.7 20.3 60.3



#30
1,2,4-Trichlorobenzene
Concen: 44.172 ng
RT: 7.981 min Scan# 1002
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:180 Resp: 382415
Ion Ratio Lower Upper
180 100
182 95.8 76.9 115.3
145 30.9 24.5 36.7









#31
Naphthalene
Concen: 43.867 ng
RT: 8.057 min Scan# 1015
Delta R.T. -0.011 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:128 Resp: 1298096
Ion Ratio Lower Upper
128 100
129 11.5 8.7 13.1
127 12.8 10.7 16.1



#32
Benzoic acid
Concen: 39.381 ng
RT: 7.846 min Scan# 979
Delta R.T. 0.012 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:122 Resp: 265069
Ion Ratio Lower Upper
122 100
105 119.1 99.9 139.9
77 84.0 70.0 110.0





#33

4-Chloroaniline

Concen: 16.480 ng

RT: 8.116 min Scan# 1025

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS

Tgt Ion:127 Resp: 213964





Ion Ratio Lower Upper

127 100

129 31.4 25.8 38.8

65 30.9 26.6 39.8

92 17.4 15.4 23.2



#34

Hexachlorobutadiene

Concen: 40.883 ng

RT: 8.169 min Scan# 1034

Delta R.T. -0.011 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion:225 Resp: 213419


Ion Ratio Lower Upper

225 100

223 61.9 50.6 75.8

227 63.1 50.8 76.2









#35
 Caprolactam
 Concen: 28.748 ng
 RT: 8.493 min Scan# 1089
 Delta R.T. -0.006 min
 Lab File: BF135404.D
 Acq: 22 Sep 2023 17:34




Instrument :
 BNA_F
 ClientSampleId :
 H-2313-SOILMS


Tgt Ion:113 Resp: 79916
 Ion Ratio Lower Upper
 113 100
 55 229.5 199.3 239.3
 56 161.1 146.3 186.3



#36
 4-Chloro-3-methylphenol
 Concen: 42.202 ng
 RT: 8.610 min Scan# 1109
 Delta R.T. 0.006 min
 Lab File: BF135404.D
 Acq: 22 Sep 2023 17:34

Tgt Ion:107 Resp: 388502
 Ion Ratio Lower Upper
 107 100
 144 25.6 19.0 28.4
 142 79.4 60.2 90.2





#37

2-Methylnaphthalene

Concen: 40.851 ng

RT: 8.751 min Scan# 1134

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :





H-2313-SOILMS

Tgt Ion:142 Resp: 812580

Ion Ratio Lower Upper

142 100

141 87.3 71.0 106.6



#38

1-Methylnaphthalene

Concen: 41.925 ng

RT: 8.851 min Scan# 1150

Delta R.T. -0.006 min

Lab File: BF135404.D




Acq: 22 Sep 2023 17:34


Tgt Ion:142 Resp: 780783

Ion Ratio Lower Upper

142 100

141 92.3 72.4 108.6





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.792 min Scan# 11

Delta R.T. -0.011 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion:164 Resp: 288649

Ion Ratio Lower Upper

164 100

162 101.0 81.0 121.4

160 46.6 37.0 55.4



#40

1,2,4,5-Tetrachlorobenzene

Concen: 45.335 ng

RT: 8.916 min Scan# 1161

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Tgt Ion:216 Resp: 379109




Ion Ratio Lower Upper


216 100

214 79.2 63.7 95.5

179 20.9 16.7 25.1

108 19.8 14.9 22.3









#41
Hexachlorocyclopentadiene
Concen: 61.568 ng
RT: 8.898 min Scan# 1158
Delta R.T. -0.012 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:237 Resp: 219956
Ion Ratio Lower Upper
237 100
235 63.3 41.8 81.8
272 12.7 0.0 33.6



#42
2,4,6-Tribromophenol
Concen: 101.012 ng
RT: 10.592 min Scan# 1446
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:330 Resp: 289749
Ion Ratio Lower Upper
330 100
332 96.5 77.3 115.9
141 34.3 25.8 38.8





#43

2,4,6-Trichlorophenol

Concen: 44.382 ng

RT: 9.040 min Scan# 1182

Delta R.T. 0.000 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion:196 Resp: 243002

Ion Ratio Lower Upper

196 100

198 96.9 77.0 115.6

200 32.5 24.5 36.7



#44

2,4,5-Trichlorophenol

Concen: 41.716 ng

RT: 9.087 min Scan# 1190

Delta R.T. 0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Tgt Ion:196 Resp: 263032




Ion Ratio Lower Upper


196 100

198 95.8 77.5 116.3

97 49.2 40.5 60.7

132 26.4 23.3 34.9





#45

2-Fluorobiphenyl

Concen: 80.219 ng

RT: 9.116 min Scan# 1195

Delta R.T. -0.011 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion:172 Resp: 1534746

Ion Ratio Lower Upper

172 100

171 35.6 28.4 42.6

170 24.3 19.0 28.4



#46

1,1'-Biphenyl

Concen: 45.969 ng

RT: 9.216 min Scan# 1212

Delta R.T. -0.011 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion:154 Resp: 1019686


Ion Ratio Lower Upper

154 100

153 39.8 19.6 59.6

76 13.8 0.0 31.0









#47
2-Chloronaphthalene
Concen: 47.839 ng
RT: 9.245 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:162 Resp: 769946
Ion Ratio Lower Upper
162 100
127 40.0 32.6 48.8
164 32.8 26.2 39.2



#48
2-Nitroaniline
Concen: 47.931 ng
RT: 9.345 min Scan# 1234
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion: 65 Resp: 299693
Ion Ratio Lower Upper
65 100
92 60.8 49.4 74.0
138 91.7 77.4 116.0









#49
Acenaphthylene
Concen: 46.488 ng
RT: 9.657 min Scan# 1287
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:152 Resp: 1243464
Ion Ratio Lower Upper
152 100
151 20.1 16.4 24.6
153 13.7 10.4 15.6



#50
Dimethylphthalate
Concen: 46.186 ng
RT: 9.528 min Scan# 1265
Delta R.T. -0.005 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:163 Resp: 901342
Ion Ratio Lower Upper
163 100
194 3.8 3.1 4.7
164 9.9 8.1 12.1









#51
2,6-Dinitrotoluene
Concen: 46.533 ng
RT: 9.592 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:165 Resp: 198938
Ion Ratio Lower Upper
165 100
63 63.4 59.4 89.2
89 54.4 49.8 74.8



#52
Acenaphthene
Concen: 46.066 ng
RT: 9.828 min Scan# 1316
Delta R.T. -0.011 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:154 Resp: 727890
Ion Ratio Lower Upper
154 100
153 110.0 92.1 138.1
152 52.9 43.1 64.7









#53
3-Nitroaniline
Concen: 29.581 ng
RT: 9.763 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:138 Resp: 148448
Ion Ratio Lower Upper
138 100
108 10.0 8.5 12.7
92 110.7 95.4 143.0



#54
2,4-Dinitrophenol
Concen: 63.575 ng
RT: 9.881 min Scan# 1325
Delta R.T. 0.007 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:184 Resp: 150920
Ion Ratio Lower Upper
184 100
63 61.2 55.1 82.7
154 52.3 48.4 72.6









#55
Dibenzenofuran
Concen: 41.965 ng
RT: 10.004 min Scan# 1346
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:168 Resp: 1011876
Ion Ratio Lower Upper
168 100
139 36.9 29.0 43.6
169 13.5 10.4 15.6



#56
4-Nitrophenol
Concen: 68.316 ng
RT: 9.940 min Scan# 1335
Delta R.T. 0.012 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:139 Resp: 217890
Ion Ratio Lower Upper
139 100
109 67.1 49.8 89.8
65 109.6 92.7 132.7









#57
2,4-Dinitrotoluene
Concen: 40.994 ng
RT: 9.998 min Scan# 1345
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:165 Resp: 219407
Ion Ratio Lower Upper
165 100
63 78.3 50.1 75.1#
89 92.2 59.3 88.9#
182 2.5 2.3 3.5



#58
Fluorene
Concen: 42.902 ng
RT: 10.351 min Scan# 1405
Delta R.T. 0.000 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:166 Resp: 795253
Ion Ratio Lower Upper
166 100
165 93.1 74.3 111.5
167 13.2 10.9 16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 40.396 ng
RT: 10.128 min Scan# 1367
Delta R.T. 0.000 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:232 Resp: 195934
Ion Ratio Lower Upper
232 100
131 45.0 35.4 53.2
130 2.4 1.8 2.8
166 30.6 24.3 36.5



#60
Diethylphthalate
Concen: 44.726 ng
RT: 10.228 min Scan# 1384
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:149 Resp: 875981
Ion Ratio Lower Upper
149 100
177 21.7 17.8 26.6
150 12.5 10.0 15.0









#61
4-Chlorophenyl-phenylether
Concen: 41.326 ng
RT: 10.339 min Scan# 1404
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:204 Resp: 367982
Ion Ratio Lower Upper
204 100
206 32.5 26.7 40.1
141 58.4 50.6 75.8



#62
4-Nitroaniline
Concen: 39.622 ng
RT: 10.381 min Scan# 1410
Delta R.T. 0.000 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:138 Resp: 191134
Ion Ratio Lower Upper
138 100
92 50.7 31.8 71.8
108 67.9 52.0 92.0





#63

Azobenzene

Concen: 46.684 ng

RT: 10.504 min Scan# 1432

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS

Tgt Ion: 77 Resp: 894866





Ion Ratio Lower Upper

77 100

182 25.7 6.4 46.4

105 23.9 3.1 43.1

51 36.6 16.1 56.1



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.286 min Scan# 1564

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion: 188 Resp: 496655


Ion Ratio Lower Upper

188 100

94 11.1 7.0 10.6#

80 12.2 7.5 11.3#









#65
4,6-Dinitro-2-methylphenol
Concen: 40.992 ng
RT: 10.416 min Scan# 1415
Delta R.T. 0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:198 Resp: 108133
Ion Ratio Lower Upper
198 100
51 50.3 47.7 87.7
105 41.8 27.4 67.4



#66
n-Nitrosodiphenylamine
Concen: 49.212 ng
RT: 10.463 min Scan# 1424
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:169 Resp: 739951
Ion Ratio Lower Upper
169 100
168 68.3 52.8 79.2
167 37.0 29.0 43.6









#67
4-Bromophenyl-phenylether
Concen: 47.475 ng
RT: 10.834 min Scan# 1488
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:248 Resp: 234505
Ion Ratio Lower Upper
248 100
250 99.5 78.6 117.8
141 67.2 54.2 81.2



#68
Hexachlorobenzene
Concen: 49.754 ng
RT: 10.898 min Scan# 1498
Delta R.T. -0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:284 Resp: 250379
Ion Ratio Lower Upper
284 100
142 32.2 22.2 33.4
249 29.7 22.5 33.7





#69

Atrazine

Concen: 53.804 ng

RT: 10.998 min Scan# 1515

Delta R.T. 0.000 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion:200 Resp: 217680

Ion Ratio Lower Upper

200 100

173 29.5 7.4 47.4

215 50.1 28.6 68.6



#70

Pentachlorophenol

Concen: 74.444 ng

RT: 11.098 min Scan# 1532

Delta R.T. 0.000 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion:266 Resp: 224138


Ion Ratio Lower Upper

266 100

268 62.2 52.1 78.1

264 63.6 50.8 76.2





#71

Phenanthrene

Concen: 47.285 ng

RT: 11.316 min Scan# 1569

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion:178 Resp: 1110710

Ion Ratio Lower Upper

178 100

176 20.0 15.6 23.4

179 15.7 12.0 18.0



#72

Anthracene

Concen: 47.161 ng

RT: 11.369 min Scan# 1578

Delta R.T. 0.000 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion:178 Resp: 1138691


Ion Ratio Lower Upper

178 100

176 19.0 15.4 23.2

179 15.3 12.6 19.0









#73
 Carbazole
 Concen: 46.324 ng
 RT: 11.528 min Scan# 1605
 Delta R.T. 0.000 min
 Lab File: BF135404.D
 Acq: 22 Sep 2023 17:34




Instrument :
 BNA_F
 ClientSampleId :
 H-2313-SOILMS


Tgt Ion:167 Resp: 1018184
 Ion Ratio Lower Upper
 167 100
 166 21.8 17.4 26.0
 139 12.6 10.6 15.8



#74
 Di-n-butylphthalate
 Concen: 50.009 ng
 RT: 11.857 min Scan# 1661
 Delta R.T. -0.006 min
 Lab File: BF135404.D
 Acq: 22 Sep 2023 17:34

Tgt Ion:149 Resp: 1295213
 Ion Ratio Lower Upper
 149 100
 150 9.3 7.4 11.0
 104 4.7 3.6 5.4









#75
Fluoranthene
Concen: 43.566 ng
RT: 12.510 min Scan# 1772
Delta R.T. 0.000 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:202 Resp: 1066317
Ion Ratio Lower Upper
202 100
101 11.6 0.0 31.3
203 17.6 0.0 37.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.945 min Scan# 2016
Delta R.T. 0.000 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:240 Resp: 247317
Ion Ratio Lower Upper
240 100
120 12.2 9.4 14.2
236 26.5 19.8 29.8





#77

Benzidine

Concen: 19.388 ng

RT: 12.633 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion:184 Resp: 98232

Ion Ratio Lower Upper

184 100

185 14.8 11.7 17.5

183 9.9 8.2 12.4



#78

Pyrene

Concen: 45.019 ng

RT: 12.739 min Scan# 1811

Delta R.T. 0.000 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion:202 Resp: 1060040


Ion Ratio Lower Upper

202 100

200 20.5 16.2 24.2

203 18.0 14.2 21.4









#79
 Terphenyl-d14
 Concen: 77.913 ng
 RT: 12.880 min Scan# 11
 Delta R.T. -0.011 min
 Lab File: BF135404.D
 Acq: 22 Sep 2023 17:34




Instrument :
 BNA_F
 ClientSampleId :
 H-2313-SOILMS


Tgt Ion:244 Resp: 1243018
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.1 7.7
 122 12.8 7.9 11.9#



#80
 Butylbenzylphthalate
 Concen: 52.162 ng
 RT: 13.363 min Scan# 1917
 Delta R.T. -0.006 min
 Lab File: BF135404.D
 Acq: 22 Sep 2023 17:34

Tgt Ion:149 Resp: 432439
 Ion Ratio Lower Upper
 149 100
 91 70.7 54.7 82.1
 206 21.5 16.3 24.5





#81

Benzo(a)anthracene

Concen: 47.422 ng

RT: 13.933 min Scan# 2015

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion:228 Resp: 757326

Ion Ratio Lower Upper

228 100

226 27.9 21.7 32.5

229 20.2 15.8 23.8



#82

3,3'-Dichlorobenzidine

Concen: 45.221 ng

RT: 13.898 min Scan# 2008

Delta R.T. -0.006 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion:252 Resp: 225575


Ion Ratio Lower Upper

252 100

254 63.8 51.0 76.4

126 12.8 7.8 11.8#





#83

Chrysene

Concen: 47.984 ng

RT: 13.975 min Scan# 2012

Delta R.T. 0.000 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion:228 Resp: 761880

Ion Ratio Lower Upper

228 100

226 30.2 24.3 36.5

229 20.0 16.0 24.0



#84

Bis(2-ethylhexyl)phthalate

Concen: 63.105 ng

RT: 13.922 min Scan# 2012

Delta R.T. -0.011 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion:149 Resp: 536857


Ion Ratio Lower Upper

149 100

167 27.5 21.9 32.9

279 3.3 3.3 4.9#





#85

Di-n-octyl phthalate

Concen: 68.781 ng

RT: 14.539 min Scan# 2117

Delta R.T. -0.011 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion:149 Resp: 929906

Ion Ratio Lower Upper

149 100

167 1.5 1.1 1.7

43 12.4 9.8 14.6



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.410 min Scan# 2265

Delta R.T. 0.000 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion:264 Resp: 333745


Ion Ratio Lower Upper

264 100

260 24.4 19.8 29.6

265 21.7 17.0 25.4





#87

Indeno(1,2,3-cd)pyrene

Concen: 42.152 ng

RT: 16.898 min Scan# 2193

Delta R.T. 0.018 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34

Instrument :

BNA_F

ClientSampleId :

H-2313-SOILMS





Tgt Ion:276 Resp: 922402

Ion Ratio Lower Upper

276 100

138 27.7 19.2 28.8

277 24.9 19.7 29.5



#88

Benzo(b)fluoranthene

Concen: 47.090 ng

RT: 14.986 min Scan# 2193

Delta R.T. 0.000 min

Lab File: BF135404.D

Acq: 22 Sep 2023 17:34




Tgt Ion:252 Resp: 850759


Ion Ratio Lower Upper

252 100

253 22.1 17.2 25.8

125 10.7 7.1 10.7#









#89
Benzo(k)fluoranthene
Concen: 47.670 ng
RT: 14.986 min Scan# 2198
Delta R.T. -0.029 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34




Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS


Tgt Ion:252 Resp: 850759
Ion Ratio Lower Upper
252 100
253 22.1 17.4 26.0
125 10.7 7.2 10.8



#90
Benzo(a)pyrene
Concen: 45.480 ng
RT: 15.351 min Scan# 2255
Delta R.T. 0.006 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:252 Resp: 783575
Ion Ratio Lower Upper
252 100
253 22.3 17.5 26.3
125 12.9 9.2 13.8









#91
Dibenzo(a,h)anthracene
Concen: 42.311 ng
RT: 16.910 min Scan# 2518
Delta R.T. 0.012 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Instrument :
BNA_F
ClientSampleId :
H-2313-SOILMS

Tgt Ion:278 Resp: 757570
Ion Ratio Lower Upper
278 100
139 18.9 13.4 20.0
279 23.2 19.0 28.6



#92
Benzo(g,h,i)perylene
Concen: 39.001 ng
RT: 17.345 min Scan# 2594
Delta R.T. 0.018 min
Lab File: BF135404.D
Acq: 22 Sep 2023 17:34

Tgt Ion:276 Resp: 729275
Ion Ratio Lower Upper
276 100
277 23.7 18.8 28.2
138 23.1 16.9 25.3

