

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092718\
 Data File : BF109413.D
 Acq On : 28 Sep 2018 4:24
 Operator : JU/SJ
 Sample : J5076-06
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 092418-SIDI-F-U-S

Quant Time: Sep 28 07:26:15 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 22 13:32:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	108529	20.00	ng	0.00
21) Naphthalene-d8	7.99	136	409859	20.00	ng	0.00
38) Acenaphthene-d10	9.73	164	178268	20.00	ng	0.00
63) Phenanthrene-d10	11.21	188	278992	20.00	ng	0.00
75) Chrysene-d12	13.84	240	247083	20.00	ng	0.00
86) Perylene-d12	15.24	264	185558	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	301723	45.79	ng	0.00
7) Phenol-d6	6.34	99	253278	30.12	ng	-0.02
23) Nitrobenzene-d5	7.27	82	733070	105.58	ng	-0.01
41) 2,4,6-Tribromophenol	10.52	330	151524	86.22	ng	-0.01
44) 2-Fluorobiphenyl	9.07	172	1208690	102.26	ng	0.00
78) Terphenyl-d14	12.80	244	989251	98.26	ng	0.00
Target Compounds						Qvalue
49) Dimethylphthalate	9.46	163	57435	4.430	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092718\
Data File : BF109413.D
Acq On : 28 Sep 2018 4:24
Operator : JU/SJ
Sample : J5076-06
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
092418-SIDI-F-U-S

Quant Time: Sep 28 07:26:15 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 22 13:32:18 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF109413.D
Acq: 28 Sep 2018 4:24

Instrument :
BNA_F
ClientSampleId :
092418-SIDI-F-U-S

Tot Ion:152 Resp: 108529
Ion Ratio Lower Upper
152 100
150 157.2 124.6 186.8
115 63.6 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 45.791 ng
RT: 5.32 min Scan# 549
Delta R.T. 0.00 min
Lab File: BF109413.D
Acq: 28 Sep 2018 4:24

Tgt Ion:112 Resp: 301723
Ion Ratio Lower Upper
112 100
64 55.7 47.9 71.9
63 29.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 30.123 ng

RT: 6.34 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF109413.D

Acq: 28 Sep 2018 4:24

Instrument :

BNA_F

ClientSampleId :

092418-SIDI-F-U-S


Tot Ion: 99 Resp: 253278

Ion Ratio Lower Upper



99 100

42 17.6 14.5 21.7

71 33.5 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.99 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BF109413.D

Acq: 28 Sep 2018 4:24

Tgt Ion: 136 Resp: 409859


Ion Ratio Lower Upper

136 100



137 10.9 8.9 13.3

54 7.3 6.6 9.8

68 5.9 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 105.583 ng
 RT: 7.27 min Scan# 881
 Delta R.T. -0.01 min
 Lab File: BF109413.D
 Acq: 28 Sep 2018 4:24

Instrument :
 BNA_F
 ClientSampleId :
 092418-SIDI-F-U-S

Tot Ion	Ratio	Lower	Upper
82	100		
128	42.7	36.1	54.1
54	48.4	41.4	62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1





#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.73 min Scan# 1300
 Delta R.T. -0.01 min
 Lab File: BF109413.D
 Acq: 28 Sep 2018 4:24

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.4	86.1	129.1
160	46.3	38.3	57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 86.223 ng
 RT: 10.52 min Scan# 1434
 Delta R.T. -0.01 min
 Lab File: BF109413.D
 Acq: 28 Sep 2018 4:24

Instrument :
 BNA_F
 ClientSampleId :
 092418-SIDI-F-U-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	95.8	77.0	115.6
141	33.9	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 102.258 ng
 RT: 9.07 min Scan# 1187
 Delta R.T. -0.01 min
 Lab File: BF109413.D
 Acq: 28 Sep 2018 4:24

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.9	29.7	44.5
170	24.2	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#49
 Dimethylphthalate
 Concen: 4.430 ng
 RT: 9.46 min Scan# 1253
 Delta R.T. -0.02 min
 Lab File: BF109413.D
 Acq: 28 Sep 2018 4:24

Instrument :
 BNA_F
 ClientSampleId :
 092418-SIDI-F-U-S

Tot Ion:163 Resp: 57435
 Ion Ratio Lower Upper
 163 100
 194 4.0 2.7 4.1
 164 9.7 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E





#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.21 min Scan# 1551
 Delta R.T. -0.01 min
 Lab File: BF109413.D
 Acq: 28 Sep 2018 4:24

Tgt Ion:188 Resp: 278992
 Ion Ratio Lower Upper
 188 100
 94 10.3 8.5 12.7
 80 10.5 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.84 min Scan# 1998

Delta R.T. -0.01 min

Lab File: BF109413.D

Acq: 28 Sep 2018 4:24

Instrument :

BNA_F

ClientSampleId :

092418-SIDI-F-U-S


Tot Ion:240 Resp: 247083

Ion Ratio Lower Upper

240 100

120 10.2 9.5 14.3



236 25.3 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 98.258 ng

RT: 12.80 min Scan# 1821

Delta R.T. -0.01 min

Lab File: BF109413.D

Acq: 28 Sep 2018 4:24


Tgt Ion:244 Resp: 989251

Ion Ratio Lower Upper

244 100

212 7.0 5.4 8.0



122 11.2 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Pervlene-d12

Concen: 20.000 ng

RT: 15.24 min Scan# 2236

Delta R.T. 0.00 min

Lab File: BF109413.D

Acq: 28 Sep 2018 4:24

Instrument :

BNA_F

ClientSampleId :

092418-SIDI-F-U-S


Tot Ion:264 Resp: 185558

Ion Ratio Lower Upper

264 100

260 23.2 19.2 28.8

265 20.7 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

