

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092718\
 Data File : BF109417.D
 Acq On : 28 Sep 2018 6:10
 Operator : JU/SJ
 Sample : J5076-10
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 092418-TIPC-F-U-S

Quant Time: Sep 28 07:30:51 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 22 13:32:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	106210	20.00	ng	0.00
21) Naphthalene-d8	7.99	136	394926	20.00	ng	0.00
38) Acenaphthene-d10	9.73	164	173388	20.00	ng	0.00
63) Phenanthrene-d10	11.21	188	283170	20.00	ng	0.00
75) Chrysene-d12	13.84	240	253407	20.00	ng	0.00
86) Perylene-d12	15.24	264	195281	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	277215	42.99	ng	0.00
7) Phenol-d6	6.34	99	224197	27.25	ng	-0.02
23) Nitrobenzene-d5	7.27	82	684879	102.37	ng	-0.01
41) 2,4,6-Tribromophenol	10.52	330	146767	85.87	ng	-0.01
44) 2-Fluorobiphenyl	9.06	172	1143461	99.46	ng	-0.01
78) Terphenyl-d14	12.80	244	987237	95.61	ng	0.00
Target Compounds						
49) Dimethylphthalate	9.46	163	91134	7.226	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF092718\
Data File : BF109417.D
Acq On : 28 Sep 2018 6:10
Operator : JU/SJ
Sample : J5076-10
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
092418-TIPC-F-U-S

Quant Time: Sep 28 07:30:51 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 22 13:32:18 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF109417.D
Acq: 28 Sep 2018 6:10

Instrument :
BNA_F
ClientSampleId :
092418-TIPC-F-U-S

Tot Ion:152 Resp: 106210
Ion Ratio Lower Upper
152 100
150 154.5 124.6 186.8
115 60.3 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 42.990 ng
RT: 5.32 min Scan# 549
Delta R.T. 0.00 min
Lab File: BF109417.D
Acq: 28 Sep 2018 6:10

Tgt Ion:112 Resp: 277215
Ion Ratio Lower Upper
112 100
64 53.4 47.9 71.9
63 28.1 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 27.247 ng

RT: 6.34 min Scan# 723

Delta R.T. -0.02 min

Lab File: BF109417.D

Acq: 28 Sep 2018 6:10

Instrument :

BNA_F

ClientSampleId :

092418-TIPC-F-U-S


Tot Ion: 99 Resp: 224197

Ion Ratio Lower Upper




99 100

42 17.7 14.5 21.7

71 33.7 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.99 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BF109417.D

Acq: 28 Sep 2018 6:10

Tgt Ion: 136 Resp: 394926


Ion Ratio Lower Upper

136 100



137 11.1 8.9 13.3


54 7.2 6.6 9.8

68 5.9 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 102.372 ng

RT: 7.27 min Scan# 881

Delta R.T. -0.01 min

Lab File: BF109417.D

Acq: 28 Sep 2018 6:10

Instrument :

BNA_F

ClientSampleId :

092418-TIPC-F-U-S


Tot Ion: 82 Resp: 684879

Ion Ratio Lower Upper

82 100

128 42.9 36.1 54.1




54 49.6 41.4 62.2



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#38

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.73 min Scan# 1300

Delta R.T. -0.01 min

Lab File: BF109417.D

Acq: 28 Sep 2018 6:10


Tgt Ion:164 Resp: 173388

Ion Ratio Lower Upper

164 100

162 101.5 86.1 129.1



160 44.9 38.3 57.5




Abundance Ion 164.00 (163.70 to 164.70): BF1

Ion 162.00 (161.70 to 162.70): BF1

Ion 160.00 (159.70 to 160.70): BF1









#41
 2,4,6-Tribromophenol
 Concen: 85.867 ng
 RT: 10.52 min Scan# 1434
 Delta R.T. -0.01 min
 Lab File: BF109417.D
 Acq: 28 Sep 2018 6:10




Instrument :
 BNA_F
 ClientSampleId :
 092418-TIPC-F-U-S


Tot Ion	Ratio	Lower	Upper
330	100		
332	96.2	77.0	115.6
141	33.0	29.9	44.9



#44
 2-Fluorobiphenyl
 Concen: 99.462 ng
 RT: 9.06 min Scan# 1186
 Delta R.T. -0.01 min
 Lab File: BF109417.D
 Acq: 28 Sep 2018 6:10

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.9	29.7	44.5
170	24.5	19.6	29.4









#49
 Dimethylphthalate
 Concen: 7.226 ng
 RT: 9.46 min Scan# 1253
 Delta R.T. -0.02 min
 Lab File: BF109417.D
 Acq: 28 Sep 2018 6:10

Instrument :
 BNA_F
 ClientSampleId :
 092418-TIPC-F-U-S

Tot Ion:163 Resp: 91134
 Ion Ratio Lower Upper
 163 100
 194 3.8 2.7 4.1
 164 9.8 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E






#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.21 min Scan# 1551
 Delta R.T. -0.01 min
 Lab File: BF109417.D
 Acq: 28 Sep 2018 6:10

Tgt Ion:188 Resp: 283170
 Ion Ratio Lower Upper
 188 100
 94 10.2 8.5 12.7
 80 10.7 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.84 min Scan# 1998

Delta R.T. -0.01 min

Lab File: BF109417.D

Acq: 28 Sep 2018 6:10

Instrument :

BNA_F

ClientSampleId :

092418-TIPC-F-U-S


Tot Ion:240 Resp: 253407

Ion Ratio Lower Upper

240 100

120 10.2 9.5 14.3




236 26.0 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 95.611 ng

RT: 12.80 min Scan# 1821

Delta R.T. -0.01 min

Lab File: BF109417.D

Acq: 28 Sep 2018 6:10


Tgt Ion:244 Resp: 987237

Ion Ratio Lower Upper

244 100

212 7.3 5.4 8.0



122 10.8 11.0 16.4#




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86

Pervlene-d12

Concen: 20.000 ng

RT: 15.24 min Scan# 2236

Delta R.T. 0.00 min

Lab File: BF109417.D

Acq: 28 Sep 2018 6:10

Instrument :

BNA_F

ClientSampleId :

092418-TIPC-F-U-S

Tot Ion: 264 Resp: 195281

Ion Ratio Lower Upper

264 100

260 24.2 19.2 28.8

265 21.7 17.5 26.3

