

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092823\
 Data File : BF135494.D
 Acq On : 28 Sep 2023 15:34
 Operator : CG\JU
 Sample : 04620-05
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CON-SUPPORT-A

Quant Time: Sep 29 00:23:26 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 28 19:03:19 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.745	152	153467	20.000	ng	0.00
21) Naphthalene-d8	8.022	136	593600	20.000	ng	# 0.00
39) Acenaphthene-d10	9.775	164	284536	20.000	ng	0.00
64) Phenanthrene-d10	11.269	188	516798	20.000	ng	# 0.00
76) Chrysene-d12	13.921	240	281005	20.000	ng	0.00
86) Perylene-d12	15.380	264	317557	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.381	112	706609	74.887	ng	0.00
7) Phenol-d6	6.387	99	942331	78.540	ng	-0.01
23) Nitrobenzene-d5	7.310	82	594597	54.421	ng	0.00
42) 2,4,6-Tribromophenol	10.569	330	161589	57.147	ng	0.00
45) 2-Fluorobiphenyl	9.098	172	1044896	55.404	ng	0.00
79) Terphenyl-d14	12.863	244	933744	51.511	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF092823\
Data File : BF135494.D
Acq On : 28 Sep 2023 15:34
Operator : CG\JU
Sample : 04620-05
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CON-SUPPORT-A

Quant Time: Sep 29 00:23:26 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 28 19:03:19 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.745 min Scan# 795
Delta R.T. -0.001 min
Lab File: BF135494.D
Acq: 28 Sep 2023 15:34




Instrument :
BNA_F
ClientSampleId :
CON-SUPPORT-A

Tgt Ion:152 Resp: 153467
Ion Ratio Lower Upper
152 100
150 157.6 127.8 191.6
115 58.9 49.8 74.8



#5
2-Fluorophenol
Concen: 74.887 ng
RT: 5.381 min Scan# 560
Delta R.T. 0.006 min
Lab File: BF135494.D
Acq: 28 Sep 2023 15:34

Tgt Ion:112 Resp: 706609
Ion Ratio Lower Upper
112 100
64 63.7 55.9 83.9
63 32.3 29.0 43.6








#7
Phenol-d6
Concen: 78.540 ng
RT: 6.387 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF135494.D
Acq: 28 Sep 2023 15:34




Instrument :
BNA_F
ClientSampleId :
CON-SUPPORT-A


Tgt Ion: 99 Resp: 942331
Ion Ratio Lower Upper
99 100
42 23.0 17.9 26.9
71 31.4 27.0 40.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.022 min Scan# 1009
Delta R.T. -0.006 min
Lab File: BF135494.D
Acq: 28 Sep 2023 15:34

Tgt Ion: 136 Resp: 593600
Ion Ratio Lower Upper
136 100
137 10.8 8.8 13.2
54 9.8 7.7 11.5
68 7.0 4.6 6.8#





#23

Nitrobenzene-d5

Concen: 54.421 ng

RT: 7.310 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF135494.D

Acq: 28 Sep 2023 15:34

Instrument :

BNA_F

ClientSampleId :

CON-SUPPORT-A





Tgt Ion: 82 Resp: 594597

Ion Ratio Lower Upper

82 100

128 45.6 35.8 53.6

54 60.2 50.6 76.0



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.775 min Scan# 1307

Delta R.T. -0.006 min

Lab File: BF135494.D

Acq: 28 Sep 2023 15:34




Tgt Ion: 164 Resp: 284536

Ion Ratio Lower Upper

164 100

162 101.1 81.0 121.4

160 45.8 37.0 55.4





#42

2,4,6-Tribromophenol

Concen: 57.147 ng

RT: 10.569 min Scan# 1442

Delta R.T. -0.006 min

Lab File: BF135494.D


Acq: 28 Sep 2023 15:34

Instrument :

BNA_F

ClientSampleId :

CON-SUPPORT-A






Tgt Ion:330 Resp: 161589

Ion Ratio Lower Upper

330 100

332 94.5 77.3 115.9

141 35.5 25.8 38.8



#45

2-Fluorobiphenyl

Concen: 55.404 ng

RT: 9.098 min Scan# 1192

Delta R.T. -0.006 min

Lab File: BF135494.D

Acq: 28 Sep 2023 15:34




Tgt Ion:172 Resp: 1044896

Ion Ratio Lower Upper

172 100

171 35.2 28.4 42.6

170 23.8 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.269 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135494.D
Acq: 28 Sep 2023 15:34




Instrument :
BNA_F
ClientSampleId :
CON-SUPPORT-A

Tgt Ion:188 Resp: 516798
Ion Ratio Lower Upper
188 100
94 10.6 7.0 10.6#
80 11.0 7.5 11.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.921 min Scan# 2012
Delta R.T. -0.006 min
Lab File: BF135494.D
Acq: 28 Sep 2023 15:34


Tgt Ion:240 Resp: 281005
Ion Ratio Lower Upper
240 100
120 13.3 9.4 14.2
236 25.2 19.8 29.8








#79
 Terphenyl-d14
 Concen: 51.511 ng
 RT: 12.863 min Scan# 1832
 Delta R.T. -0.006 min
 Lab File: BF135494.D
 Acq: 28 Sep 2023 15:34

Instrument :
 BNA_F
 ClientSampleId :
 CON-SUPPORT-A



Tgt Ion:244 Resp: 933744
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.1 7.7
 122 12.5 7.9 11.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.380 min Scan# 2260
 Delta R.T. -0.000 min
 Lab File: BF135494.D
 Acq: 28 Sep 2023 15:34

Tgt Ion:264 Resp: 317557
 Ion Ratio Lower Upper
 264 100
 260 24.1 19.8 29.6
 265 22.5 17.0 25.4

