

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100318\
 Data File : BF109565.D
 Acq On : 3 Oct 2018 23:35
 Operator : JU/SJ
 Sample : J5221-07
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 100118-DBRI-E-U-B

Quant Time: Oct 04 03:29:25 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Sep 22 13:32:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	84179	20.00	ng	0.00
21) Naphthalene-d8	7.99	136	287813	20.00	ng	0.00
38) Acenaphthene-d10	9.73	164	112735	20.00	ng	0.00
63) Phenanthrene-d10	11.21	188	213799	20.00	ng	0.00
75) Chrysene-d12	13.84	240	206362	20.00	ng	0.00
86) Perylene-d12	15.24	264	137861	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	199293	38.99	ng	0.00
7) Phenol-d6	6.35	99	155865	23.90	ng	-0.01
23) Nitrobenzene-d5	7.27	82	517777	106.20	ng	-0.01
41) 2,4,6-Tribromophenol	10.52	330	115816	104.21	ng	-0.01
44) 2-Fluorobiphenyl	9.06	172	863095	115.47	ng	-0.01
78) Terphenyl-d14	12.79	244	886734	105.46	ng	-0.01
Target Compounds						Qvalue
49) Dimethylphthalate	9.45	163	63660	7.764	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100318\
Data File : BF109565.D
Acq On : 3 Oct 2018 23:35
Operator : JU/SJ
Sample : J5221-07
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
100118-DBRI-E-U-B

Quant Time: Oct 04 03:29:25 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF092218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Sep 22 13:32:18 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 785
Delta R.T. -0.01 min
Lab File: BF109565.D
Acq: 3 Oct 2018 23:35

Instrument :
BNA_F
ClientSampleId :
100118-DBRI-E-U-B

Tot Ion	Ratio	Lower	Upper
152	100		
150	161.9	124.6	186.8
115	61.4	50.1	75.1






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 38.994 ng
RT: 5.32 min Scan# 549
Delta R.T. 0.00 min
Lab File: BF109565.D
Acq: 3 Oct 2018 23:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	58.0	47.9	71.9
63	30.2	23.7	35.5





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 23.900 ng

RT: 6.35 min Scan# 724

Delta R.T. -0.01 min

Lab File: BF109565.D

Acq: 3 Oct 2018 23:35

Instrument :

BNA_F

ClientSampleId :

100118-DBRI-E-U-B


Tot Ion: 99 Resp: 155865

Ion Ratio Lower Upper



99 100

42 17.8 14.5 21.7

71 33.1 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.99 min Scan# 1003

Delta R.T. -0.01 min

Lab File: BF109565.D

Acq: 3 Oct 2018 23:35

Tgt Ion: 136 Resp: 287813


Ion Ratio Lower Upper

136 100



137 10.8 8.9 13.3

54 6.5 6.6 9.8#

68 5.1 5.0 7.4



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 106.198 ng
 RT: 7.27 min Scan# 881
 Delta R.T. -0.01 min
 Lab File: BF109565.D
 Acq: 3 Oct 2018 23:35




Instrument :
 BNA_F
 ClientSampleId :
 100118-DBRI-E-U-B


Tot Ion: 82 Resp: 517777
 Ion Ratio Lower Upper
 82 100
 128 43.6 36.1 54.1
 54 47.7 41.4 62.2



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.73 min Scan# 1300
 Delta R.T. -0.01 min
 Lab File: BF109565.D
 Acq: 3 Oct 2018 23:35

Tgt Ion: 164 Resp: 112735
 Ion Ratio Lower Upper
 164 100
 162 103.2 86.1 129.1
 160 47.1 38.3 57.5









#41
 2,4,6-Tribromophenol
 Concen: 104.214 ng
 RT: 10.52 min Scan# 1434
 Delta R.T. -0.01 min
 Lab File: BF109565.D
 Acq: 3 Oct 2018 23:35

Instrument :
 BNA_F
 ClientSampleId :
 100118-DBRI-E-U-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.2	77.0	115.6
141	33.6	29.9	44.9




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 115.467 ng
 RT: 9.06 min Scan# 1186
 Delta R.T. -0.01 min
 Lab File: BF109565.D
 Acq: 3 Oct 2018 23:35

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.7	29.7	44.5
170	23.7	19.6	29.4



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E








#49
Dimethylphthalate
Concen: 7.764 ng
RT: 9.45 min Scan# 1252
Delta R.T. -0.03 min
Lab File: BF109565.D
Acq: 3 Oct 2018 23:35

Instrument :
BNA_F
ClientSampleId :
100118-DBRI-E-U-B

Tot Ion:163 Resp: 63660
Ion Ratio Lower Upper
163 100
194 4.0 2.7 4.1
164 10.6 8.2 12.2




Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.21 min Scan# 1551
Delta R.T. -0.01 min
Lab File: BF109565.D
Acq: 3 Oct 2018 23:35

Tgt Ion:188 Resp: 213799
Ion Ratio Lower Upper
188 100
94 9.3 8.5 12.7
80 10.3 9.2 13.8



Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1





#75

Chrysene-d12

Concen: 20.000 ng

RT: 13.84 min Scan# 1998

Delta R.T. -0.01 min

Lab File: BF109565.D

Acq: 3 Oct 2018 23:35

Instrument :

BNA_F

ClientSampleId :

100118-DBRI-E-U-B


Tot Ion:240 Resp: 206362

Ion Ratio Lower Upper

240 100

120 9.5 9.5 14.3




236 25.1 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E



#78

Terphenyl-d14

Concen: 105.455 ng

RT: 12.79 min Scan# 1820

Delta R.T. -0.01 min

Lab File: BF109565.D

Acq: 3 Oct 2018 23:35


Tgt Ion:244 Resp: 886734

Ion Ratio Lower Upper

244 100

212 7.1 5.4 8.0



122 12.1 11.0 16.4




Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E





#86
Pervlene-d12
Concen: 20.000 ng
RT: 15.24 min Scan# 2236
Delta R.T. 0.00 min
Lab File: BF109565.D
Acq: 3 Oct 2018 23:35

Instrument :
BNA_F
ClientSampleId :
100118-DBRI-E-U-B

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.4	19.2	28.8
265	21.0	17.5	26.3

