

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100423\
 Data File : BF135593.D
 Acq On : 05 Oct 2023 03:35
 Operator : CG\JU
 Sample : 04687-01
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 HR-1-092923

Quant Time: Oct 05 06:52:04 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 04 17:06:20 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.739	152	120947	20.000	ng	0.00
21) Naphthalene-d8	8.016	136	476732	20.000	ng	0.00
39) Acenaphthene-d10	9.769	164	203220	20.000	ng	0.00
64) Phenanthrene-d10	11.263	188	340519	20.000	ng	0.00
76) Chrysene-d12	13.921	240	183373	20.000	ng	0.00
86) Perylene-d12	15.386	264	220346	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.375	112	650376	87.460	ng	0.00
7) Phenol-d6	6.387	99	806516	85.295	ng	0.00
23) Nitrobenzene-d5	7.304	82	492264	56.099	ng	0.00
42) 2,4,6-Tribromophenol	10.569	330	167101	82.743	ng	0.00
45) 2-Fluorobiphenyl	9.092	172	793712	58.926	ng	0.00
79) Terphenyl-d14	12.857	244	589661	49.849	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100423\
Data File : BF135593.D
Acq On : 05 Oct 2023 03:35
Operator : CG\JU
Sample : 04687-01
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
HR-1-092923

Quant Time: Oct 05 06:52:04 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 04 17:06:20 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.739 min Scan# 795
Delta R.T. 0.000 min
Lab File: BF135593.D
Acq: 05 Oct 2023 03:35




Instrument :
BNA_F
ClientSampleId :
HR-1-092923

Tgt Ion:152 Resp: 120947
Ion Ratio Lower Upper
152 100
150 160.3 127.8 191.6
115 58.3 49.8 74.8



#5
2-Fluorophenol
Concen: 87.460 ng
RT: 5.375 min Scan# 559
Delta R.T. 0.006 min
Lab File: BF135593.D
Acq: 05 Oct 2023 03:35

Tgt Ion:112 Resp: 650376
Ion Ratio Lower Upper
112 100
64 63.7 55.9 83.9
63 33.0 29.0 43.6





#7

Phenol-d6

Concen: 85.295 ng

RT: 6.387 min Scan# 71

Delta R.T. 0.000 min

Lab File: BF135593.D

Acq: 05 Oct 2023 03:35

Instrument :

BNA_F

ClientSampleId :

HR-1-092923





Tgt Ion: 99 Resp: 806516

Ion Ratio Lower Upper

99 100

42 23.7 17.9 26.9

71 35.4 27.0 40.6



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.016 min Scan# 1008

Delta R.T. 0.000 min

Lab File: BF135593.D

Acq: 05 Oct 2023 03:35

Tgt Ion: 136 Resp: 476732




Ion Ratio Lower Upper

136 100

137 10.6 8.8 13.2

54 9.9 7.7 11.5

68 5.9 4.6 6.8





#23

Nitrobenzene-d5

Concen: 56.099 ng

RT: 7.304 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF135593.D


Acq: 05 Oct 2023 03:35

Instrument :

BNA_F

ClientSampleId :

HR-1-092923






Tgt Ion: 82 Resp: 492264

Ion Ratio Lower Upper

82 100

128 44.6 35.8 53.6

54 63.1 50.6 76.0



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.769 min Scan# 1306

Delta R.T. -0.006 min

Lab File: BF135593.D

Acq: 05 Oct 2023 03:35




Tgt Ion: 164 Resp: 203220


Ion Ratio Lower Upper

164 100

162 100.3 81.0 121.4

160 46.4 37.0 55.4








#42
 2,4,6-Tribromophenol
 Concen: 82.743 ng
 RT: 10.569 min Scan# 1442
 Delta R.T. 0.000 min
 Lab File: BF135593.D
 Acq: 05 Oct 2023 03:35




Instrument :
 BNA_F
 ClientSampleId :
 HR-1-092923

Tgt Ion:330 Resp: 167101
 Ion Ratio Lower Upper
 330 100
 332 95.1 77.3 115.9
 141 30.5 25.8 38.8



#45
 2-Fluorobiphenyl
 Concen: 58.926 ng
 RT: 9.092 min Scan# 1191
 Delta R.T. -0.006 min
 Lab File: BF135593.D
 Acq: 05 Oct 2023 03:35

Tgt Ion:172 Resp: 793712
 Ion Ratio Lower Upper
 172 100
 171 35.6 28.4 42.6
 170 23.6 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.263 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF135593.D

Acq: 05 Oct 2023 03:35

Instrument :

BNA_F

ClientSampleId :

HR-1-092923





Tgt Ion:188 Resp: 340519

Ion Ratio Lower Upper

188 100

94 9.6 7.0 10.6

80 9.8 7.5 11.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.921 min Scan# 2012

Delta R.T. -0.006 min

Lab File: BF135593.D

Acq: 05 Oct 2023 03:35




Tgt Ion:240 Resp: 183373


Ion Ratio Lower Upper

240 100

120 10.2 9.4 14.2

236 24.6 19.8 29.8









#79
 Terphenyl-d14
 Concen: 49.849 ng
 RT: 12.857 min Scan# 1831
 Delta R.T. -0.006 min
 Lab File: BF135593.D
 Acq: 05 Oct 2023 03:35

Instrument :
 BNA_F
 ClientSampleId :
 HR-1-092923

Tgt Ion:244 Resp: 589661
 Ion Ratio Lower Upper
 244 100
 212 6.8 5.1 7.7
 122 11.8 7.9 11.9



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.386 min Scan# 2261
 Delta R.T. 0.000 min
 Lab File: BF135593.D
 Acq: 05 Oct 2023 03:35

Tgt Ion:264 Resp: 220346
 Ion Ratio Lower Upper
 264 100
 260 22.5 19.8 29.6
 265 22.3 17.0 25.4

