

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF100918\
 Data File : BF109721.D
 Acq On : 10 Oct 2018 3:28
 Operator : JU/SJ
 Sample : J5326-21
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FL-PIT-6

Quant Time: Oct 10 05:15:12 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF100818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 08 16:02:11 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	70545	20.00	ng	0.00
21) Naphthalene-d8	7.97	136	270641	20.00	ng	0.00
38) Acenaphthene-d10	9.72	164	105410	20.00	ng	0.00
63) Phenanthrene-d10	11.20	188	181812	20.00	ng	0.00
75) Chrysene-d12	13.83	240	205621	20.00	ng	0.00
86) Perylene-d12	15.22	264	172927	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	601552	151.36	ng	0.00
7) Phenol-d6	6.35	99	800219	150.72	ng	-0.01
23) Nitrobenzene-d5	7.26	82	510903	104.06	ng	-0.01
41) 2,4,6-Tribromophenol	10.51	330	142276	123.87	ng	0.00
44) 2-Fluorobiphenyl	9.05	172	763573	99.77	ng	0.00
78) Terphenyl-d14	12.78	244	651342	61.32	ng	0.00
Target Compounds						
10) Phenol	6.36	94	27697	4.549	ng	91
19) n-Nitroso-di-n-propylamine	7.26	70	64984	17.454	ng	# 79
25) Isophorone	7.26	82	511446	62.732	ng	# 67
49) Dimethylphthalate	9.45	163	72255	9.346	ng	98
56) 2,4-Dinitrotoluene	9.72	165	12793	6.117	ng	# 17
66) 4-Bromophenyl-phenylether	10.51	248	8504	4.071	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_F\DATA\BF100918\
Data File : BF109721.D
Acq On : 10 Oct 2018 3:28
Operator : JU/SJ
Sample : J5326-21
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FL-PIT-6

Quant Time: Oct 10 05:15:12 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF100818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 08 16:02:11 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 784
Delta R.T. 0.00 min
Lab File: BF109721.D
Acq: 10 Oct 2018 3:28

Instrument :
BNA_F
ClientSampleId :
FL-PIT-6

Tgt Ion:152 Resp: 70545
Ion Ratio Lower Upper
152 100
150 154.1 122.7 184.1
115 59.9 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 151.361 ng
RT: 5.32 min Scan# 549
Delta R.T. -0.00 min
Lab File: BF109721.D
Acq: 10 Oct 2018 3:28

Tgt Ion:112 Resp: 601552
Ion Ratio Lower Upper
112 100
64 61.4 44.1 66.1
63 32.5 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 150.723 ng

RT: 6.35 min Scan# 724

Delta R.T. -0.01 min

Lab File: BF109721.D

Acq: 10 Oct 2018 3:28

Instrument :

BNA_F

ClientSampleId :

FL-PIT-6


Tgt Ion: 99 Resp: 800219

Ion Ratio Lower Upper




99 100

42 20.3 15.8 23.6

71 36.7 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 4.549 ng

RT: 6.36 min Scan# 726

Delta R.T. -0.01 min

Lab File: BF109721.D

Acq: 10 Oct 2018 3:28


Tgt Ion: 94 Resp: 27697

Ion Ratio Lower Upper



94 100


65 36.9 25.3 65.3

66 80.5 54.5 94.5



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#19
n-Nitroso-di-n-propylamine
Concen: 17.454 ng
RT: 7.26 min Scan# 879
Delta R.T. 0.14 min
Lab File: BF109721.D
Acq: 10 Oct 2018 3:28




Instrument :
BNA_F
ClientSampleId :
FL-PIT-6


Tgt Ion: 70 Resp: 64984
Ion Ratio Lower Upper
70 100
42 48.9 47.4 71.2
101 0.0 7.3 10.9#
130 2.2 16.2 24.2#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 7.97 min Scan# 1001
Delta R.T. -0.01 min
Lab File: BF109721.D
Acq: 10 Oct 2018 3:28

Tgt Ion: 136 Resp: 270641
Ion Ratio Lower Upper
136 100
137 10.6 8.8 13.2
54 7.0 5.4 8.2
68 5.2 4.2 6.2









#23
 Nitrobenzene-d5
 Concen: 104.059 ng
 RT: 7.26 min Scan# 879
 Delta R.T. -0.01 min
 Lab File: BF109721.D
 Acq: 10 Oct 2018 3:28

Instrument :
 BNA_F
 ClientSampled :
 FL-PIT-6

Tgt Ion	Ratio	Lower	Upper
82	100		
128	40.0	34.2	51.2
54	48.6	38.6	58.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#25
 Isophorone
 Concen: 62.732 ng
 RT: 7.26 min Scan# 879
 Delta R.T. -0.26 min
 Lab File: BF109721.D
 Acq: 10 Oct 2018 3:28

Tgt Ion	Ratio	Lower	Upper
82	100		
95	0.0	5.7	8.5#
138	0.0	13.2	19.8#



Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 95.00 (94.70 to 95.70): BF1
 Ion 138.00 (137.70 to 138.70): BF1









#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.72 min Scan# 1298
 Delta R.T. -0.01 min
 Lab File: BF109721.D
 Acq: 10 Oct 2018 3:28

Instrument :
 BNA_F
 ClientSampleId :
 FL-PIT-6

Tgt Ion:164 Resp: 105410
 Ion Ratio Lower Upper
 164 100
 162 103.1 83.0 124.6
 160 46.7 37.0 55.6




Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E






#41
 2,4,6-Tribromophenol
 Concen: 123.874 ng
 RT: 10.51 min Scan# 1432
 Delta R.T. -0.01 min
 Lab File: BF109721.D
 Acq: 10 Oct 2018 3:28

Tgt Ion:330 Resp: 142276
 Ion Ratio Lower Upper
 330 100
 332 98.4 77.1 115.7
 141 35.0 27.0 40.4



Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 99.766 ng
RT: 9.05 min Scan# 1184
Delta R.T. -0.01 min
Lab File: BF109721.D
Acq: 10 Oct 2018 3:28




Instrument :
BNA_F
ClientSampleId :
FL-PIT-6

Tgt Ion:172 Resp: 763573
Ion Ratio Lower Upper
172 100
171 35.4 28.6 43.0
170 24.1 19.7 29.5



#49
Dimethylphthalate
Concen: 9.346 ng
RT: 9.45 min Scan# 1251
Delta R.T. -0.02 min
Lab File: BF109721.D
Acq: 10 Oct 2018 3:28

Tgt Ion:163 Resp: 72255
Ion Ratio Lower Upper
163 100
194 3.7 3.2 4.8
164 9.5 8.1 12.1









#56
 2,4-Dinitrotoluene
 Concen: 6.117 ng
 RT: 9.72 min Scan# 1298
 Delta R.T. -0.21 min
 Lab File: BF109721.D
 Acq: 10 Oct 2018 3:28




Instrument :
 BNA_F
 ClientSampleId :
 FL-PIT-6

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	44.8	67.2#
89	0.0	62.2	93.4#
182	0.0	2.1	3.1#



#63
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.20 min Scan# 1550
 Delta R.T. 0.00 min
 Lab File: BF109721.D
 Acq: 10 Oct 2018 3:28

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.7	7.2	10.8
80	8.9	7.9	11.9









#66
 4-Bromophenyl-phenylether
 Concen: 4.071 ng
 RT: 10.51 min Scan# 1432
 Delta R.T. -0.25 min
 Lab File: BF109721.D
 Acq: 10 Oct 2018 3:28

Instrument :
 BNA_F
 ClientSampleId :
 FL-PIT-6

Tgt Ion:248 Resp: 8504
 Ion Ratio Lower Upper
 248 100
 250 189.2 79.4 119.2#
 141 503.3 55.9 83.9#




Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E






#75
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.83 min Scan# 1996
 Delta R.T. -0.01 min
 Lab File: BF109721.D
 Acq: 10 Oct 2018 3:28

Tgt Ion:240 Resp: 205621
 Ion Ratio Lower Upper
 240 100
 120 9.7 8.3 12.5
 236 24.8 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 61.321 ng
 RT: 12.78 min Scan# 1818
 Delta R.T. -0.01 min
 Lab File: BF109721.D
 Acq: 10 Oct 2018 3:28

Instrument :
 BNA_F
 ClientSampleId :
 FL-PIT-6

Tgt Ion: 244 Resp: 651342
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.8 8.8
 122 10.3 8.7 13.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.22 min Scan# 2233
 Delta R.T. -0.01 min
 Lab File: BF109721.D
 Acq: 10 Oct 2018 3:28

Tgt Ion: 264 Resp: 172927
 Ion Ratio Lower Upper
 264 100
 260 23.0 18.7 28.1
 265 21.2 16.7 25.1

