

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100918\
 Data File : BF109715.D
 Acq On : 10 Oct 2018 00:39
 Operator : JU/SJ
 Sample : J5326-36
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FL-PH-1-STONE

Quant Time: Oct 10 05:04:48 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 08 16:02:11 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	88633	20.00	ng	0.00
21) Naphthalene-d8	7.97	136	340925	20.00	ng	0.00
38) Acenaphthene-d10	9.72	164	140702	20.00	ng	0.00
63) Phenanthrene-d10	11.20	188	236386	20.00	ng	0.00
75) Chrysene-d12	13.83	240	245323	20.00	ng	0.00
86) Perylene-d12	15.23	264	226049	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	491616	98.45	ng	0.00
7) Phenol-d6	6.35	99	703664	105.49	ng	-0.01
23) Nitrobenzene-d5	7.26	82	452003	73.08	ng	-0.01
41) 2,4,6-Tribromophenol	10.51	330	136150	88.81	ng	0.00
44) 2-Fluorobiphenyl	9.05	172	788463	77.18	ng	0.00
78) Terphenyl-d14	12.78	244	653354	51.56	ng	0.00
Target Compounds						
10) Phenol	6.36	94	20506	2.681	ng	89
49) Dimethylphthalate	9.45	163	74826	7.251	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF100918\
Data File : BF109715.D
Acq On : 10 Oct 2018 00:39
Operator : JU/SJ
Sample : J5326-36
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FL-PH-1-STONE

Quant Time: Oct 10 05:04:48 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 08 16:02:11 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.70 min Scan# 784
 Delta R.T. -0.00 min
 Lab File: BF109715.D
 Acq: 10 Oct 2018 00:39

Instrument :
 BNA_F
 ClientSampleId :
 FL-PH-1-STONE

Tot Ion:152 Resp: 88633
 Ion Ratio Lower Upper
 152 100
 150 158.6 122.7 184.1
 115 60.9 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
 Concen: 98.455 ng
 RT: 5.32 min Scan# 549
 Delta R.T. -0.00 min
 Lab File: BF109715.D
 Acq: 10 Oct 2018 00:39

Tgt Ion:112 Resp: 491616
 Ion Ratio Lower Upper
 112 100
 64 59.0 44.1 66.1
 63 31.8 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 105.489 ng

RT: 6.35 min Scan# 724

Delta R.T. -0.01 min

Lab File: BF109715.D

Acq: 10 Oct 2018 00:39

Instrument :

BNA_F

ClientSampleId :

FL-PH-1-STONE


Tot Ion: 99 Resp: 703664

Ion Ratio Lower Upper




99 100

42 19.8 15.8 23.6

71 36.9 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 2.681 ng

RT: 6.36 min Scan# 726

Delta R.T. -0.01 min

Lab File: BF109715.D

Acq: 10 Oct 2018 00:39


Tgt Ion: 94 Resp: 20506

Ion Ratio Lower Upper



94 100


65 41.2 25.3 65.3

66 86.0 54.5 94.5



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.97 min Scan# 1001

Delta R.T. -0.01 min

Lab File: BF109715.D

Acq: 10 Oct 2018 00:39

Instrument :

BNA_F

ClientSampleId :

FL-PH-1-STONE

Tot Ion:136 Resp: 340925


Ion Ratio Lower Upper

136 100

137 10.9 8.8 13.2

54 6.9 5.4 8.2

68 5.5 4.2 6.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 73.083 ng

RT: 7.26 min Scan# 879

Delta R.T. -0.01 min

Lab File: BF109715.D

Acq: 10 Oct 2018 00:39


Tgt Ion: 82 Resp: 452003

Ion Ratio Lower Upper

82 100

128 39.9 34.2 51.2



54 47.2 38.6 58.0




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1









#38
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.72 min Scan# 1298
Delta R.T. -0.01 min
Lab File: BF109715.D
Acq: 10 Oct 2018 00:39

Instrument :
BNA_F
ClientSampleId :
FL-PH-1-STONE

Tot Ion:164 Resp: 140702
Ion Ratio Lower Upper
164 100
162 103.2 83.0 124.6
160 46.0 37.0 55.6




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#41
2,4,6-Tribromophenol
Concen: 88.807 ng
RT: 10.51 min Scan# 1432
Delta R.T. -0.01 min
Lab File: BF109715.D
Acq: 10 Oct 2018 00:39

Tgt Ion:330 Resp: 136150
Ion Ratio Lower Upper
330 100
332 98.1 77.1 115.7
141 35.0 27.0 40.4



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#44
2-Fluorobiphenyl
Concen: 77.178 ng
RT: 9.05 min Scan# 1184
Delta R.T. -0.01 min
Lab File: BF109715.D
Acq: 10 Oct 2018 00:39

Instrument :
BNA_F
ClientSampleId :
FL-PH-1-STONE

Tot Ion:172 Resp: 788463
Ion Ratio Lower Upper
172 100
171 35.7 28.6 43.0
170 24.0 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#49
Dimethylphthalate
Concen: 7.251 ng
RT: 9.45 min Scan# 1251
Delta R.T. -0.02 min
Lab File: BF109715.D
Acq: 10 Oct 2018 00:39

Tgt Ion:163 Resp: 74826
Ion Ratio Lower Upper
163 100
194 4.4 3.2 4.8
164 10.6 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.20 min Scan# 1549
Delta R.T. -0.01 min
Lab File: BF109715.D
Acq: 10 Oct 2018 00:39




Instrument :
BNA_F
ClientSampleId :
FL-PH-1-STONE


Tot Ion:188 Resp: 236386
Ion Ratio Lower Upper
188 100
94 9.8 7.2 10.8
80 10.4 7.9 11.9



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.83 min Scan# 1996
Delta R.T. -0.01 min
Lab File: BF109715.D
Acq: 10 Oct 2018 00:39

Tgt Ion:240 Resp: 245323
Ion Ratio Lower Upper
240 100
120 9.6 8.3 12.5
236 25.0 21.2 31.8





#78

Terphenyl-d14

Concen: 51.556 ng

RT: 12.78 min Scan# 1818

Delta R.T. -0.01 min

Lab File: BF109715.D

Acq: 10 Oct 2018 00:39

Instrument :

BNA_F

ClientSampleId :

FL-PH-1-STONE


Tot Ion:244 Resp: 653354

Ion Ratio Lower Upper

244 100

212 7.0 5.8 8.8




122 10.8 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.23 min Scan# 2234

Delta R.T. -0.00 min

Lab File: BF109715.D

Acq: 10 Oct 2018 00:39


Tgt Ion:264 Resp: 226049

Ion Ratio Lower Upper

264 100

260 22.7 18.7 28.1

265 20.7 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

