

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100923\
 Data File : BF135661.D
 Acq On : 09 Oct 2023 20:40
 Operator : CG\JU
 Sample : 04656-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MW-105D

Quant Time: Oct 10 02:27:59 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 04 17:06:20 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.739	152	118832	20.000	ng	0.00
21) Naphthalene-d8	8.016	136	454376	20.000	ng	0.00
39) Acenaphthene-d10	9.775	164	215738	20.000	ng	0.00
64) Phenanthrene-d10	11.269	188	395550	20.000	ng	0.00
76) Chrysene-d12	13.933	240	241023	20.000	ng	0.00
86) Perylene-d12	15.404	264	258043	20.000	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.375	112	432827	59.241	ng	0.00
7) Phenol-d6	6.387	99	292062	31.437	ng	0.00
23) Nitrobenzene-d5	7.310	82	718536	85.915	ng	0.00
42) 2,4,6-Tribromophenol	10.575	330	271069	126.437	ng	0.00
45) 2-Fluorobiphenyl	9.098	172	1239432	86.677	ng	0.00
79) Terphenyl-d14	12.869	244	1037968	66.759	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.310	70	96976	16.852	ng	# 78
25) Isophorone	7.310	82	718530	46.787	ng	# 65
50) Dimethylphthalate	9.775	163	42100	2.886	ng	# 1
57) 2,4-Dinitrotoluene	9.775	165	27665	6.916	ng	# 19
67) 4-Bromophenyl-phenylether	10.575	248	16716	4.249	ng	# 1
77) Benzidine	12.869	184	12866	2.606	ng	# 91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF100923\
Data File : BF135661.D
Acq On : 09 Oct 2023 20:40
Operator : CG\JU
Sample : 04656-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MW-105D

Quant Time: Oct 10 02:27:59 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 04 17:06:20 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.739 min Scan# 795
Delta R.T. 0.000 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40




Instrument :
BNA_F
ClientSampleId :
MW-105D


Tgt Ion:152 Resp: 118832
Ion Ratio Lower Upper
152 100
150 154.8 127.8 191.6
115 60.3 49.8 74.8



#5
2-Fluorophenol
Concen: 59.241 ng
RT: 5.375 min Scan# 559
Delta R.T. 0.006 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40

Tgt Ion:112 Resp: 432827
Ion Ratio Lower Upper
112 100
64 65.4 55.9 83.9
63 33.2 29.0 43.6








#7
Phenol-d6
Concen: 31.437 ng
RT: 6.387 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40




Instrument :
BNA_F
ClientSampleId :
MW-105D

Tgt Ion: 99 Resp: 292062
Ion Ratio Lower Upper
99 100
42 21.5 17.9 26.9
71 32.1 27.0 40.6



#19
n-Nitroso-di-n-propylamine
Concen: 16.852 ng
RT: 7.310 min Scan# 888
Delta R.T. 0.153 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40

Tgt Ion: 70 Resp: 96976
Ion Ratio Lower Upper
70 100
42 56.5 55.4 83.0
101 0.0 7.7 11.5#
130 2.3 17.0 25.6#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.016 min Scan# 1008
Delta R.T. 0.000 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40




Instrument :
BNA_F
ClientSampleId :
MW-105D

Tgt	Ion:136	Resp:	454376
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.8	13.2
54	10.3	7.7	11.5
68	5.8	4.6	6.8



#23
Nitrobenzene-d5
Concen: 85.915 ng
RT: 7.310 min Scan# 888
Delta R.T. 0.000 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40

Tgt Ion: 82	Resp: 718536
Ion Ratio	Lower Upper
82 100	
128 45.5	35.8 53.6
54 63.9	50.6 76.0









#25
Isophorone
Concen: 46.787 ng
RT: 7.310 min Scan# 81
Delta R.T. -0.253 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40




Instrument :
BNA_F
ClientSampleId :
MW-105D

Tgt Ion: 82 Resp: 718530
Ion Ratio Lower Upper
82 100
95 0.0 6.0 9.0#
138 0.0 14.5 21.7#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.775 min Scan# 1307
Delta R.T. 0.000 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40


Tgt Ion: 164 Resp: 215738
Ion Ratio Lower Upper
164 100
162 103.1 81.0 121.4
160 45.6 37.0 55.4








#42
2,4,6-Tribromophenol
Concen: 126.437 ng
RT: 10.575 min Scan# 1447
Delta R.T. 0.006 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40

Instrument :
BNA_F
ClientSampleId :
MW-105D







Tgt Ion:330 Resp: 271069
Ion Ratio Lower Upper
330 100
332 95.0 77.3 115.9
141 32.4 25.8 38.8



#45
2-Fluorobiphenyl
Concen: 86.677 ng
RT: 9.098 min Scan# 1192
Delta R.T. 0.000 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40

Tgt Ion:172 Resp: 1239432
Ion Ratio Lower Upper
172 100
171 35.5 28.4 42.6
170 24.0 19.0 28.4









#50
Dimethylphthalate
Concen: 2.886 ng
RT: 9.775 min Scan# 11
Delta R.T. 0.271 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40




Instrument :
BNA_F
ClientSampleId :
MW-105D

Tgt Ion:163 Resp: 42100
Ion Ratio Lower Upper
163 100
194 0.0 3.1 4.7#
164 487.2 8.1 12.1#



#57
2,4-Dinitrotoluene
Concen: 6.916 ng
RT: 9.775 min Scan# 1307
Delta R.T. -0.212 min
Lab File: BF135661.D
Acq: 09 Oct 2023 20:40

Tgt Ion:165 Resp: 27665
Ion Ratio Lower Upper
165 100
63 1.4 50.1 75.1#
89 1.3 59.3 88.9#
182 0.0 2.3 3.5#





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.269 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF135661.D

Acq: 09 Oct 2023 20:40

Instrument :

BNA_F

ClientSampleId :

MW-105D





Tgt Ion:188 Resp: 395550

Ion Ratio Lower Upper

188 100

94 10.3 7.0 10.6

80 10.2 7.5 11.3



#67

4-Bromophenyl-phenylether

Concen: 4.249 ng

RT: 10.575 min Scan# 1443

Delta R.T. -0.235 min

Lab File: BF135661.D

Acq: 09 Oct 2023 20:40




Tgt Ion:248 Resp: 16716


Ion Ratio Lower Upper

248 100

250 197.2 78.6 117.8#

141 469.8 54.2 81.2#





#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.933 min Scan# 2016

Delta R.T. 0.006 min

Lab File: BF135661.D

Acq: 09 Oct 2023 20:40

Instrument :

BNA_F

ClientSampleId :

MW-105D





Tgt Ion:240 Resp: 241023

Ion Ratio Lower Upper

240 100

120 10.7 9.4 14.2

236 25.6 19.8 29.8



#77

Benzidine

Concen: 2.606 ng

RT: 12.869 min Scan# 1833

Delta R.T. 0.253 min

Lab File: BF135661.D

Acq: 09 Oct 2023 20:40




Tgt Ion:184 Resp: 12866

Ion Ratio Lower Upper

184 100

185 17.5 11.7 17.5


183 5.6 8.2 12.4#








#79
 Terphenyl-d14
 Concen: 66.759 ng
 RT: 12.869 min Scan# 1833
 Delta R.T. 0.006 min
 Lab File: BF135661.D
 Acq: 09 Oct 2023 20:40

Instrument :
 BNA_F
 ClientSampleId :
 MW-105D



Tgt Ion:244 Resp: 1037968

Ion	Ratio	Lower	Upper
244	100		
212	6.8	5.1	7.7
122	11.4	7.9	11.9



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.404 min Scan# 2264
 Delta R.T. 0.018 min
 Lab File: BF135661.D
 Acq: 09 Oct 2023 20:40

Tgt Ion:264 Resp: 258043

Ion	Ratio	Lower	Upper
264	100		
260	23.0	19.8	29.6
265	20.9	17.0	25.4

