

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101018\
 Data File : BF109775.D
 Acq On : 11 Oct 2018 7:11
 Operator : JU/SJ
 Sample : J5326-35
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 FL-PH-2-STONE

Quant Time: Oct 11 08:19:32 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 08 16:02:11 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.70	152	82387	20.00	ng	0.00
21) Naphthalene-d8	7.97	136	331648	20.00	ng	0.00
38) Acenaphthene-d10	9.72	164	156711	20.00	ng	0.00
63) Phenanthrene-d10	11.20	188	277505	20.00	ng	0.00
75) Chrysene-d12	13.83	240	240154	20.00	ng	0.00
86) Perylene-d12	15.23	264	221802	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.32	112	474225	102.17	ng	0.00
7) Phenol-d6	6.35	99	581371	93.76	ng	-0.01
23) Nitrobenzene-d5	7.26	82	476553	79.21	ng	-0.01
41) 2,4,6-Tribromophenol	10.51	330	169741	99.41	ng	0.00
44) 2-Fluorobiphenyl	9.05	172	874937	76.89	ng	0.00
78) Terphenyl-d14	12.78	244	765475	61.70	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF101018\
Data File : BF109775.D
Acq On : 11 Oct 2018 7:11
Operator : JU/SJ
Sample : J5326-35
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
FL-PH-2-STONE

Quant Time: Oct 11 08:19:32 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF100818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 08 16:02:11 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.70 min Scan# 784
Delta R.T. -0.00 min
Lab File: BF109775.D
Acq: 11 Oct 2018 7:11

Instrument :
BNA_F
ClientSampleId :
FL-PH-2-STONE

Tot Ion:152 Resp: 82387
Ion Ratio Lower Upper
152 100
150 158.5 122.7 184.1
115 60.1 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 102.172 ng
RT: 5.32 min Scan# 550
Delta R.T. 0.00 min
Lab File: BF109775.D
Acq: 11 Oct 2018 7:11

Tgt Ion:112 Resp: 474225
Ion Ratio Lower Upper
112 100
64 60.4 44.1 66.1
63 32.3 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 93.763 ng

RT: 6.35 min Scan# 724

Delta R.T. -0.01 min

Lab File: BF109775.D

Acq: 11 Oct 2018 7:11

Instrument :

BNA_F

ClientSampleId :

FL-PH-2-STONE





Tot Ion: 99 Resp: 581371

Ion Ratio Lower Upper

99 100

42 19.7 15.8 23.6

71 36.7 28.0 42.0



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.97 min Scan# 1001

Delta R.T. -0.01 min

Lab File: BF109775.D

Acq: 11 Oct 2018 7:11

Tgt Ion: 136 Resp: 331648




Ion Ratio Lower Upper


136 100

137 11.1 8.8 13.2

54 6.5 5.4 8.2

68 5.0 4.2 6.2









#23
 Nitrobenzene-d5
 Concen: 79.208 ng
 RT: 7.26 min Scan# 879
 Delta R.T. -0.01 min
 Lab File: BF109775.D
 Acq: 11 Oct 2018 7:11




Instrument :
 BNA_F
 ClientSampleId :
 FL-PH-2-STONE


Tot Ion	Ratio	Lower	Upper
82	100		
128	41.7	34.2	51.2
54	48.0	38.6	58.0



#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.72 min Scan# 1298
 Delta R.T. -0.01 min
 Lab File: BF109775.D
 Acq: 11 Oct 2018 7:11

Tgt Ion	Ratio	Lower	Upper
164	100		
162	103.6	83.0	124.6
160	47.2	37.0	55.6





#41

2,4,6-Tribromophenol

Concen: 99.407 ng

RT: 10.51 min Scan# 1432

Delta R.T. -0.01 min

Lab File: BF109775.D

Acq: 11 Oct 2018 7:11

Instrument :

BNA_F

ClientSampleId :

FL-PH-2-STONE


Tot Ion:330 Resp: 169741

Ion Ratio Lower Upper

330 100

332 95.5 77.1 115.7




141 35.3 27.0 40.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#44

2-Fluorobiphenyl

Concen: 76.894 ng

RT: 9.05 min Scan# 1184

Delta R.T. -0.01 min

Lab File: BF109775.D

Acq: 11 Oct 2018 7:11


Tgt Ion:172 Resp: 874937

Ion Ratio Lower Upper

172 100

171 35.8 28.6 43.0



170 23.9 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.20 min Scan# 1549
Delta R.T. -0.01 min
Lab File: BF109775.D
Acq: 11 Oct 2018 7:11




Instrument :
BNA_F
ClientSampleId :
FL-PH-2-STONE


Tot Ion:188 Resp: 277505
Ion Ratio Lower Upper
188 100
94 9.4 7.2 10.8
80 10.2 7.9 11.9



#75
Chrysene-d12
Concen: 20.000 ng
RT: 13.83 min Scan# 1996
Delta R.T. -0.01 min
Lab File: BF109775.D
Acq: 11 Oct 2018 7:11

Tgt Ion:240 Resp: 240154
Ion Ratio Lower Upper
240 100
120 9.9 8.3 12.5
236 25.2 21.2 31.8





#78

Terphenyl-d14

Concen: 61.704 ng

RT: 12.78 min Scan# 1818

Delta R.T. -0.01 min

Lab File: BF109775.D

Acq: 11 Oct 2018 7:11

Instrument :

BNA_F

ClientSampleId :

FL-PH-2-STONE


Tot Ion:244 Resp: 765475

Ion Ratio Lower Upper

244 100

212 7.3 5.8 8.8




122 11.6 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.23 min Scan# 2234

Delta R.T. -0.00 min

Lab File: BF109775.D

Acq: 11 Oct 2018 7:11


Tgt Ion:264 Resp: 221802

Ion Ratio Lower Upper

264 100

260 23.9 18.7 28.1

265 21.4 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

