

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101223\
 Data File : BF135733.D
 Acq On : 12 Oct 2023 14:22
 Operator : CG\JU
 Sample : 04685-05
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PP-20230928-B6A-0-7.5

Quant Time: Oct 13 00:55:25 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Oct 11 02:43:17 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.740	152	80692	20.000	ng	0.00
21) Naphthalene-d8	8.016	136	303063	20.000	ng	0.00
39) Acenaphthene-d10	9.775	164	142175	20.000	ng	0.00
64) Phenanthrene-d10	11.269	188	246071	20.000	ng	0.00
76) Chrysene-d12	13.933	240	150877	20.000	ng	0.00
86) Perylene-d12	15.410	264	141397	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.375	112	494690	99.711	ng	0.00
7) Phenol-d6	6.393	99	618401	98.026	ng	0.00
23) Nitrobenzene-d5	7.304	82	370146	66.355	ng	0.00
42) 2,4,6-Tribromophenol	10.575	330	122311	86.569	ng	0.00
45) 2-Fluorobiphenyl	9.098	172	658571	69.886	ng	0.00
79) Terphenyl-d14	12.863	244	532055	54.666	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101223\
Data File : BF135733.D
Acq On : 12 Oct 2023 14:22
Operator : CG\JU
Sample : 04685-05
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PP-20230928-B6A-0-7.5

Quant Time: Oct 13 00:55:25 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF091123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Oct 11 02:43:17 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.740 min Scan# 795
Delta R.T. 0.001 min
Lab File: BF135733.D
Acq: 12 Oct 2023 14:22




Instrument :
BNA_F
ClientSampleId :
PP-20230928-B6A-0-7.5


Tgt Ion:152 Resp: 80692
Ion Ratio Lower Upper
152 100
150 156.2 127.8 191.6
115 58.7 49.8 74.8



#5
2-Fluorophenol
Concen: 99.711 ng
RT: 5.375 min Scan# 559
Delta R.T. 0.006 min
Lab File: BF135733.D
Acq: 12 Oct 2023 14:22

Tgt Ion:112 Resp: 494690
Ion Ratio Lower Upper
112 100
64 68.1 55.9 83.9
63 34.8 29.0 43.6









#7
Phenol-d6
Concen: 98.026 ng
RT: 6.393 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF135733.D
Acq: 12 Oct 2023 14:22




Instrument :
BNA_F
ClientSampleId :
PP-20230928-B6A-0-7.5


Tgt Ion: 99 Resp: 618401
Ion Ratio Lower Upper
99 100
42 21.7 17.9 26.9
71 33.4 27.0 40.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.016 min Scan# 1008
Delta R.T. -0.006 min
Lab File: BF135733.D
Acq: 12 Oct 2023 14:22

Tgt Ion: 136 Resp: 303063
Ion Ratio Lower Upper
136 100
137 10.7 8.8 13.2
54 10.5 7.7 11.5
68 5.5 4.6 6.8









#23
Nitrobenzene-d5
Concen: 66.355 ng
RT: 7.304 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF135733.D
Acq: 12 Oct 2023 14:22




Instrument :
BNA_F
ClientSampleId :
PP-20230928-B6A-0-7.5


Tgt Ion: 82 Resp: 370146
Ion Ratio Lower Upper
82 100
128 43.0 35.8 53.6
54 65.8 50.6 76.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.775 min Scan# 1307
Delta R.T. -0.006 min
Lab File: BF135733.D
Acq: 12 Oct 2023 14:22

Tgt Ion:164 Resp: 142175
Ion Ratio Lower Upper
164 100
162 105.2 81.0 121.4
160 46.7 37.0 55.4









#42
2,4,6-Tribromophenol
Concen: 86.569 ng
RT: 10.575 min Scan# 1443
Delta R.T. 0.000 min
Lab File: BF135733.D
Acq: 12 Oct 2023 14:22




Instrument :
BNA_F
ClientSampleId :
PP-20230928-B6A-0-7.5


Tgt Ion:330 Resp: 122311
Ion Ratio Lower Upper
330 100
332 99.9 77.3 115.9
141 32.7 25.8 38.8



#45
2-Fluorobiphenyl
Concen: 69.886 ng
RT: 9.098 min Scan# 1192
Delta R.T. 0.000 min
Lab File: BF135733.D
Acq: 12 Oct 2023 14:22

Tgt Ion:172 Resp: 658571
Ion Ratio Lower Upper
172 100
171 35.2 28.4 42.6
170 23.5 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.269 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF135733.D

Acq: 12 Oct 2023 14:22

Instrument :

BNA_F

ClientSampleId :

PP-20230928-B6A-0-7.5





Tgt Ion:188 Resp: 246071

Ion Ratio Lower Upper

188 100

94 8.9 7.0 10.6

80 9.6 7.5 11.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.933 min Scan# 2014

Delta R.T. -0.006 min

Lab File: BF135733.D

Acq: 12 Oct 2023 14:22




Tgt Ion:240 Resp: 150877


Ion Ratio Lower Upper

240 100

120 10.4 9.4 14.2


236 27.0 19.8 29.8








#79
Terphenyl-d14
Concen: 54.666 ng
RT: 12.863 min Scan# 1832
Delta R.T. -0.006 min
Lab File: BF135733.D
Acq: 12 Oct 2023 14:22

Instrument :
BNA_F
ClientSampleId :
PP-20230928-B6A-0-7.5



Tgt Ion:244 Resp: 532055
Ion Ratio Lower Upper
244 100
212 6.7 5.1 7.7
122 12.2 7.9 11.9#



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.410 min Scan# 2265
Delta R.T. 0.006 min
Lab File: BF135733.D
Acq: 12 Oct 2023 14:22

Tgt Ion:264 Resp: 141397
Ion Ratio Lower Upper
264 100
260 22.9 19.8 29.6
265 21.6 17.0 25.4

