

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101323\
 Data File : BF135758.D
 Acq On : 13 Oct 2023 18:08
 Operator : CG\JU
 Sample : 04844-05
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OR-603-COMP-06

Quant Time: Oct 13 18:50:43 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 13 17:12:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.734	152	108857	20.000	ng	0.00
21) Naphthalene-d8	8.016	136	405678	20.000	ng	0.00
39) Acenaphthene-d10	9.775	164	191528	20.000	ng	0.00
64) Phenanthrene-d10	11.269	188	344457	20.000	ng	0.00
76) Chrysene-d12	13.933	240	184711	20.000	ng	-0.01
86) Perylene-d12	15.410	264	224177	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.369	112	671250	99.140	ng	0.00
7) Phenol-d6	6.387	99	775123	91.752	ng	-0.01
23) Nitrobenzene-d5	7.304	82	475583	64.476	ng	-0.01
42) 2,4,6-Tribromophenol	10.569	330	179817	97.840	ng	-0.01
45) 2-Fluorobiphenyl	9.092	172	852023	69.554	ng	-0.01
79) Terphenyl-d14	12.869	244	738535	74.045	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101323\
Data File : BF135758.D
Acq On : 13 Oct 2023 18:08
Operator : CG\JU
Sample : 04844-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OR-603-COMP-06

Quant Time: Oct 13 18:50:43 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 13 17:12:59 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.734 min Scan# 791
 Delta R.T. -0.005 min
 Lab File: BF135758.D
 Acq: 13 Oct 2023 18:08




Instrument :
 BNA_F
 ClientSampleId :
 OR-603-COMP-06


Tgt Ion:152 Resp: 108857
 Ion Ratio Lower Upper
 152 100
 150 159.7 124.5 186.7
 115 62.5 49.0 73.4



#5
 2-Fluorophenol
 Concen: 99.140 ng
 RT: 5.369 min Scan# 558
 Delta R.T. -0.006 min
 Lab File: BF135758.D
 Acq: 13 Oct 2023 18:08

Tgt Ion:112 Resp: 671250
 Ion Ratio Lower Upper
 112 100
 64 70.5 51.2 76.8
 63 36.5 26.1 39.1









#7
Phenol-d6
Concen: 91.752 ng
RT: 6.387 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF135758.D
Acq: 13 Oct 2023 18:08




Instrument :
BNA_F
ClientSampleId :
OR-603-COMP-06


Tgt Ion: 99 Resp: 775123
Ion Ratio Lower Upper
99 100
42 24.0 18.4 27.6
71 34.1 27.2 40.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.016 min Scan# 1008
Delta R.T. -0.006 min
Lab File: BF135758.D
Acq: 13 Oct 2023 18:08

Tgt Ion:136 Resp: 405678
Ion Ratio Lower Upper
136 100
137 11.1 8.6 12.8
54 10.3 8.5 12.7
68 5.7 4.8 7.2









#23
Nitrobenzene-d5
Concen: 64.476 ng
RT: 7.304 min Scan# 889
Delta R.T. -0.012 min
Lab File: BF135758.D
Acq: 13 Oct 2023 18:08




Instrument :
BNA_F
ClientSampleId :
OR-603-COMP-06


Tgt Ion: 82 Resp: 475583
Ion Ratio Lower Upper
82 100
128 43.2 37.0 55.6
54 63.6 52.8 79.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.775 min Scan# 1307
Delta R.T. -0.006 min
Lab File: BF135758.D
Acq: 13 Oct 2023 18:08

Tgt Ion: 164 Resp: 191528
Ion Ratio Lower Upper
164 100
162 101.0 80.8 121.2
160 48.2 36.6 54.8





#42

2,4,6-Tribromophenol

Concen: 97.840 ng

RT: 10.569 min Scan# 1444

Delta R.T. -0.012 min

Lab File: BF135758.D


Acq: 13 Oct 2023 18:08

Instrument :

BNA_F

ClientSampleId :

OR-603-COMP-06






Tgt Ion:330 Resp: 179817

Ion Ratio Lower Upper

330 100

332 96.3 75.0 112.4

141 32.5 25.8 38.6



#45

2-Fluorobiphenyl

Concen: 69.554 ng

RT: 9.092 min Scan# 1191

Delta R.T. -0.012 min

Lab File: BF135758.D

Acq: 13 Oct 2023 18:08




Tgt Ion:172 Resp: 852023


Ion Ratio Lower Upper

172 100

171 35.3 28.4 42.6

170 24.0 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.269 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF135758.D
Acq: 13 Oct 2023 18:08




Instrument :
BNA_F
ClientSampleId :
OR-603-COMP-06


Tgt Ion:188 Resp: 344457
Ion Ratio Lower Upper
188 100
94 9.9 8.0 12.0
80 9.8 8.3 12.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.933 min Scan# 2014
Delta R.T. -0.012 min
Lab File: BF135758.D
Acq: 13 Oct 2023 18:08


Tgt Ion:240 Resp: 184711
Ion Ratio Lower Upper
240 100
120 11.6 8.2 12.2
236 23.9 21.2 31.8








#79
Terphenyl-d14
Concen: 74.045 ng
RT: 12.869 min Scan# 1833
Delta R.T. -0.006 min
Lab File: BF135758.D
Acq: 13 Oct 2023 18:08

Instrument :
BNA_F
ClientSampleId :
OR-603-COMP-06



Tgt Ion:244 Resp: 738535
Ion Ratio Lower Upper
244 100
212 6.6 5.6 8.4
122 9.7 9.0 13.6



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.410 min Scan# 2265
Delta R.T. -0.006 min
Lab File: BF135758.D
Acq: 13 Oct 2023 18:08

Tgt Ion:264 Resp: 224177
Ion Ratio Lower Upper
264 100
260 22.9 19.2 28.8
265 22.4 17.4 26.2

