

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101323\
 Data File : BF135766.D
 Acq On : 13 Oct 2023 22:15
 Operator : CG\JU
 Sample : 04693-01 10X
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 F-1(0-5)

Quant Time: Oct 13 23:39:09 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 13 17:12:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.734	152	91631	20.000	ng	0.00
21) Naphthalene-d8	8.016	136	333033	20.000	ng	0.00
39) Acenaphthene-d10	9.775	164	143879	20.000	ng	0.00
64) Phenanthrene-d10	11.269	188	251853	20.000	ng	0.00
76) Chrysene-d12	13.939	240	180951	20.000	ng	0.00
86) Perylene-d12	15.416	264	133246	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.381	112	51643	9.061	ng	0.00
7) Phenol-d6	6.404	99	71975	10.121	ng	0.00
23) Nitrobenzene-d5	7.310	82	40649	6.713	ng	0.00
42) 2,4,6-Tribromophenol	10.575	330	11558	8.372	ng	0.00
45) 2-Fluorobiphenyl	9.092	172	67300	7.313	ng	-0.01
79) Terphenyl-d14	12.863	244	61667	6.311	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101323\
Data File : BF135766.D
Acq On : 13 Oct 2023 22:15
Operator : CG\JU
Sample : 04693-01 10X
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
F-1(0-5)

Quant Time: Oct 13 23:39:09 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 13 17:12:59 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.734 min Scan# 791
Delta R.T. -0.005 min
Lab File: BF135766.D
Acq: 13 Oct 2023 22:15




Instrument :
BNA_F
ClientSampleId :
F-1(0-5)


Tgt Ion:152 Resp: 91631
Ion Ratio Lower Upper
152 100
150 155.9 124.5 186.7
115 63.0 49.0 73.4



#5
2-Fluorophenol
Concen: 9.061 ng
RT: 5.381 min Scan# 560
Delta R.T. 0.006 min
Lab File: BF135766.D
Acq: 13 Oct 2023 22:15

Tgt Ion:112 Resp: 51643
Ion Ratio Lower Upper
112 100
64 66.3 51.2 76.8
63 30.1 26.1 39.1









#7
Phenol-d6
Concen: 10.121 ng
RT: 6.404 min Scan# 71
Delta R.T. 0.006 min
Lab File: BF135766.D
Acq: 13 Oct 2023 22:15




Instrument :
BNA_F
ClientSampleId :
F-1(0-5)


Tgt Ion: 99 Resp: 71975
Ion Ratio Lower Upper
99 100
42 23.3 18.4 27.6
71 31.9 27.2 40.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.016 min Scan# 1008
Delta R.T. -0.006 min
Lab File: BF135766.D
Acq: 13 Oct 2023 22:15

Tgt Ion:136 Resp: 333033
Ion Ratio Lower Upper
136 100
137 10.7 8.6 12.8
54 10.3 8.5 12.7
68 6.1 4.8 7.2





#23

Nitrobenzene-d5

Concen: 6.713 ng

RT: 7.310 min Scan# 889

Delta R.T. -0.006 min

Lab File: BF135766.D

Acq: 13 Oct 2023 22:15

Instrument :

BNA_F

ClientSampleId :

F-1(0-5)





Tgt Ion: 82 Resp: 40649

Ion Ratio Lower Upper

82 100

128 37.9 37.0 55.6

54 57.7 52.8 79.2



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.775 min Scan# 1307

Delta R.T. -0.006 min

Lab File: BF135766.D

Acq: 13 Oct 2023 22:15




Tgt Ion:164 Resp: 143879


Ion Ratio Lower Upper

164 100

162 101.7 80.8 121.2

160 46.7 36.6 54.8





#42

2,4,6-Tribromophenol

Concen: 8.372 ng

RT: 10.575 min Scan# 1443

Delta R.T. -0.006 min

Lab File: BF135766.D

Acq: 13 Oct 2023 22:15

Instrument :

BNA_F

ClientSampleId :

F-1(0-5)





Tgt Ion:330 Resp: 11558

Ion Ratio Lower Upper

330 100

332 99.0 75.0 112.4

141 38.3 25.8 38.6



#45

2-Fluorobiphenyl

Concen: 7.313 ng

RT: 9.092 min Scan# 1191

Delta R.T. -0.011 min

Lab File: BF135766.D

Acq: 13 Oct 2023 22:15




Tgt Ion:172 Resp: 67300


Ion Ratio Lower Upper

172 100

171 34.0 28.4 42.6

170 23.6 18.8 28.2









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.269 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135766.D
Acq: 13 Oct 2023 22:15




Instrument :
BNA_F
ClientSampleId :
F-1(0-5)


Tgt Ion:188 Resp: 251853
Ion Ratio Lower Upper
188 100
94 9.7 8.0 12.0
80 9.9 8.3 12.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.939 min Scan# 2015
Delta R.T. -0.006 min
Lab File: BF135766.D
Acq: 13 Oct 2023 22:15

Tgt Ion:240 Resp: 180951
Ion Ratio Lower Upper
240 100
120 10.3 8.2 12.2
236 25.9 21.2 31.8









#79
 Terphenyl-d14
 Concen: 6.311 ng
 RT: 12.863 min Scan# 11
 Delta R.T. -0.012 min
 Lab File: BF135766.D
 Acq: 13 Oct 2023 22:15

Instrument :
 BNA_F
 ClientSampleId :
 F-1(0-5)

Tgt Ion:244 Resp: 61667
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.6 8.4
 122 14.7 9.0 13.6#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.416 min Scan# 2266
 Delta R.T. 0.000 min
 Lab File: BF135766.D
 Acq: 13 Oct 2023 22:15

Tgt Ion:264 Resp: 133246
 Ion Ratio Lower Upper
 264 100
 260 24.7 19.2 28.8
 265 21.9 17.4 26.2

