

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101623\
 Data File : BF135776.D
 Acq On : 16 Oct 2023 14:45
 Operator : CG\JU
 Sample : 04791-01MSD
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 17 01:32:20 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 17 01:22:00 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.739	152	91388	20.000	ng	0.00
21) Naphthalene-d8	8.016	136	342350	20.000	ng	0.00
39) Acenaphthene-d10	9.780	164	176879	20.000	ng	0.00
64) Phenanthrene-d10	11.274	188	332005	20.000	ng	0.00
76) Chrysene-d12	13.939	240	172719	20.000	ng	-0.01
86) Perylene-d12	15.415	264	196583	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.375	112	620757	109.207	ng	0.00
7) Phenol-d6	6.392	99	727110	102.520	ng	0.00
23) Nitrobenzene-d5	7.310	82	465818	74.835	ng	0.00
42) 2,4,6-Tribromophenol	10.580	330	176023	103.708	ng	0.00
45) 2-Fluorobiphenyl	9.098	172	795853	70.349	ng	0.00
79) Terphenyl-d14	12.868	244	817156	87.616	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.469	88	121447	44.295	ng	100
3) Pyridine	3.222	79	279898	41.607	ng	97
4) n-Nitrosodimethylamine	3.187	42	184594	51.026	ng	96
6) Aniline	6.410	93	246345	27.601	ng	# 31
8) 2-Chlorophenol	6.528	128	312492	50.980	ng	97
9) Benzaldehyde	6.298	77	141814	35.131	ng	99
10) Phenol	6.410	94	376977	50.727	ng	82
11) bis(2-Chloroethyl)ether	6.481	93	301242	50.309	ng	98
12) 1,3-Dichlorobenzene	6.675	146	318129	51.193	ng	98
13) 1,4-Dichlorobenzene	6.757	146	318117	50.533	ng	98
14) 1,2-Dichlorobenzene	6.904	146	302512	53.370	ng	99
15) Benzyl Alcohol	6.892	79	245659	52.093	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.016	45	539198	49.789	ng	85
17) 2-Methylphenol	7.010	107	251022	47.306	ng	96
18) Hexachloroethane	7.239	117	121283	53.136	ng	90
19) n-Nitroso-di-n-propyla...	7.157	70	208154	47.467	ng	100
20) 3+4-Methylphenols	7.163	107	320718	48.482	ng	89
22) Acetophenone	7.151	105	417179	53.134	ng	# 98
24) Nitrobenzene	7.328	77	328724	52.619	ng	99
25) Isophorone	7.563	82	597685	50.896	ng	100
26) 2-Nitrophenol	7.645	139	167410	54.911	ng	95
27) 2,4-Dimethylphenol	7.686	122	223648	44.561	ng	98
28) bis(2-Chloroethoxy)met...	7.775	93	354915	50.749	ng	99
29) 2,4-Dichlorophenol	7.892	162	247277	52.574	ng	99
30) 1,2,4-Trichlorobenzene	7.963	180	249482	51.861	ng	99
31) Naphthalene	8.039	128	842342	50.444	ng	99
32) Benzoic acid	7.839	122	162591	47.859	ng	92
33) 4-Chloroaniline	8.104	127	90942	12.467	ng	97
34) Hexachlorobutadiene	8.151	225	152927	53.708	ng	99
35) Caprolactam	8.486	113	62435	38.831	ng	94
36) 4-Chloro-3-methylphenol	8.598	107	267456	51.277	ng	97
37) 2-Methylnaphthalene	8.733	142	541026	49.176	ng	100
38) 1-Methylnaphthalene	8.833	142	522664	51.508	ng	100
40) 1,2,4,5-Tetrachloroben...	8.904	216	266585	52.395	ng	99
41) Hexachlorocyclopentadiene	8.880	237	64950	69.831	ng	95
43) 2,4,6-Trichlorophenol	9.022	196	169276	51.628	ng	100


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF101623\
 Data File : BF135776.D
 Acq On : 16 Oct 2023 14:45
 Operator : CG\JU
 Sample : 04791-01MSD
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 17 01:32:20 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF101323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 17 01:22:00 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.075	196	184777	48.453	ng	99
46) 1,1'-Biphenyl	9.198	154	692395	51.102	ng	97
47) 2-Chloronaphthalene	9.227	162	515218	52.762	ng	98
48) 2-Nitroaniline	9.339	65	197360	51.204	ng	96
49) Acenaphthylene	9.639	152	840908	52.037	ng	98
50) Dimethylphthalate	9.504	163	620202	51.941	ng	99
51) 2,6-Dinitrotoluene	9.580	165	136716	53.244	ng	89
52) Acenaphthene	9.810	154	499101	51.529	ng	100
53) 3-Nitroaniline	9.751	138	114297	36.311	ng	95
54) 2,4-Dinitrophenol	9.874	184	109707	102.353	ng	92
55) Dibenzofuran	9.986	168	751313	51.408	ng	99
56) 4-Nitrophenol	9.939	139	149710	102.171	ng	94
57) 2,4-Dinitrotoluene	9.992	165	173566	53.132	ng	# 77
58) Fluorene	10.333	166	589062	51.485	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.116	232	145739	50.570	ng	98
60) Diethylphthalate	10.210	149	629911	51.675	ng	99
61) 4-Chlorophenyl-phenyle...	10.322	204	283073	51.191	ng	94
62) 4-Nitroaniline	10.374	138	133552	46.114	ng	97
63) Azobenzene	10.486	77	597813	50.477	ng	98
65) 4,6-Dinitro-2-methylph...	10.410	198	83602	50.035	ng	96
66) n-Nitrosodiphenylamine	10.445	169	522908	51.674	ng	98
67) 4-Bromophenyl-phenylether	10.816	248	171159	51.357	ng	96
68) Hexachlorobenzene	10.886	284	182323	53.733	ng	96
69) Atrazine	10.980	200	171567	62.332	ng	97
70) Pentachlorophenol	11.092	266	136255	101.815	ng	97
71) Phenanthrene	11.298	178	841292	52.896	ng	99
72) Anthracene	11.351	178	836549	50.759	ng	100
73) Carbazole	11.516	167	787135	51.210	ng	100
74) Di-n-butylphthalate	11.839	149	1014950	53.782	ng	100
75) Fluoranthene	12.498	202	938657	53.175	ng	98
77) Benzidine	12.627	184	131536	34.900	ng	97
78) Pyrene	12.727	202	912856	66.510	ng	99
80) Butylbenzylphthalate	13.351	149	358040	59.363	ng	96
81) Benzo(a)anthracene	13.927	228	631552	55.669	ng	99
82) 3,3'-Dichlorobenzidine	13.892	252	131486	34.946	ng	95
83) Chrysene	13.968	228	573447	52.187	ng	100
84) Bis(2-ethylhexyl)phtha...	13.910	149	476044	58.236	ng	97
85) Di-n-octyl phthalate	14.527	149	748146	57.717	ng	100
87) Indeno(1,2,3-cd)pyrene	16.927	276	625446	58.391	ng	98
88) Benzo(b)fluoranthene	14.986	252	606999	55.171	ng	98
89) Benzo(k)fluoranthene	15.015	252	498583	46.678	ng	98
90) Benzo(a)pyrene	15.357	252	509985	49.295	ng	99
91) Dibenzo(a,h)anthracene	16.927	278	517043	58.883	ng	99
92) Benzo(g,h,i)perylene	17.374	276	491604	54.503	ng	98





(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.739 min Scan# 791
 Delta R.T. -0.007 min
 Lab File: BF135776.D
 Acq: 16 Oct 2023 14:45




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:152 Resp: 91388
 Ion Ratio Lower Upper
 152 100
 150 154.6 124.5 186.7
 115 57.6 49.0 73.4



#2
 1,4-Dioxane
 Concen: 44.295 ng
 RT: 2.469 min Scan# 65
 Delta R.T. 0.029 min
 Lab File: BF135776.D
 Acq: 16 Oct 2023 14:45


Tgt Ion: 88 Resp: 121447
 Ion Ratio Lower Upper
 88 100
 58 94.6 76.1 114.1
 43 37.3 29.8 44.8








#3
 Pyridine
 Concen: 41.607 ng
 RT: 3.222 min Scan# 185
 Delta R.T. 0.035 min
 Lab File: BF135776.D
 Acq: 16 Oct 2023 14:45

Instrument :
 BNA_F
 ClientSampleId :







Tgt Ion: 79 Resp: 279898
 Ion Ratio Lower Upper
 79 100
 52 95.0 73.4 110.2
 51 44.9 36.5 54.7



#4
 n-Nitrosodimethylamine
 Concen: 51.026 ng
 RT: 3.187 min Scan# 187
 Delta R.T. 0.017 min
 Lab File: BF135776.D
 Acq: 16 Oct 2023 14:45


Tgt Ion: 42 Resp: 184594
 Ion Ratio Lower Upper
 42 100
 74 104.0 86.5 129.7
 44 7.5 5.9 8.9








#5
2-Fluorophenol
Concen: 109.207 ng
RT: 5.375 min Scan# 511
Delta R.T. -0.000 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:112 Resp: 620757
Ion Ratio Lower Upper
112 100
64 70.0 51.2 76.8
63 36.3 26.1 39.1




#6
Aniline
Concen: 27.601 ng
RT: 6.410 min Scan# 735
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45



Tgt Ion: 93 Resp: 246345
Ion Ratio Lower Upper
93 100
66 111.6 47.6 71.4#
65 75.5 28.5 42.7#





#7

Phenol-d6

Concen: 102.520 ng

RT: 6.392 min Scan# 71

Delta R.T. -0.006 min


Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :






Tgt Ion: 99 Resp: 727110

Ion Ratio Lower Upper

99 100

42 23.8 18.4 27.6

71 34.3 27.2 40.8



#8

2-Chlorophenol

Concen: 50.980 ng

RT: 6.528 min Scan# 755

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:128 Resp: 312492


Ion Ratio Lower Upper

128 100

130 31.0 12.4 52.4

64 54.9 32.3 72.3









#9
Benzaldehyde
Concen: 35.131 ng
RT: 6.298 min Scan# 716
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 77 Resp: 141814
Ion Ratio Lower Upper
77 100
105 98.6 79.9 119.9
106 96.5 77.1 117.1



#10
Phenol
Concen: 50.727 ng
RT: 6.410 min Scan# 735
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion: 94 Resp: 376977
Ion Ratio Lower Upper
94 100
65 41.2 30.3 70.3
66 61.0 59.1 99.1









#11
bis(2-Chloroethyl)ether
Concen: 50.309 ng
RT: 6.481 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 93 Resp: 301242
Ion Ratio Lower Upper
93 100
63 84.2 66.3 106.3
95 32.8 12.8 52.8



#12
1,3-Dichlorobenzene
Concen: 51.193 ng
RT: 6.675 min Scan# 780
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:146 Resp: 318129
Ion Ratio Lower Upper
146 100
148 61.2 50.2 75.4
75 34.0 25.8 38.6





#13

1,4-Dichlorobenzene

Concen: 50.533 ng

RT: 6.757 min Scan# 794

Delta R.T. -0.000 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:146 Resp: 318117

Ion Ratio Lower Upper

146 100

148 66.3 51.0 76.6

111 43.5 35.2 52.8



#14

1,2-Dichlorobenzene

Concen: 53.370 ng

RT: 6.904 min Scan# 819

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:146 Resp: 302512


Ion Ratio Lower Upper

146 100

148 63.6 50.2 75.2


111 46.6 37.1 55.7








#15
Benzyl Alcohol
Concen: 52.093 ng
RT: 6.892 min Scan# 817
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Instrument :
BNA_F
ClientSampleId :







Tgt Ion: 79 Resp: 245659
Ion Ratio Lower Upper
79 100
108 78.2 62.0 93.0
77 62.4 50.5 75.7



#16
2,2'-oxybis(1-chloropropane)
Concen: 49.789 ng
RT: 7.016 min Scan# 838
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45


Tgt Ion: 45 Resp: 539198
Ion Ratio Lower Upper
45 100
77 26.6 0.0 39.8
79 24.7 0.0 37.6








#17
2-Methylphenol
Concen: 47.306 ng
RT: 7.010 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:107 Resp: 251022
Ion Ratio Lower Upper
107 100
108 113.4 91.8 137.6
77 63.6 45.4 68.0
79 57.1 42.8 64.2




#18
Hexachloroethane
Concen: 53.136 ng
RT: 7.239 min Scan# 876
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45



Tgt Ion:117 Resp: 121283
Ion Ratio Lower Upper
117 100
119 93.7 79.5 119.3
201 87.4 80.9 121.3





#19

n-Nitroso-di-n-propylamine

Concen: 47.467 ng

RT: 7.157 min Scan# 80

Delta R.T. -0.006 min


Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :



Tgt Ion: 70 Resp: 208154




Ion Ratio Lower Upper

70 100

42 75.0 59.8 89.6

101 9.6 7.4 11.2

130 20.6 16.6 24.8



#20

3+4-Methylphenols

Concen: 48.482 ng

RT: 7.163 min Scan# 863

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Tgt Ion: 107 Resp: 320718




Ion Ratio Lower Upper


107 100

108 88.1 71.1 111.1

77 81.3 42.0 82.0


79 26.5 9.6 49.6








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.016 min Scan# 1008
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:136 Resp: 342350
Ion Ratio Lower Upper
136 100
137 11.2 8.6 12.8
54 10.7 8.5 12.7
68 5.9 4.8 7.2



#22
Acetophenone
Concen: 53.134 ng
RT: 7.151 min Scan# 861
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:105 Resp: 417179
Ion Ratio Lower Upper
105 100
71 4.8 5.4 8.0#
51 36.2 29.4 44.0
120 21.8 16.9 25.3





#23

Nitrobenzene-d5

Concen: 74.835 ng

RT: 7.310 min Scan# 889

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion: 82 Resp: 465818

Ion Ratio Lower Upper

82 100

128 44.1 37.0 55.6

54 63.3 52.8 79.2



#24

Nitrobenzene

Concen: 52.619 ng

RT: 7.328 min Scan# 891

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion: 77 Resp: 328724


Ion Ratio Lower Upper

77 100

123 47.8 37.3 55.9


65 15.6 12.6 18.8








#25
Isophorone
Concen: 50.896 ng
RT: 7.563 min Scan# 911
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Instrument :
BNA_F
ClientSampleId :







Tgt Ion: 82 Resp: 597685
Ion Ratio Lower Upper
82 100
95 7.2 5.5 8.3
138 17.5 13.9 20.9



#26
2-Nitrophenol
Concen: 54.911 ng
RT: 7.645 min Scan# 945
Delta R.T. -0.000 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:139 Resp: 167410
Ion Ratio Lower Upper
139 100
109 27.4 23.0 34.4
65 53.4 46.0 69.0





#27

2,4-Dimethylphenol

Concen: 44.561 ng

RT: 7.686 min Scan# 91

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:122 Resp: 223648

Ion Ratio Lower Upper

122 100

107 113.2 88.2 132.4

121 58.2 45.5 68.3



#28

bis(2-Chloroethoxy)methane

Concen: 50.749 ng

RT: 7.775 min Scan# 967

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion: 93 Resp: 354915


Ion Ratio Lower Upper

93 100

95 32.3 25.7 38.5

123 11.0 9.4 14.0





#29

2,4-Dichlorophenol

Concen: 52.574 ng

RT: 7.892 min Scan# 987

Delta R.T. -0.000 min


Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:162 Resp: 247277

Ion Ratio Lower Upper

162 100

164 63.0 43.4 83.4

98 37.2 19.0 59.0



#30

1,2,4-Trichlorobenzene

Concen: 51.861 ng

RT: 7.963 min Scan# 999

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:180 Resp: 249482


Ion Ratio Lower Upper

180 100

182 96.7 76.4 114.6


145 31.6 25.0 37.6








#31
Naphthalene
Concen: 50.444 ng
RT: 8.039 min Scan# 1013
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:128 Resp: 842342
Ion Ratio Lower Upper
128 100
129 11.1 8.7 13.1
127 13.2 10.2 15.4



#32
Benzoic acid
Concen: 47.859 ng
RT: 7.839 min Scan# 978
Delta R.T. -0.012 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:122 Resp: 162591
Ion Ratio Lower Upper
122 100
105 128.0 98.7 138.7
77 94.1 67.8 107.8









#33
4-Chloroaniline
Concen: 12.467 ng
RT: 8.104 min Scan# 1023
Delta R.T. -0.000 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:	127	Resp:	90942
Ion Ratio	Lower	Upper	
127	100		
129	30.3	26.5	39.7
65	33.8	27.9	41.9
92	18.3	15.8	23.8



#34
Hexachlorobutadiene
Concen: 53.708 ng
RT: 8.151 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:	225	Resp:	152927
Ion Ratio	Lower	Upper	
225	100		
223	62.0	51.1	76.7
227	61.9	49.7	74.5









#35
 Caprolactam
 Concen: 38.831 ng
 RT: 8.486 min Scan# 1089
 Delta R.T. -0.012 min
 Lab File: BF135776.D
 Acq: 16 Oct 2023 14:45




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:113 Resp: 62435
 Ion Ratio Lower Upper
 113 100
 55 227.9 217.4 257.4
 56 165.7 153.1 193.1



#36
 4-Chloro-3-methylphenol
 Concen: 51.277 ng
 RT: 8.598 min Scan# 1107
 Delta R.T. -0.000 min
 Lab File: BF135776.D
 Acq: 16 Oct 2023 14:45

Tgt Ion:107 Resp: 267456
 Ion Ratio Lower Upper
 107 100
 144 23.9 19.8 29.8
 142 73.3 61.3 91.9





#37

2-Methylnaphthalene

Concen: 49.176 ng

RT: 8.733 min Scan# 1131

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F





ClientSampleId :

Tgt Ion:142 Resp: 541026

Ion Ratio Lower Upper

142 100

141 88.0 70.6 105.8



#38

1-Methylnaphthalene

Concen: 51.508 ng

RT: 8.833 min Scan# 1147

Delta R.T. -0.006 min

Lab File: BF135776.D




Acq: 16 Oct 2023 14:45


Tgt Ion:142 Resp: 522664

Ion Ratio Lower Upper

142 100

141 90.6 72.7 109.1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.780 min Scan# 11

Delta R.T. -0.006 min


Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:164 Resp: 176879

Ion Ratio Lower Upper

164 100

162 102.9 80.8 121.2

160 46.4 36.6 54.8



#40

1,2,4,5-Tetrachlorobenzene

Concen: 52.395 ng

RT: 8.904 min Scan# 1159

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Tgt Ion:216 Resp: 266585




Ion Ratio Lower Upper


216 100

214 78.9 64.0 96.0

179 21.1 16.9 25.3

108 18.3 14.4 21.6









#41
Hexachlorocyclopentadiene
Concen: 69.831 ng
RT: 8.880 min Scan# 1155
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:237 Resp: 64950
Ion Ratio Lower Upper
237 100
235 63.6 40.0 80.0
272 13.3 0.0 30.9



#42
2,4,6-Tribromophenol
Concen: 103.708 ng
RT: 10.580 min Scan# 1444
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:330 Resp: 176023
Ion Ratio Lower Upper
330 100
332 97.2 75.0 112.4
141 32.7 25.8 38.6





#43

2,4,6-Trichlorophenol

Concen: 51.628 ng

RT: 9.022 min Scan# 1179

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:196 Resp: 169276

Ion Ratio Lower Upper

196 100

198 95.4 76.7 115.1

200 30.1 24.2 36.4



#44

2,4,5-Trichlorophenol

Concen: 48.453 ng

RT: 9.075 min Scan# 1188

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Tgt Ion:196 Resp: 184777




Ion Ratio Lower Upper


196 100

198 95.9 77.0 115.6

97 51.4 42.2 63.2

132 28.9 23.4 35.0





#45

2-Fluorobiphenyl

Concen: 70.349 ng

RT: 9.098 min Scan# 1193

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:172 Resp: 795853

Ion Ratio Lower Upper

172 100

171 35.3 28.4 42.6

170 23.4 18.8 28.2



#46

1,1'-Biphenyl

Concen: 51.102 ng

RT: 9.198 min Scan# 1209

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:154 Resp: 692395


Ion Ratio Lower Upper

154 100

153 41.4 19.4 59.4

76 12.9 0.0 31.7






#47
2-Chloronaphthalene
Concen: 52.762 ng
RT: 9.227 min Scan# 1214
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :

BNA_F


ClientSampleId :





Tgt Ion:162 Resp: 515218
Ion Ratio Lower Upper
162 100
127 41.7 34.7 52.1
164 32.4 25.6 38.4




#48
2-Nitroaniline
Concen: 51.204 ng
RT: 9.339 min Scan# 1233
Delta R.T. -0.000 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45



Tgt Ion: 65 Resp: 197360
Ion Ratio Lower Upper
65 100
92 61.2 49.4 74.0
138 101.6 76.6 114.8





#49

Acenaphthylene

Concen: 52.037 ng

RT: 9.639 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:152 Resp: 840908

Ion Ratio Lower Upper

152 100

151 20.6 16.2 24.2

153 13.8 10.2 15.4



#50

Dimethylphthalate

Concen: 51.941 ng

RT: 9.504 min Scan# 1261

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:163 Resp: 620202


Ion Ratio Lower Upper

163 100

194 4.0 3.2 4.8


164 10.2 7.9 11.9








#51
2,6-Dinitrotoluene
Concen: 53.244 ng
RT: 9.580 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:165 Resp: 136716
Ion Ratio Lower Upper
165 100
63 66.3 62.2 93.4
89 56.0 49.6 74.4




#52
Acenaphthene
Concen: 51.529 ng
RT: 9.810 min Scan# 1313
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45



Tgt Ion:154 Resp: 499101
Ion Ratio Lower Upper
154 100
153 113.1 90.1 135.1
152 54.2 43.1 64.7









#53
3-Nitroaniline
Concen: 36.311 ng
RT: 9.751 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:138 Resp: 114297
Ion Ratio Lower Upper
138 100
108 10.7 8.6 13.0
92 120.0 91.3 136.9



#54
2,4-Dinitrophenol
Concen: 102.353 ng
RT: 9.874 min Scan# 1324
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:184 Resp: 109707
Ion Ratio Lower Upper
184 100
63 76.6 54.6 81.8
154 59.2 45.0 67.4









#55
Dibenzenofuran
Concen: 51.408 ng
RT: 9.986 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:168 Resp: 751313
Ion Ratio Lower Upper
168 100
139 38.3 31.0 46.4
169 13.5 10.7 16.1



#56
4-Nitrophenol
Concen: 102.171 ng
RT: 9.939 min Scan# 1335
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:139 Resp: 149710
Ion Ratio Lower Upper
139 100
109 69.0 45.6 85.6
65 115.2 87.5 127.5





#57

2,4-Dinitrotoluene

Concen: 53.132 ng

RT: 9.992 min Scan# 1

Delta R.T. -0.012 min


Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :



Tgt Ion:165 Resp: 173566




Ion Ratio Lower Upper

165 100

63 69.4 39.0 58.4#

89 85.5 55.9 83.9#

182 2.5 2.0 3.0



#58

Fluorene

Concen: 51.485 ng

RT: 10.333 min Scan# 1402

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:166 Resp: 589062


Ion Ratio Lower Upper

166 100

165 92.9 73.4 110.0


167 13.6 11.0 16.6








#59
2,3,4,6-Tetrachlorophenol
Concen: 50.570 ng
RT: 10.116 min Scan# 1365
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:232 Resp: 145739
Ion Ratio Lower Upper
232 100
131 43.8 35.8 53.6
130 2.7 1.9 2.9
166 29.9 22.5 33.7




#60
Diethylphthalate
Concen: 51.675 ng
RT: 10.210 min Scan# 1381
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45



Tgt Ion:149 Resp: 629911
Ion Ratio Lower Upper
149 100
177 21.5 16.9 25.3
150 12.6 10.2 15.2









#61
4-Chlorophenyl-phenylether
Concen: 51.191 ng
RT: 10.322 min Scan# 1400
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:204 Resp: 283073
Ion Ratio Lower Upper
204 100
206 31.5 25.8 38.6
141 58.2 51.4 77.0



#62
4-Nitroaniline
Concen: 46.114 ng
RT: 10.374 min Scan# 1409
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:138 Resp: 133552
Ion Ratio Lower Upper
138 100
92 51.9 31.9 71.9
108 74.5 49.7 89.7





#63

Azobenzene

Concen: 50.477 ng

RT: 10.486 min Scan# 1428

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :

Tgt Ion: 77 Resp: 597813





Ion Ratio Lower Upper

77 100

182 25.7 3.5 43.5

105 22.5 2.2 42.2

51 36.9 18.0 58.0



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.274 min Scan# 1562

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion: 188 Resp: 332005


Ion Ratio Lower Upper

188 100

94 9.5 8.0 12.0

80 9.9 8.3 12.5









#65
4,6-Dinitro-2-methylphenol
Concen: 50.035 ng
RT: 10.410 min Scan# 1415
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :
BNA_F
ClientSampleId :


Tgt Ion	Ratio	Lower	Upper
198	100		
51	63.5	47.6	87.6
105	47.7	29.2	69.2



#66
n-Nitrosodiphenylamine
Concen: 51.674 ng
RT: 10.445 min Scan# 1421
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion	Ratio	Lower	Upper
169	100		
168	64.4	53.4	80.2
167	36.3	29.2	43.8









#67
4-Bromophenyl-phenylether
Concen: 51.357 ng
RT: 10.816 min Scan# 1484
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:248 Resp: 171159
Ion Ratio Lower Upper
248 100
250 98.0 78.0 117.0
141 67.5 59.0 88.6



#68
Hexachlorobenzene
Concen: 53.733 ng
RT: 10.886 min Scan# 1496
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:284 Resp: 182323
Ion Ratio Lower Upper
284 100
142 27.9 25.3 37.9
249 29.9 23.5 35.3





#69

Atrazine

Concen: 62.332 ng

RT: 10.980 min Scan# 1512

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:200 Resp: 171567

Ion Ratio Lower Upper

200 100

173 28.3 7.6 47.6

215 49.3 27.1 67.1



#70

Pentachlorophenol

Concen: 101.815 ng

RT: 11.092 min Scan# 1531

Delta R.T. -0.000 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:266 Resp: 136255


Ion Ratio Lower Upper

266 100

268 61.6 47.7 71.5

264 61.8 51.4 77.2









#71
Phenanthrene
Concen: 52.896 ng
RT: 11.298 min Scan# 1566
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:178 Resp: 841292
Ion Ratio Lower Upper
178 100
176 19.4 16.0 24.0
179 15.4 12.2 18.4



#72
Anthracene
Concen: 50.759 ng
RT: 11.351 min Scan# 1575
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:178 Resp: 836549
Ion Ratio Lower Upper
178 100
176 18.9 15.1 22.7
179 15.3 12.3 18.5





#73

Carbazole

Concen: 51.210 ng

RT: 11.516 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:167 Resp: 787135

Ion Ratio Lower Upper

167 100

166 21.2 17.1 25.7

139 12.6 10.2 15.4



#74

Di-n-butylphthalate

Concen: 53.782 ng

RT: 11.839 min Scan# 1658

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:149 Resp: 1014950


Ion Ratio Lower Upper

149 100

150 9.1 7.4 11.2

104 4.6 3.7 5.5





#75

Fluoranthene

Concen: 53.175 ng

RT: 12.498 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:202 Resp: 938657

Ion Ratio Lower Upper

202 100

101 10.6 0.0 31.5

203 17.8 0.0 38.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.939 min Scan# 2015

Delta R.T. -0.012 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:240 Resp: 172719


Ion Ratio Lower Upper

240 100

120 12.0 8.2 12.2

236 25.2 21.2 31.8





#77

Benzidine

Concen: 34.900 ng

RT: 12.627 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:184 Resp: 131536

Ion Ratio Lower Upper

184 100

185 13.8 12.0 18.0

183 11.0 8.2 12.2



#78

Pyrene

Concen: 66.510 ng

RT: 12.727 min Scan# 1809

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:202 Resp: 912856


Ion Ratio Lower Upper

202 100

200 20.6 16.1 24.1


203 18.1 14.2 21.2








#79
 Terphenyl-d14
 Concen: 87.616 ng
 RT: 12.868 min Scan# 1833
 Delta R.T. -0.012 min
 Lab File: BF135776.D
 Acq: 16 Oct 2023 14:45

Instrument :
 BNA_F
 ClientSampleId :







Tgt Ion:244 Resp: 817156
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.6 8.4
 122 11.5 9.0 13.6



#80
 Butylbenzylphthalate
 Concen: 59.363 ng
 RT: 13.351 min Scan# 1915
 Delta R.T. -0.006 min
 Lab File: BF135776.D
 Acq: 16 Oct 2023 14:45

Tgt Ion:149 Resp: 358040
 Ion Ratio Lower Upper
 149 100
 91 68.3 57.4 86.0
 206 22.4 16.2 24.4





#81

Benzo(a)anthracene

Concen: 55.669 ng

RT: 13.927 min Scan# 20

Delta R.T. -0.012 min


Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:228 Resp: 631552

Ion Ratio Lower Upper

228 100

226 27.1 22.2 33.2

229 19.9 16.1 24.1



#82

3,3'-Dichlorobenzidine

Concen: 34.946 ng

RT: 13.892 min Scan# 2007

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:252 Resp: 131486


Ion Ratio Lower Upper

252 100

254 61.0 51.8 77.6

126 11.0 11.0 16.4





#83

Chrysene

Concen: 52.187 ng

RT: 13.968 min Scan# 20

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:228 Resp: 573447

Ion Ratio Lower Upper

228 100

226 30.7 24.4 36.6

229 19.8 15.7 23.5



#84

Bis(2-ethylhexyl)phthalate

Concen: 58.236 ng

RT: 13.910 min Scan# 2010

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:149 Resp: 476044


Ion Ratio Lower Upper

149 100

167 28.0 21.3 31.9

279 4.0 2.7 4.1





#85

Di-n-octyl phthalate

Concen: 57.717 ng

RT: 14.527 min Scan# 2115

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:149 Resp: 748146

Ion Ratio Lower Upper

149 100

167 1.6 1.2 1.8

43 12.6 10.1 15.1



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.415 min Scan# 2266

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:264 Resp: 196583


Ion Ratio Lower Upper

264 100

260 23.5 19.2 28.8

265 21.5 17.4 26.2





#87

Indeno(1,2,3-cd)pyrene

Concen: 58.391 ng

RT: 16.927 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:276 Resp: 625446

Ion Ratio Lower Upper

276 100

138 22.8 19.8 29.6

277 25.2 20.2 30.4



#88

Benzo(b)fluoranthene

Concen: 55.171 ng

RT: 14.986 min Scan# 2193

Delta R.T. -0.006 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45




Tgt Ion:252 Resp: 606999


Ion Ratio Lower Upper

252 100

253 21.7 18.2 27.2

125 9.7 8.2 12.2









#89
Benzo(k)fluoranthene
Concen: 46.678 ng
RT: 15.015 min Scan# 2198
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:252 Resp: 498583
Ion Ratio Lower Upper
252 100
253 21.9 17.4 26.0
125 9.0 8.3 12.5



#90
Benzo(a)pyrene
Concen: 49.295 ng
RT: 15.357 min Scan# 2256
Delta R.T. -0.006 min
Lab File: BF135776.D
Acq: 16 Oct 2023 14:45

Tgt Ion:252 Resp: 509985
Ion Ratio Lower Upper
252 100
253 22.3 17.4 26.2
125 10.6 8.8 13.2





#91

Dibenzo(a,h)anthracene

Concen: 58.883 ng

RT: 16.927 min Scan# 2522

Delta R.T. -0.012 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:278 Resp: 517043

Ion Ratio Lower Upper

278 100

139 14.6 12.5 18.7

279 23.1 18.6 27.8



#92

Benzo(g,h,i)perylene

Concen: 54.503 ng

RT: 17.374 min Scan# 2599

Delta R.T. -0.012 min

Lab File: BF135776.D

Acq: 16 Oct 2023 14:45

Tgt Ion:276 Resp: 491604

Ion Ratio Lower Upper

276 100

277 23.1 19.4 29.2

138 20.5 17.3 25.9

