

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102319\
 Data File : BF117488.D
 Acq On : 23 Oct 2019 17:38
 Operator : JU
 Sample : K5480-01
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 24 08:23:46 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF101819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 18:53:31 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	43856	20.00	ng	0.00
21) Naphthalene-d8	8.01	136	173010	20.00	ng	0.00
39) Acenaphthene-d10	9.76	164	90735	20.00	ng	0.00
64) Phenanthrene-d10	11.25	188	155321	20.00	ng	0.00
76) Chrysene-d12	13.89	240	124501	20.00	ng	-0.01
87) Perylene-d12	15.32	264	102621	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.35	112	293063	99.41	ng	0.00
7) Phenol-d6	6.38	99	404357	102.13	ng	0.00
23) Nitrobenzene-d5	7.30	82	247930	70.75	ng	0.00
42) 2,4,6-Tribromophenol	10.56	330	82429	104.99	ng	0.00
45) 2-Fluorobiphenyl	9.09	172	403482	62.66	ng	0.00
79) Terphenyl-d14	12.83	244	421783	55.26	ng	0.00
Target Compounds						
9) Benzaldehyde	6.38	77	461	Below Cal	Qvalue	# 3
19) n-Nitroso-di-n-propylamine	7.30	70	31874	13.182 ng	#	81
25) Isophorone	7.30	82	247928	40.895 ng	#	65
50) Dimethylphthalate	9.48	163	56673	8.761 ng	#	99
57) 2,4-Dinitrotoluene	9.76	165	11286	6.289 ng	#	12
67) 4-Bromophenyl-phenylether	10.55	248	5266	3.148 ng	#	1
77) Benizidine	12.83	184	5823	Below Cal	#	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102319\
Data File : BF117488.D
Acq On : 23 Oct 2019 17:38
Operator : JU
Sample : K5480-01
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Oct 24 08:23:46 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF101819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 18 18:53:31 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 790
Delta R.T. -0.00 min
Lab File: BF117488.D
Acq: 23 Oct 2019 17:38

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 43856
Ion Ratio Lower Upper
152 100
150 150.7 126.8 190.2
115 61.5 51.6 77.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 99.414 ng
RT: 5.35 min Scan# 555
Delta R.T. 0.00 min
Lab File: BF117488.D
Acq: 23 Oct 2019 17:38

Tgt Ion:112 Resp: 293063
Ion Ratio Lower Upper
112 100
64 57.6 44.1 66.1
63 31.4 23.4 35.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 102.127 ng

RT: 6.38 min Scan# 730

Delta R.T. -0.00 min

Lab File: BF117488.D

Acq: 23 Oct 2019 17:38

Instrument :

BNA_F

ClientSampled :


Tot Ion: 99 Resp: 404357

Ion Ratio Lower Upper




99 100

42 15.4 12.8 19.2

71 36.6 28.6 43.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 13.182 ng

RT: 7.30 min Scan# 886

Delta R.T. 0.14 min

Lab File: BF117488.D

Acq: 23 Oct 2019 17:38

Tgt Ion: 70 Resp: 31874


Ion Ratio Lower Upper

70 100



42 42.6 36.7 55.1


101 0.0 8.3 12.5#

130 1.6 18.1 27.1#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.01 min Scan# 1007
Delta R.T. -0.01 min
Lab File: BF117488.D
Acq: 23 Oct 2019 17:38




Instrument :
BNA_F
ClientSampled :


Tot Ion:	136	Resp:	173010
Ion	Ratio	Lower	Upper
136	100		
137	11.3	8.2	12.4
54	6.2	4.5	6.7
68	5.9	4.3	6.5



#23
Nitrobenzene-d5
Concen: 70.746 ng
RT: 7.30 min Scan# 886
Delta R.T. -0.01 min
Lab File: BF117488.D
Acq: 23 Oct 2019 17:38

Tgt Ion:	82	Resp:	247930
Ion	Ratio	Lower	Upper
82	100		
128	42.2	32.2	48.2
54	39.9	34.2	51.2





#25

Isophorone

Concen: 40.895 ng

RT: 7.30 min Scan# 886

Delta R.T. -0.26 min

Lab File: BF117488.D

Acq: 23 Oct 2019 17:38

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 82 Resp: 247928

Ion Ratio Lower Upper




82 100

95 0.0 5.4 8.0#

138 0.0 14.2 21.2#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): E



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.76 min Scan# 1305

Delta R.T. -0.01 min

Lab File: BF117488.D

Acq: 23 Oct 2019 17:38


Tgt Ion:164 Resp: 90735

Ion Ratio Lower Upper



164 100


162 102.8 81.8 122.6

160 44.2 34.4 51.6



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 104.993 ng
 RT: 10.56 min Scan# 1440
 Delta R.T. -0.01 min
 Lab File: BF117488.D
 Acq: 23 Oct 2019 17:38

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:330 Resp: 82429
 Ion Ratio Lower Upper
 330 100
 332 94.6 78.5 117.7
 141 44.7 37.0 55.6




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 62.655 ng
 RT: 9.09 min Scan# 1190
 Delta R.T. -0.01 min
 Lab File: BF117488.D
 Acq: 23 Oct 2019 17:38

Tgt Ion:172 Resp: 403482
 Ion Ratio Lower Upper
 172 100
 171 34.3 27.5 41.3
 170 22.5 18.6 27.8



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 8.761 ng

RT: 9.48 min Scan# 1257

Delta R.T. -0.01 min

Lab File: BF117488.D

Acq: 23 Oct 2019 17:38

Instrument :

BNA_F

ClientSampleId :


Tot Ion:163 Resp: 56673

Ion Ratio Lower Upper

163 100

194 3.7 2.9 4.3




164 10.4 8.2 12.2



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#57

2,4-Dinitrotoluene

Concen: 6.289 ng

RT: 9.76 min Scan# 1305

Delta R.T. -0.21 min

Lab File: BF117488.D

Acq: 23 Oct 2019 17:38

Tgt Ion:165 Resp: 11286


Ion Ratio Lower Upper

165 100

63 0.0 51.4 77.0#

89 0.0 69.9 104.9#

182 0.0 1.9 2.9#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E









#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.25 min Scan# 1557
 Delta R.T. -0.01 min
 Lab File: BF117488.D
 Acq: 23 Oct 2019 17:38

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion:188 Resp: 155321
 Ion Ratio Lower Upper
 188 100
 94 9.5 8.0 12.0
 80 12.9 9.5 14.3




Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1






#67
 4-Bromophenyl-phenylether
 Concen: 3.148 ng
 RT: 10.55 min Scan# 1439
 Delta R.T. -0.24 min
 Lab File: BF117488.D
 Acq: 23 Oct 2019 17:38

Tgt Ion:248 Resp: 5266
 Ion Ratio Lower Upper
 248 100
 250 213.1 78.0 117.0#
 141 753.3 81.7 122.5#



Abundance Ion 248.00 (247.70 to 248.70): E
 Ion 250.00 (249.70 to 250.70): E
 Ion 141.00 (140.70 to 141.70): E









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 13.89 min Scan# 2006
 Delta R.T. -0.01 min
 Lab File: BF117488.D
 Acq: 23 Oct 2019 17:38

Instrument :
 BNA_F
 ClientSampled :

Tot Ion:240 Resp: 124501
 Ion Ratio Lower Upper
 240 100
 120 12.6 8.4 12.6#
 236 24.2 20.0 30.0




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#79
 Terphenyl-d14
 Concen: 55.259 ng
 RT: 12.83 min Scan# 1827
 Delta R.T. 0.00 min
 Lab File: BF117488.D
 Acq: 23 Oct 2019 17:38

Tgt Ion:244 Resp: 421783
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.8 8.6
 122 11.5 11.8 17.8#



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E






#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.32 min Scan# 2249
Delta R.T. -0.01 min
Lab File: BF117488.D
Acq: 23 Oct 2019 17:38

Instrument :
BNA_F
ClientSampleId :

Tot Ion:	264	Resp:	102621
Ion	Ratio	Lower	Upper
264	100		
260	22.2	18.4	27.6
265	20.6	16.1	24.1



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

