

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102418\
 Data File : BF110140.D
 Acq On : 25 Oct 2018 3:42
 Operator : JU/SJ
 Sample : J5640-08
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 25 09:05:29 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 25 02:28:50 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	132812	20.00	ng	0.00
21) Naphthalene-d8	8.25	136	462974	20.00	ng	0.00
39) Acenaphthene-d10	10.01	164	173803	20.00	ng	0.00
64) Phenanthrene-d10	11.50	188	287597	20.00	ng	0.00
76) Chrysene-d12	14.15	240	251585	20.00	ng	0.00
87) Perylene-d12	15.67	264	166071	20.00	ng	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
5) 2-Fluorophenol	5.58	112	295181	36.19	ng	0.00
7) Phenol-d6	6.58	99	217633	20.86	ng	0.00
23) Nitrobenzene-d5	7.53	82	713388	91.39	ng	0.00
42) 2,4,6-Tribromophenol	10.80	330	125679	73.00	ng	0.00
45) 2-Fluorobiphenyl	9.33	172	1190243	107.53	ng	0.00
79) Terphenyl-d14	13.09	244	990113	81.85	ng	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
10) Phenol	6.59	94	23706	2.126	ng	# 64
19) n-Nitroso-di-n-propylamine	7.53	70	94731	14.155	ng	# 80
25) Isophorone	7.53	82	713378	53.615	ng	# 67
50) Dimethylphthalate	9.72	163	26232	2.045	ng	# 97
51) 2,6-Dinitrotoluene	10.01	165	21296	7.706	ng	# 22
57) 2,4-Dinitrotoluene	10.01	165	21296	6.067	ng	# 19
67) 4-Bromophenyl-phenylether	10.80	248	8071	2.587	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102418\
Data File : BF110140.D
Acq On : 25 Oct 2018 3:42
Operator : JU/SJ
Sample : J5640-08
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Oct 25 09:05:29 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 25 02:28:50 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.97 min Scan# 830
Delta R.T. 0.01 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.1	122.7	184.1
115	59.7	49.1	73.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 36.193 ng
RT: 5.58 min Scan# 594
Delta R.T. 0.00 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42

Tgt Ion	Ratio	Lower	Upper
112	100		
64	61.9	44.1	66.1
63	31.6	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 20.862 ng

RT: 6.58 min Scan# 764

Delta R.T. -0.01 min

Lab File: BF110140.D

Acq: 25 Oct 2018 3:42


Instrument :

BNA_F

ClientSampleId :

Tot Ion: 99 Resp: 217633

Ion	Ratio	Lower	Upper
99	100		
42	17.1	15.8	23.6
71	31.4	28.0	42.0






Abundance

Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 2.126 ng

RT: 6.59 min Scan# 766


Delta R.T. -0.01 min

Lab File: BF110140.D

Acq: 25 Oct 2018 3:42

Tgt Ion: 94 Resp: 23706

Ion	Ratio	Lower	Upper
94	100		
65	26.8	25.3	65.3
66	39.3	54.5	94.5#






Abundance

Ion 94.00 (93.70 to 94.70): BF1

Ion 65.00 (64.70 to 65.70): BF1

Ion 66.00 (65.70 to 66.70): BF1









#19
n-Nitroso-di-n-propylamine
Concen: 14.155 ng
RT: 7.53 min Scan# 925
Delta R.T. 0.15 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42




Instrument :
BNA_F
ClientSampled :


Tot Ion: 70 Resp: 94731
Ion Ratio Lower Upper
70 100
42 49.6 47.4 71.2
101 0.0 7.3 10.9#
130 2.4 16.2 24.2#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.25 min Scan# 1048
Delta R.T. 0.00 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42

Tgt Ion: 136 Resp: 462974
Ion Ratio Lower Upper
136 100
137 10.6 8.8 13.2
54 7.6 5.4 8.2
68 5.5 4.2 6.2









#23
Nitrobenzene-d5
Concen: 91.395 ng
RT: 7.53 min Scan# 925
Delta R.T. -0.01 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42

Instrument :
BNA_F
ClientSampled :

Tot Ion	82	Resp	713388
Ion Ratio	Lower	Upper	
82	100		
128	44.0	34.2	51.2
54	52.6	38.6	58.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1






#25
Isophorone
Concen: 53.615 ng
RT: 7.53 min Scan# 925
Delta R.T. -0.26 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42

Tgt Ion	82	Resp	713378
Ion Ratio	Lower	Upper	
82	100		
95	0.0	5.7	8.5#
138	0.0	13.2	19.8#



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 95.00 (94.70 to 95.70): BF1
Ion 138.00 (137.70 to 138.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.01 min Scan# 1347

Delta R.T. 0.00 min

Lab File: BF110140.D

Acq: 25 Oct 2018 3:42

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 173803

Ion Ratio Lower Upper

164 100

162 101.7 83.0 124.6




160 47.0 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 73.000 ng

RT: 10.80 min Scan# 1481

Delta R.T. -0.01 min

Lab File: BF110140.D

Acq: 25 Oct 2018 3:42


Tgt Ion:330 Resp: 125679

Ion Ratio Lower Upper

330 100

332 95.8 77.1 115.7



141 36.4 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 107.535 ng
RT: 9.33 min Scan# 1231
Delta R.T. 0.00 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42

Instrument :
BNA_F
ClientSampleId :

Tot Ion:172 Resp: 1190243
Ion Ratio Lower Upper
172 100
171 35.9 28.6 43.0
170 24.2 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 2.045 ng
RT: 9.72 min Scan# 1297
Delta R.T. -0.01 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42

Tgt Ion:163 Resp: 26232
Ion Ratio Lower Upper
163 100
194 3.0 3.2 4.8#
164 11.0 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#51

2,6-Dinitrotoluene

Concen: 7.706 ng

RT: 10.01 min Scan# 1347

Delta R.T. 0.22 min

Lab File: BF110140.D

Acq: 25 Oct 2018 3:42

Instrument :

BNA_F

ClientSampleId :


Tot Ion:165 Resp: 21296

Ion Ratio Lower Upper

165 100

63 0.0 48.9 73.3#




89 2.1 46.6 69.8#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1



#57

2,4-Dinitrotoluene

Concen: 6.067 ng

RT: 10.01 min Scan# 1347

Delta R.T. -0.18 min

Lab File: BF110140.D

Acq: 25 Oct 2018 3:42

Tgt Ion:165 Resp: 21296


Ion Ratio Lower Upper

165 100

63 0.0 44.8 67.2#

89 2.1 62.2 93.4#

182 0.0 2.1 3.1#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.50 min Scan# 1601
Delta R.T. 0.01 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42




Instrument :
BNA_F
ClientSampleId :


Tot Ion:188 Resp: 287597
Ion Ratio Lower Upper
188 100
94 8.5 7.2 10.8
80 8.8 7.9 11.9



#67
4-Bromophenyl-phenylether
Concen: 2.587 ng
RT: 10.80 min Scan# 1481
Delta R.T. -0.24 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42

Tgt Ion:248 Resp: 8071
Ion Ratio Lower Upper
248 100
250 205.7 79.4 119.2#
141 576.2 55.9 83.9#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.15 min Scan# 2051
Delta R.T. 0.00 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
240	100		
120	10.8	8.3	12.5
236	24.8	21.2	31.8




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#79
Terphenyl-d14
Concen: 81.847 ng
RT: 13.09 min Scan# 1870
Delta R.T. 0.00 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42

Tgt Ion	Ratio	Lower	Upper
244	100		
212	6.6	5.8	8.8
122	12.8	8.7	13.1



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.67 min Scan# 2310
Delta R.T. 0.01 min
Lab File: BF110140.D
Acq: 25 Oct 2018 3:42

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.9	18.7	28.1
265	22.0	16.7	25.1

