

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102418\
 Data File : BF110134.D
 Acq On : 25 Oct 2018 00:59
 Operator : JU/SJ
 Sample : J5640-02
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 102218-JETT-F-D-M

Quant Time: Oct 25 05:14:47 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 23 15:06:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	146034	20.00	ng	-0.01
21) Naphthalene-d8	8.25	136	515991	20.00	ng	-0.02
39) Acenaphthene-d10	10.01	164	198472	20.00	ng	-0.02
64) Phenanthrene-d10	11.50	188	325031	20.00	ng	-0.01
76) Chrysene-d12	14.15	240	275790	20.00	ng	-0.01
87) Perylene-d12	15.67	264	188189	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	330609	36.87	ng	-0.01
7) Phenol-d6	6.58	99	251583	21.93	ng	-0.02
23) Nitrobenzene-d5	7.53	82	792996	91.15	ng	-0.02
42) 2,4,6-Tribromophenol	10.80	330	141246	71.84	ng	-0.01
45) 2-Fluorobiphenyl	9.33	172	1319013	104.36	ng	-0.01
79) Terphenyl-d14	13.09	244	1106208	83.42	ng	-0.01
Target Compounds						
10) Phenol	6.59	94	30485	2.486	ng	# 66
50) Dimethylphthalate	9.72	163	37352	2.549	ng	# 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102418\
Data File : BF110134.D
Acq On : 25 Oct 2018 00:59
Operator : JU/SJ
Sample : J5640-02
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
102218-JETT-F-D-M

Quant Time: Oct 25 05:14:47 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 23 15:06:18 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.97 min Scan# 830
Delta R.T. -0.01 min
Lab File: BF110134.D
Acq: 25 Oct 2018 00:59

Instrument :
BNA_F
ClientSampleId :
102218-JETT-F-D-M

Tot Ion	Ratio	Lower	Upper
152	100		
150	155.6	122.7	184.1
115	60.1	49.1	73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 36.867 ng
RT: 5.59 min Scan# 595
Delta R.T. -0.01 min
Lab File: BF110134.D
Acq: 25 Oct 2018 00:59

Tgt Ion	Ratio	Lower	Upper
112	100		
64	56.1	44.1	66.1
63	29.0	23.7	35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 21.933 ng

RT: 6.58 min Scan# 764

Delta R.T. -0.02 min

Lab File: BF110134.D

Acq: 25 Oct 2018 00:59

Instrument :

BNA_F

ClientSampleId :

102218-JETT-F-D-M


Tot Ion: 99 Resp: 251583

Ion Ratio Lower Upper


99 100

42 18.6 15.8 23.6



71 32.5 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



Time-->



#10

Phenol

Concen: 2.486 ng

RT: 6.59 min Scan# 766

Delta R.T. -0.02 min

Lab File: BF110134.D

Acq: 25 Oct 2018 00:59


Tgt Ion: 94 Resp: 30485

Ion Ratio Lower Upper


94 100

65 29.5 25.3 65.3


66 40.2 54.5 94.5#




Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1



Time-->









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.25 min Scan# 1048
Delta R.T. -0.02 min
Lab File: BF110134.D
Acq: 25 Oct 2018 00:59

Instrument :
BNA_F
ClientSampleId :
102218-JETT-F-D-M

Tot Ion:136	Resp:	515991
Ion Ratio	Lower	Upper
136	100	
137	10.8	8.8 13.2
54	7.8	5.4 8.2
68	5.5	4.2 6.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 91.155 ng
RT: 7.53 min Scan# 926
Delta R.T. -0.02 min
Lab File: BF110134.D
Acq: 25 Oct 2018 00:59

Tgt Ion: 82	Resp:	792996
Ion Ratio	Lower	Upper
82	100	
128	47.0	34.2 51.2
54	51.4	38.6 58.0



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.01 min Scan# 1347

Delta R.T. -0.02 min

Lab File: BF110134.D

Acq: 25 Oct 2018 00:59

Instrument :

BNA_F

ClientSampleId :

102218-JETT-F-D-M


Tot Ion:164 Resp: 198472

Ion Ratio Lower Upper

164 100

162 103.6 83.0 124.6




160 46.5 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 71.844 ng

RT: 10.80 min Scan# 1482

Delta R.T. -0.01 min

Lab File: BF110134.D

Acq: 25 Oct 2018 00:59


Tgt Ion:330 Resp: 141246

Ion Ratio Lower Upper

330 100

332 96.7 77.1 115.7



141 37.5 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 104.357 ng
RT: 9.33 min Scan# 1231
Delta R.T. -0.01 min
Lab File: BF110134.D
Acq: 25 Oct 2018 00:59

Instrument :
BNA_F
ClientSampleId :
102218-JETT-F-D-M

Tot Ion:172 Resp: 1319013
Ion Ratio Lower Upper
172 100
171 36.4 28.6 43.0
170 24.4 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 2.549 ng
RT: 9.72 min Scan# 1297
Delta R.T. -0.02 min
Lab File: BF110134.D
Acq: 25 Oct 2018 00:59

Tgt Ion:163 Resp: 37352
Ion Ratio Lower Upper
163 100
194 3.1 3.2 4.8#
164 9.8 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.50 min Scan# 1601

Delta R.T. -0.01 min

Lab File: BF110134.D

Acq: 25 Oct 2018 00:59

Instrument :

BNA_F

ClientSampleId :

102218-JETT-F-D-M


Tot Ion:188 Resp: 325031

Ion Ratio Lower Upper

188 100

94 8.6 7.2 10.8




80 9.4 7.9 11.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.15 min Scan# 2051

Delta R.T. -0.01 min

Lab File: BF110134.D

Acq: 25 Oct 2018 00:59


Tgt Ion:240 Resp: 275790

Ion Ratio Lower Upper

240 100

120 10.8 8.3 12.5



236 24.2 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 83.418 ng

RT: 13.09 min Scan# 1871

Delta R.T. -0.01 min

Lab File: BF110134.D

Acq: 25 Oct 2018 00:59

Instrument :

BNA_F

ClientSampleId :

102218-JETT-F-D-M


Tot Ion:244 Resp: 1106208

Ion Ratio Lower Upper

244 100

212 6.8 5.8 8.8




122 10.6 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.67 min Scan# 2310

Delta R.T. -0.02 min

Lab File: BF110134.D

Acq: 25 Oct 2018 00:59


Tgt Ion:264 Resp: 188189

Ion Ratio Lower Upper

264 100

260 22.9 18.7 28.1

265 22.0 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

