

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102418\
 Data File : BF110138.D
 Acq On : 25 Oct 2018 2:48
 Operator : JU/SJ
 Sample : J5640-06
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 102218-JETT-F-U-S

Quant Time: Oct 25 09:17:12 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 25 02:28:50 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	118817	20.00	ng	0.00
21) Naphthalene-d8	8.25	136	411671	20.00	ng	0.00
39) Acenaphthene-d10	10.01	164	157660	20.00	ng	0.00
64) Phenanthrene-d10	11.50	188	271035	20.00	ng	0.00
76) Chrysene-d12	14.15	240	258314	20.00	ng	0.00
87) Perylene-d12	15.67	264	177009	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	286545	39.27	ng	0.00
7) Phenol-d6	6.58	99	212640	22.78	ng	0.00
23) Nitrobenzene-d5	7.53	82	656336	94.56	ng	0.00
42) 2,4,6-Tribromophenol	10.80	330	125248	80.20	ng	0.00
45) 2-Fluorobiphenyl	9.33	172	1109062	110.46	ng	0.00
79) Terphenyl-d14	13.09	244	980725	78.96	ng	0.00
Target Compounds						
10) Phenol	6.59	94	22873	2.293	ng	Qvalue # 63
50) Dimethylphthalate	9.72	163	38268	3.288	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102418\
Data File : BF110138.D
Acq On : 25 Oct 2018 2:48
Operator : JU/SJ
Sample : J5640-06
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
102218-JETT-F-U-S

Quant Time: Oct 25 09:17:12 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 25 02:28:50 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.97 min Scan# 830
Delta R.T. 0.01 min
Lab File: BF110138.D
Acq: 25 Oct 2018 2:48

Instrument :
BNA_F
ClientSampleId :
102218-JETT-F-U-S

Tot Ion	Ratio	Lower	Upper
152	100		
150	156.0	122.7	184.1
115	59.9	49.1	73.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 39.273 ng
RT: 5.59 min Scan# 595
Delta R.T. 0.01 min
Lab File: BF110138.D
Acq: 25 Oct 2018 2:48

Tgt Ion	Ratio	Lower	Upper
112	100		
64	57.2	44.1	66.1
63	29.1	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 22.785 ng

RT: 6.58 min Scan# 764

Delta R.T. -0.01 min

Lab File: BF110138.D

Acq: 25 Oct 2018 2:48

Instrument :

BNA_F

ClientSampleId :

102218-JETT-F-U-S


Tot Ion: 99 Resp: 212640

Ion Ratio Lower Upper




99 100

42 17.3 15.8 23.6

71 32.3 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 2.293 ng

RT: 6.59 min Scan# 766

Delta R.T. -0.01 min

Lab File: BF110138.D

Acq: 25 Oct 2018 2:48


Tgt Ion: 94 Resp: 22873

Ion Ratio Lower Upper



94 100


65 26.4 25.3 65.3

66 39.5 54.5 94.5#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.25 min Scan# 1048
Delta R.T. -0.00 min
Lab File: BF110138.D
Acq: 25 Oct 2018 2:48

Instrument :
BNA_F
ClientSampleId :
102218-JETT-F-U-S

Tot Ion:136	Resp:	411671
Ion Ratio	Lower	Upper
136	100	
137	11.0	8.8 13.2
54	7.9	5.4 8.2
68	5.2	4.2 6.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 94.564 ng
RT: 7.53 min Scan# 925
Delta R.T. -0.01 min
Lab File: BF110138.D
Acq: 25 Oct 2018 2:48

Tgt Ion: 82	Resp:	656336
Ion Ratio	Lower	Upper
82	100	
128	44.4	34.2 51.2
54	53.8	38.6 58.0



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.01 min Scan# 1347

Delta R.T. -0.00 min

Lab File: BF110138.D

Acq: 25 Oct 2018 2:48

Instrument :

BNA_F

ClientSampleId :

102218-JETT-F-U-S


Tot Ion:164 Resp: 157660

Ion Ratio Lower Upper

164 100

162 103.5 83.0 124.6




160 45.9 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 80.198 ng

RT: 10.80 min Scan# 1481

Delta R.T. -0.01 min

Lab File: BF110138.D

Acq: 25 Oct 2018 2:48


Tgt Ion:330 Resp: 125248

Ion Ratio Lower Upper

330 100

332 95.4 77.1 115.7



141 36.4 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 110.460 ng
 RT: 9.33 min Scan# 1231
 Delta R.T. -0.00 min
 Lab File: BF110138.D
 Acq: 25 Oct 2018 2:48




Instrument :
 BNA_F
 ClientSampleId :
 102218-JETT-F-U-S

Tot Ion:172 Resp: 1109062

Ion	Ratio	Lower	Upper
172	100		
171	36.1	28.6	43.0
170	23.8	19.7	29.5




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50
 Dimethylphthalate
 Concen: 3.288 ng
 RT: 9.72 min Scan# 1297
 Delta R.T. -0.01 min
 Lab File: BF110138.D
 Acq: 25 Oct 2018 2:48


Tgt Ion:163 Resp: 38268

Ion	Ratio	Lower	Upper
163	100		
194	4.0	3.2	4.8
164	11.1	8.1	12.1



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.50 min Scan# 1601
Delta R.T. 0.01 min
Lab File: BF110138.D
Acq: 25 Oct 2018 2:48




Instrument :
BNA_F
ClientSampleId :
102218-JETT-F-U-S


Tot Ion	Ratio	Lower	Upper
188	100		
94	8.3	7.2	10.8
80	8.5	7.9	11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.15 min Scan# 2051
Delta R.T. -0.00 min
Lab File: BF110138.D
Acq: 25 Oct 2018 2:48

Tgt Ion	Ratio	Lower	Upper
240	100		
120	9.7	8.3	12.5
236	24.0	21.2	31.8





#79

Terphenyl-d14

Concen: 78.959 ng

RT: 13.09 min Scan# 1870

Delta R.T. -0.00 min

Lab File: BF110138.D

Acq: 25 Oct 2018 2:48

Instrument :

BNA_F

ClientSampleId :

102218-JETT-F-U-S


Tot Ion:244 Resp: 980725

Ion Ratio Lower Upper

244 100

212 6.8 5.8 8.8




122 13.0 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.67 min Scan# 2310

Delta R.T. 0.01 min

Lab File: BF110138.D

Acq: 25 Oct 2018 2:48


Tgt Ion:264 Resp: 177009

Ion Ratio Lower Upper

264 100

260 22.3 18.7 28.1

265 21.2 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

