

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102418\
 Data File : BF110150.D
 Acq On : 25 Oct 2018 8:15
 Operator : JU/SJ
 Sample : J5640-18
 Misc :
 ALS Vial : 47 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 102218-SIDI-E-D-M

Quant Time: Oct 25 09:39:01 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 25 02:28:50 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	120458	20.00	ng	0.00
21) Naphthalene-d8	8.25	136	451573	20.00	ng	0.00
39) Acenaphthene-d10	10.01	164	170904	20.00	ng	0.00
64) Phenanthrene-d10	11.50	188	271350	20.00	ng	0.00
76) Chrysene-d12	14.14	240	244819	20.00	ng	0.00
87) Perylene-d12	15.67	264	163400	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	345758	46.74	ng	0.00
7) Phenol-d6	6.58	99	265123	28.02	ng	0.00
23) Nitrobenzene-d5	7.53	82	751472	98.70	ng	0.00
42) 2,4,6-Tribromophenol	10.80	330	133083	78.61	ng	0.00
45) 2-Fluorobiphenyl	9.33	172	1273250	116.99	ng	0.00
79) Terphenyl-d14	13.09	244	987259	83.87	ng	0.00
Target Compounds						
10) Phenol	6.59	94	27906	2.759	ng	Qvalue # 62

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102418\
Data File : BF110150.D
Acq On : 25 Oct 2018 8:15
Operator : JU/SJ
Sample : J5640-18
Misc :
ALS Vial : 47 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
102218-SIDI-E-D-M

Quant Time: Oct 25 09:39:01 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 25 02:28:50 2018
Response via : Initial Calibration






#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.97 min Scan# 830
 Delta R.T. 0.01 min
 Lab File: BF110150.D
 Acq: 25 Oct 2018 8:15

Instrument :
 BNA_F
 ClientSampleId :
 102218-SIDI-E-D-M

Tot Ion	Ratio	Lower	Upper
152	100		
150	157.5	122.7	184.1
115	59.7	49.1	73.7






Abundance

Ion 152.00 (151.70 to 152.70): E


Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#5
 2-Fluorophenol
 Concen: 46.742 ng
 RT: 5.59 min Scan# 595
 Delta R.T. 0.01 min
 Lab File: BF110150.D
 Acq: 25 Oct 2018 8:15

Tgt Ion	Ratio	Lower	Upper
112	100		
64	54.9	44.1	66.1
63	28.5	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 28.021 ng

RT: 6.58 min Scan# 764

Delta R.T. -0.01 min

Lab File: BF110150.D

Acq: 25 Oct 2018 8:15

Instrument :

BNA_F

ClientSampleId :

102218-SIDI-E-D-M


Tot Ion: 99 Resp: 265123

Ion Ratio Lower Upper




99 100

42 17.7 15.8 23.6

71 32.4 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 2.759 ng

RT: 6.59 min Scan# 766

Delta R.T. -0.01 min

Lab File: BF110150.D

Acq: 25 Oct 2018 8:15


Tgt Ion: 94 Resp: 27906

Ion Ratio Lower Upper



94 100

65 28.9 25.3 65.3

66 35.4 54.5 94.5#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.25 min Scan# 1048
Delta R.T. 0.00 min
Lab File: BF110150.D
Acq: 25 Oct 2018 8:15

Instrument :
BNA_F
ClientSampleId :
102218-SIDI-E-D-M

Tot Ion:136	Resp:	451573
Ion Ratio	Lower	Upper
136	100	
137	10.7	8.8 13.2
54	7.5	5.4 8.2
68	5.1	4.2 6.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 98.704 ng
RT: 7.53 min Scan# 925
Delta R.T. -0.01 min
Lab File: BF110150.D
Acq: 25 Oct 2018 8:15

Tgt Ion: 82	Resp:	751472
Ion Ratio	Lower	Upper
82	100	
128	44.0	34.2 51.2
54	54.1	38.6 58.0



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.01 min Scan# 1347

Delta R.T. 0.00 min

Lab File: BF110150.D

Acq: 25 Oct 2018 8:15

Instrument :

BNA_F

ClientSampleId :

102218-SIDI-E-D-M


Tot Ion:164 Resp: 170904

Ion Ratio Lower Upper

164 100

162 100.3 83.0 124.6




160 45.4 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 78.612 ng

RT: 10.80 min Scan# 1481

Delta R.T. -0.01 min

Lab File: BF110150.D

Acq: 25 Oct 2018 8:15


Tgt Ion:330 Resp: 133083

Ion Ratio Lower Upper

330 100

332 96.3 77.1 115.7



141 37.2 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 116.986 ng
 RT: 9.33 min Scan# 1231
 Delta R.T. 0.00 min
 Lab File: BF110150.D
 Acq: 25 Oct 2018 8:15




Instrument :
 BNA_F
 ClientSampleId :
 102218-SIDI-E-D-M

Tot Ion:172 Resp: 1273250

Ion	Ratio	Lower	Upper
172	100		
171	36.2	28.6	43.0
170	23.8	19.7	29.5




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.50 min Scan# 1600
 Delta R.T. 0.00 min
 Lab File: BF110150.D
 Acq: 25 Oct 2018 8:15


Tgt Ion:188 Resp: 271350

Ion	Ratio	Lower	Upper
188	100		
94	10.2	7.2	10.8
80	10.9	7.9	11.9



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.14 min Scan# 2050
 Delta R.T. -0.01 min
 Lab File: BF110150.D
 Acq: 25 Oct 2018 8:15

Instrument :
 BNA_F
 ClientSampleId :
 102218-SIDI-E-D-M

Tot Ion:240 Resp: 244819
 Ion Ratio Lower Upper
 240 100
 120 12.9 8.3 12.5#
 236 25.1 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#79
 Terphenyl-d14
 Concen: 83.867 ng
 RT: 13.09 min Scan# 1870
 Delta R.T. 0.00 min
 Lab File: BF110150.D
 Acq: 25 Oct 2018 8:15

Tgt Ion:244 Resp: 987259
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.8 8.8
 122 12.4 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E
 Ion 212.00 (211.70 to 212.70): E
 Ion 122.00 (121.70 to 122.70): E





#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.67 min Scan# 2310
 Delta R.T. 0.01 min
 Lab File: BF110150.D
 Acq: 25 Oct 2018 8:15

Instrument :
 BNA_F
 ClientSampleId :
 102218-SIDI-E-D-M

Tot Ion	Ratio	Lower	Upper
264	100		
260	24.3	18.7	28.1
265	21.9	16.7	25.1

