

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102418\
 Data File : BF110151.D
 Acq On : 25 Oct 2018 8:42
 Operator : JU/SJ
 Sample : J5640-19
 Misc :
 ALS Vial : 48 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 102218-SIDI-E-D-S

Quant Time: Oct 25 09:40:27 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 25 02:28:50 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	114071	20.00	ng	0.00
21) Naphthalene-d8	8.25	136	421124	20.00	ng	0.00
39) Acenaphthene-d10	10.01	164	150094	20.00	ng	0.00
64) Phenanthrene-d10	11.50	188	262386	20.00	ng	0.00
76) Chrysene-d12	14.14	240	254437	20.00	ng	0.00
87) Perylene-d12	15.67	264	173642	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	346615	49.48	ng	0.00
7) Phenol-d6	6.58	99	250806	27.99	ng	0.00
23) Nitrobenzene-d5	7.53	82	723029	101.83	ng	0.00
42) 2,4,6-Tribromophenol	10.80	330	136371	91.72	ng	0.00
45) 2-Fluorobiphenyl	9.32	172	1193093	124.82	ng	0.00
79) Terphenyl-d14	13.09	244	1028554	84.07	ng	0.00
Target Compounds						
10) Phenol	6.59	94	68764	7.180	ng	Qvalue # 62
50) Dimethylphthalate	9.72	163	47702	4.305	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102418\
Data File : BF110151.D
Acq On : 25 Oct 2018 8:42
Operator : JU/SJ
Sample : J5640-19
Misc :
ALS Vial : 48 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
102218-SIDI-E-D-S

Quant Time: Oct 25 09:40:27 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 25 02:28:50 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.97 min Scan# 830
Delta R.T. 0.01 min
Lab File: BF110151.D
Acq: 25 Oct 2018 8:42

Instrument :
BNA_F
ClientSampleId :
102218-SIDI-E-D-S

Tot Ion	Ratio	Lower	Upper
152	100		
150	159.0	122.7	184.1
115	59.8	49.1	73.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 49.482 ng
RT: 5.58 min Scan# 594
Delta R.T. 0.00 min
Lab File: BF110151.D
Acq: 25 Oct 2018 8:42

Tgt Ion	Ratio	Lower	Upper
112	100		
64	63.2	44.1	66.1
63	32.8	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 27.992 ng

RT: 6.58 min Scan# 764

Delta R.T. -0.01 min

Lab File: BF110151.D

Acq: 25 Oct 2018 8:42

Instrument :

BNA_F

ClientSampleId :

102218-SIDI-E-D-S


Tot Ion: 99 Resp: 250806

Ion Ratio Lower Upper




99 100

42 18.3 15.8 23.6

71 33.9 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 7.180 ng

RT: 6.59 min Scan# 766

Delta R.T. -0.01 min

Lab File: BF110151.D

Acq: 25 Oct 2018 8:42


Tgt Ion: 94 Resp: 68764

Ion Ratio Lower Upper



94 100


65 28.3 25.3 65.3

66 36.7 54.5 94.5#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.25 min Scan# 1048

Delta R.T. 0.00 min

Lab File: BF110151.D

Acq: 25 Oct 2018 8:42

Instrument :

BNA_F

ClientSampleId :

102218-SIDI-E-D-S

Tot Ion:136 Resp: 421124


Ion Ratio Lower Upper

136 100

137 10.4 8.8 13.2

54 7.2 5.4 8.2

68 5.2 4.2 6.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 101.835 ng

RT: 7.53 min Scan# 925

Delta R.T. -0.01 min

Lab File: BF110151.D

Acq: 25 Oct 2018 8:42


Tgt Ion: 82 Resp: 723029

Ion Ratio Lower Upper

82 100

128 43.8 34.2 51.2



54 54.0 38.6 58.0




Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.01 min Scan# 1347

Delta R.T. 0.00 min

Lab File: BF110151.D

Acq: 25 Oct 2018 8:42

Instrument :

BNA_F

ClientSampleId :

102218-SIDI-E-D-S


Tot Ion:164 Resp: 150094

Ion Ratio Lower Upper

164 100

162 104.1 83.0 124.6




160 47.2 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 91.722 ng

RT: 10.80 min Scan# 1481

Delta R.T. -0.01 min

Lab File: BF110151.D

Acq: 25 Oct 2018 8:42


Tgt Ion:330 Resp: 136371

Ion Ratio Lower Upper

330 100

332 95.2 77.1 115.7



141 37.4 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 124.819 ng
RT: 9.32 min Scan# 1230
Delta R.T. -0.01 min
Lab File: BF110151.D
Acq: 25 Oct 2018 8:42

Instrument :
BNA_F
ClientSampleId :
102218-SIDI-E-D-S

Tot Ion:172 Resp: 1193093
Ion Ratio Lower Upper
172 100
171 35.5 28.6 43.0
170 23.4 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 4.305 ng
RT: 9.72 min Scan# 1297
Delta R.T. -0.01 min
Lab File: BF110151.D
Acq: 25 Oct 2018 8:42

Tgt Ion:163 Resp: 47702
Ion Ratio Lower Upper
163 100
194 3.9 3.2 4.8
164 9.9 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.50 min Scan# 1600

Delta R.T. 0.00 min

Lab File: BF110151.D

Acq: 25 Oct 2018 8:42

Instrument :

BNA_F

ClientSampleId :

102218-SIDI-E-D-S


Tot Ion:188 Resp: 262386

Ion Ratio Lower Upper

188 100

94 10.0 7.2 10.8




80 10.9 7.9 11.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.14 min Scan# 2050

Delta R.T. -0.01 min

Lab File: BF110151.D

Acq: 25 Oct 2018 8:42


Tgt Ion:240 Resp: 254437

Ion Ratio Lower Upper

240 100

120 12.3 8.3 12.5



236 24.9 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 84.072 ng

RT: 13.09 min Scan# 1870

Delta R.T. 0.00 min

Lab File: BF110151.D

Acq: 25 Oct 2018 8:42

Instrument :

BNA_F

ClientSampleId :

102218-SIDI-E-D-S



Tot Ion:244 Resp: 1028554

Ion Ratio Lower Upper

244 100

212 7.2 5.8 8.8



122 12.5 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.67 min Scan# 2310

Delta R.T. 0.01 min

Lab File: BF110151.D

Acq: 25 Oct 2018 8:42



Tgt Ion:264 Resp: 173642

Ion Ratio Lower Upper

264 100

260 23.5 18.7 28.1

265 20.9 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

