

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102523\
 Data File : BF135940.D
 Acq On : 25 Oct 2023 13:35
 Operator : CG\JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 26 03:51:20 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102523.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 26 03:12:14 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.828	152	174615	20.000	ng	0.00
21) Naphthalene-d8	8.104	136	679462	20.000	ng	0.00
39) Acenaphthene-d10	9.863	164	343421	20.000	ng	0.00
64) Phenanthrene-d10	11.351	188	636222	20.000	ng	0.00
76) Chrysene-d12	14.010	240	405550	20.000	ng	0.00
86) Perylene-d12	15.492	264	388236	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.451	112	891092	78.802	ng	0.00
7) Phenol-d6	6.457	99	1116671	79.320	ng	0.00
23) Nitrobenzene-d5	7.392	82	824244	79.104	ng	0.00
42) 2,4,6-Tribromophenol	10.657	330	267231	88.901	ng	0.00
45) 2-Fluorobiphenyl	9.186	172	1709929	79.728	ng	0.00
79) Terphenyl-d14	12.957	244	2051702	84.526	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.616	88	209242	39.834	ng	100
3) Pyridine	3.369	79	578708	39.915	ng	100
4) n-Nitrosodimethylamine	3.340	42	251281	39.748	ng	100
6) Aniline	6.492	93	750491	39.591	ng	100
8) 2-Chlorophenol	6.610	128	466148	39.820	ng	100
9) Benzaldehyde	6.381	77	300536	39.464	ng	100
10) Phenol	6.469	94	626628	42.575	ng	100
11) bis(2-Chloroethyl)ether	6.569	93	450695	39.342	ng	100
12) 1,3-Dichlorobenzene	6.763	146	487526	39.208	ng	100
13) 1,4-Dichlorobenzene	6.845	146	493092	39.485	ng	100
14) 1,2-Dichlorobenzene	6.998	146	455152	39.249	ng	100
15) Benzyl Alcohol	6.969	79	403223	40.517	ng	100
16) 2,2'-oxybis(1-Chloropr...	7.104	45	662249	39.254	ng	100
17) 2-Methylphenol	7.075	107	408232	39.567	ng	100
18) Hexachloroethane	7.334	117	168415	39.661	ng	100
19) n-Nitroso-di-n-propyla...	7.239	70	317229	39.626	ng	100
20) 3+4-Methylphenols	7.228	107	496790	39.895	ng	100
22) Acetophenone	7.234	105	617027	40.207	ng	100
24) Nitrobenzene	7.410	77	449839	40.409	ng	100
25) Isophorone	7.645	82	874537	40.719	ng	100
26) 2-Nitrophenol	7.722	139	142080	40.062	ng	100
27) 2,4-Dimethylphenol	7.757	122	402429	41.112	ng	100
28) bis(2-Chloroethoxy)met...	7.857	93	535471	40.601	ng	100
29) 2,4-Dichlorophenol	7.957	162	372865	42.539	ng	100
30) 1,2,4-Trichlorobenzene	8.045	180	401673	40.473	ng	100
31) Naphthalene	8.128	128	1343175	40.888	ng	100
32) Benzoic acid	7.869	122	106608	29.339	ng	100
33) 4-Chloroaniline	8.175	127	595138	40.989	ng	100
34) Hexachlorobutadiene	8.245	225	225270	40.271	ng	100
35) Caprolactam	8.551	113	127357	43.662	ng	100
36) 4-Chloro-3-methylphenol	8.651	107	395374	42.445	ng	100
37) 2-Methylnaphthalene	8.822	142	889767	40.937	ng	100
38) 1-Methylnaphthalene	8.916	142	828740	40.806	ng	100
40) 1,2,4,5-Tetrachloroben...	8.980	216	391952	40.409	ng	100
41) Hexachlorocyclopentadiene	8.975	237	207179	43.318	ng	100
43) 2,4,6-Trichlorophenol	9.092	196	242723	42.755	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102523\
 Data File : BF135940.D
 Acq On : 25 Oct 2023 13:35
 Operator : CG\JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 26 03:51:20 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102523.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 26 03:12:14 2023
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.128	196	292071	43.331	ng	100
46) 1,1'-Biphenyl	9.286	154	1056553	40.602	ng	100
47) 2-Chloronaphthalene	9.310	162	790034	41.046	ng	100
48) 2-Nitroaniline	9.404	65	204768	40.650	ng	100
49) Acenaphthylene	9.727	152	1257300	41.406	ng	100
50) Dimethylphthalate	9.592	163	915321	41.100	ng	100
51) 2,6-Dinitrotoluene	9.645	165	182446	40.375	ng	100
52) Acenaphthene	9.898	154	798156	41.015	ng	100
53) 3-Nitroaniline	9.816	138	216678	40.054	ng	100
54) 2,4-Dinitrophenol	9.916	184	39309	40.241	ng	100
55) Dibenzofuran	10.069	168	1161468	41.314	ng	100
56) 4-Nitrophenol	9.969	139	165540	40.182	ng	100
57) 2,4-Dinitrotoluene	10.051	165	218120	39.360	ng	100
58) Fluorene	10.416	166	858822	40.833	ng	100
59) 2,3,4,6-Tetrachlorophenol	10.186	232	223136	43.993	ng	100
60) Diethylphthalate	10.292	149	890692	41.940	ng	100
61) 4-Chlorophenyl-phenyle...	10.410	204	411904	40.599	ng	100
62) 4-Nitroaniline	10.433	138	213831	39.953	ng	100
63) Azobenzene	10.569	77	888073	41.206	ng	100
65) 4,6-Dinitro-2-methylph...	10.457	198	74239	40.010	ng	100
66) n-Nitrosodiphenylamine	10.527	169	791999	41.206	ng	100
67) 4-Bromophenyl-phenylether	10.898	248	272833	41.874	ng	100
68) Hexachlorobenzene	10.957	284	287313	41.279	ng	100
69) Atrazine	11.057	200	216830	41.383	ng	100
70) Pentachlorophenol	11.151	266	169202	40.542	ng	100
71) Phenanthrene	11.380	178	1336767	41.530	ng	100
72) Anthracene	11.433	178	1380601	41.889	ng	100
73) Carbazole	11.586	167	1232719	41.929	ng	100
74) Di-n-butylphthalate	11.927	149	1339240	42.807	ng	100
75) Fluoranthene	12.574	202	1411158	41.672	ng	100
77) Benzidine	12.698	184	391794	50.102	ng	100
78) Pyrene	12.804	202	1442670	42.367	ng	100
80) Butylbenzylphthalate	13.439	149	512423	40.471	ng	100
81) Benzo(a)anthracene	13.998	228	1150704	41.730	ng	100
82) 3,3'-Dichlorobenzidine	13.963	252	353816	42.174	ng	100
83) Chrysene	14.033	228	1124143	41.857	ng	100
84) Bis(2-ethylhexyl)phtha...	14.004	149	613791	43.835	ng	100
85) Di-n-octyl phthalate	14.621	149	920430	41.728	ng	100
87) Indeno(1,2,3-cd)pyrene	16.992	276	980377	44.534	ng	100
88) Benzo(b)fluoranthene	15.057	252	923172	39.956	ng	100
89) Benzo(k)fluoranthene	15.086	252	916031	40.368	ng	100
90) Benzo(a)pyrene	15.427	252	869653	40.840	ng	100
91) Dibenzo(a,h)anthracene	17.021	278	805494	42.777	ng	100
92) Benzo(g,h,i)perylene	17.456	276	813915	38.798	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102523\
 Data File : BF135940.D
 Acq On : 25 Oct 2023 13:35
 Operator : CG\JU
 Sample : SSTDICCC040
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :


Quant Time: Oct 26 03:51:20 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102523.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 26 03:12:14 2023
 Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.828 min Scan# 80
 Delta R.T. -0.000 min
 Lab File: BF135940.D
 Acq: 25 Oct 2023 13:35

Instrument :
 BNA_F
 ClientSampleId :







Tgt Ion:152 Resp: 174615
 Ion Ratio Lower Upper
 152 100
 150 155.7 124.6 186.8
 115 58.2 46.6 69.8



#2
 1,4-Dioxane
 Concen: 39.834 ng
 RT: 2.616 min Scan# 90
 Delta R.T. 0.000 min
 Lab File: BF135940.D
 Acq: 25 Oct 2023 13:35


Tgt Ion: 88 Resp: 209242
 Ion Ratio Lower Upper
 88 100
 58 83.3 66.6 100.0
 43 29.8 23.8 35.8








#3
Pyridine
Concen: 39.915 ng
RT: 3.369 min Scan# 218
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Instrument :
BNA_F
ClientSampleId :







Tgt Ion: 79 Resp: 578708
Ion Ratio Lower Upper
79 100
52 78.2 62.6 93.8
51 37.3 29.8 44.8



#4
n-Nitrosodimethylamine
Concen: 39.748 ng
RT: 3.340 min Scan# 213
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion: 42 Resp: 251281
Ion Ratio Lower Upper
42 100
74 131.0 104.8 157.2
44 7.4 5.9 8.9









#5
2-Fluorophenol
Concen: 78.802 ng
RT: 5.451 min Scan# 51
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:112 Resp: 891092
Ion Ratio Lower Upper
112 100
64 56.4 45.1 67.7
63 28.7 23.0 34.4



#6
Aniline
Concen: 39.591 ng
RT: 6.492 min Scan# 749
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion: 93 Resp: 750491
Ion Ratio Lower Upper
93 100
66 40.0 32.0 48.0
65 20.3 16.2 24.4









#7
Phenol-d6
Concen: 79.320 ng
RT: 6.457 min Scan# 743
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 99 Resp: 1116671
Ion Ratio Lower Upper
99 100
42 17.3 13.8 20.8
71 31.4 25.1 37.7



#8
2-Chlorophenol
Concen: 39.820 ng
RT: 6.610 min Scan# 769
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion: 128 Resp: 466148
Ion Ratio Lower Upper
128 100
130 33.1 13.1 53.1
64 47.0 27.0 67.0





#9

Benzaldehyde

Concen: 39.464 ng

RT: 6.381 min Scan# 710

Delta R.T. -0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion: 77 Resp: 300536

Ion Ratio Lower Upper

77 100

105 103.2 83.2 123.2

106 100.0 80.0 120.0



#10

Phenol

Concen: 42.575 ng

RT: 6.469 min Scan# 745

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion: 94 Resp: 626628


Ion Ratio Lower Upper

94 100

65 27.8 7.8 47.8

66 36.5 16.5 56.5





#11

bis(2-Chloroethyl)ether

Concen: 39.342 ng

RT: 6.569 min Scan# 762

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion: 93 Resp: 450695

Ion Ratio Lower Upper

93 100

63 76.2 56.2 96.2

95 32.9 12.9 52.9



#12

1,3-Dichlorobenzene

Concen: 39.208 ng

RT: 6.763 min Scan# 795

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:146 Resp: 487526


Ion Ratio Lower Upper

146 100

148 62.8 50.2 75.4

75 32.4 25.9 38.9





#13

1,4-Dichlorobenzene

Concen: 39.485 ng

RT: 6.845 min Scan# 809

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:146 Resp: 493092

Ion Ratio Lower Upper

146 100

148 64.3 51.4 77.2

111 39.8 31.8 47.8



#14

1,2-Dichlorobenzene

Concen: 39.249 ng

RT: 6.998 min Scan# 835

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:146 Resp: 455152


Ion Ratio Lower Upper

146 100

148 64.2 51.4 77.0

111 42.8 34.2 51.4









#15
Benzyl Alcohol
Concen: 40.517 ng
RT: 6.969 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 79 Resp: 403223
Ion Ratio Lower Upper
79 100
108 84.0 67.2 100.8
77 61.3 49.0 73.6



#16
2,2'-oxybis(1-Chloropropane)
Concen: 39.254 ng
RT: 7.104 min Scan# 853
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35


Tgt Ion: 45 Resp: 662249
Ion Ratio Lower Upper
45 100
77 13.2 0.0 33.2
79 9.8 0.0 29.8








#17
2-Methylphenol
Concen: 39.567 ng
RT: 7.075 min Scan# 848
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:107 Resp: 408232
Ion Ratio Lower Upper
107 100
108 112.2 89.8 134.6
77 42.7 34.2 51.2
79 43.3 34.6 52.0



#18
Hexachloroethane
Concen: 39.661 ng
RT: 7.334 min Scan# 892
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:117 Resp: 168415
Ion Ratio Lower Upper
117 100
119 96.6 77.3 115.9
201 91.0 72.8 109.2





#19

n-Nitroso-di-n-propylamine

Concen: 39.626 ng

RT: 7.239 min Scan# 876

Delta R.T. 0.000 min


Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :



Tgt Ion: 70 Resp: 317229




Ion Ratio Lower Upper

70 100

42 59.1 47.3 70.9

101 9.8 7.8 11.8

130 21.1 16.9 25.3



#20

3+4-Methylphenols

Concen: 39.895 ng

RT: 7.228 min Scan# 874

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Tgt Ion: 107 Resp: 496790




Ion Ratio Lower Upper


107 100

108 89.1 69.1 109.1

77 75.0 55.0 95.0

79 27.7 7.7 47.7





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.104 min Scan# 1

Delta R.T. 0.000 min


Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :



Tgt Ion:136 Resp: 679462




Ion Ratio Lower Upper

136 100

137 11.3 9.0 13.6

54 8.9 7.1 10.7

68 6.5 5.2 7.8



#22

Acetophenone

Concen: 40.207 ng

RT: 7.234 min Scan# 875

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Tgt Ion:105 Resp: 617027




Ion Ratio Lower Upper


105 100

71 4.3 3.4 5.2

51 35.5 28.4 42.6

120 22.2 17.8 26.6





#23

Nitrobenzene-d5

Concen: 79.104 ng

RT: 7.392 min Scan# 902

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion: 82 Resp: 824244

Ion Ratio Lower Upper

82 100

128 46.0 36.8 55.2

54 54.2 43.4 65.0



#24

Nitrobenzene

Concen: 40.409 ng

RT: 7.410 min Scan# 905

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion: 77 Resp: 449839


Ion Ratio Lower Upper

77 100

123 50.2 40.2 60.2

65 13.7 11.0 16.4









#25
Isophorone
Concen: 40.719 ng
RT: 7.645 min Scan# 945
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 82 Resp: 874537
Ion Ratio Lower Upper
82 100
95 7.0 5.6 8.4
138 18.5 14.8 22.2



#26
2-Nitrophenol
Concen: 40.062 ng
RT: 7.722 min Scan# 958
Delta R.T. -0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion: 139 Resp: 142080
Ion Ratio Lower Upper
139 100
109 28.9 23.1 34.7
65 49.8 39.8 59.8









#27
2,4-Dimethylphenol
Concen: 41.112 ng
RT: 7.757 min Scan# 964
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:122 Resp: 402429
Ion Ratio Lower Upper
122 100
107 108.9 87.1 130.7
121 57.4 45.9 68.9



#28
bis(2-Chloroethoxy)methane
Concen: 40.601 ng
RT: 7.857 min Scan# 981
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion: 93 Resp: 535471
Ion Ratio Lower Upper
93 100
95 32.4 25.9 38.9
123 11.3 9.0 13.6









#29
2,4-Dichlorophenol
Concen: 42.539 ng
RT: 7.957 min Scan# 998
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:162 Resp: 372865
Ion Ratio Lower Upper
162 100
164 63.7 43.7 83.7
98 38.8 18.8 58.8



#30
1,2,4-Trichlorobenzene
Concen: 40.473 ng
RT: 8.045 min Scan# 1013
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35


Tgt Ion:180 Resp: 401673
Ion Ratio Lower Upper
180 100
182 95.0 76.0 114.0
145 30.7 24.6 36.8








#31
Naphthalene
Concen: 40.888 ng
RT: 8.128 min Scan# 1027
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:128 Resp: 1343175
Ion Ratio Lower Upper
128 100
129 11.3 9.0 13.6
127 13.6 10.9 16.3



#32
Benzoic acid
Concen: 29.339 ng
RT: 7.869 min Scan# 983
Delta R.T. -0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:122 Resp: 106608
Ion Ratio Lower Upper
122 100
105 133.1 113.1 153.1
77 95.2 75.2 115.2









#33
4-Chloroaniline
Concen: 40.989 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:127 Resp: 595138
Ion Ratio Lower Upper
127 100
129 32.1 25.7 38.5
65 31.0 24.8 37.2
92 19.1 15.3 22.9



#34
Hexachlorobutadiene
Concen: 40.271 ng
RT: 8.245 min Scan# 1047
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:225 Resp: 225270
Ion Ratio Lower Upper
225 100
223 63.2 50.6 75.8
227 63.6 50.9 76.3









#35
 Caprolactam
 Concen: 43.662 ng
 RT: 8.551 min Scan# 1099
 Delta R.T. 0.000 min
 Lab File: BF135940.D
 Acq: 25 Oct 2023 13:35




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:113 Resp: 127357
 Ion Ratio Lower Upper
 113 100
 55 185.4 165.4 205.4
 56 135.2 115.2 155.2



#36
 4-Chloro-3-methylphenol
 Concen: 42.445 ng
 RT: 8.651 min Scan# 1116
 Delta R.T. 0.000 min
 Lab File: BF135940.D
 Acq: 25 Oct 2023 13:35

Tgt Ion:107 Resp: 395374
 Ion Ratio Lower Upper
 107 100
 144 24.9 19.9 29.9
 142 78.5 62.8 94.2









#37
2-Methylnaphthalene
Concen: 40.937 ng
RT: 8.822 min Scan# 1145
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:142 Resp: 889767
Ion Ratio Lower Upper
142 100
141 88.0 70.4 105.6



#38
1-Methylnaphthalene
Concen: 40.806 ng
RT: 8.916 min Scan# 1161
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:142 Resp: 828740
Ion Ratio Lower Upper
142 100
141 91.4 73.1 109.7





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.863 min Scan# 1172

Delta R.T. -0.000 min


Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :






Tgt Ion:164 Resp: 343421

Ion Ratio Lower Upper

164 100

162 102.5 82.0 123.0

160 44.5 35.6 53.4



#40

1,2,4,5-Tetrachlorobenzene

Concen: 40.409 ng

RT: 8.980 min Scan# 1172

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Tgt Ion:216 Resp: 391952




Ion Ratio Lower Upper


216 100

214 79.1 63.3 94.9

179 21.6 17.3 25.9

108 19.0 15.2 22.8









#41
Hexachlorocyclopentadiene
Concen: 43.318 ng
RT: 8.975 min Scan# 1171
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:237 Resp: 207179
Ion Ratio Lower Upper
237 100
235 61.7 41.7 81.7
272 13.6 0.0 33.6



#42
2,4,6-Tribromophenol
Concen: 88.901 ng
RT: 10.657 min Scan# 1457
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:330 Resp: 267231
Ion Ratio Lower Upper
330 100
332 96.8 77.4 116.2
141 31.1 24.9 37.3





#43

2,4,6-Trichlorophenol

Concen: 42.755 ng

RT: 9.092 min Scan# 1191

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:196 Resp: 242723

Ion Ratio Lower Upper

196 100

198 101.2 81.0 121.4

200 31.7 25.4 38.0



#44

2,4,5-Trichlorophenol

Concen: 43.331 ng

RT: 9.128 min Scan# 1197

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Tgt Ion:196 Resp: 292071




Ion Ratio Lower Upper


196 100

198 98.9 79.1 118.7

97 52.9 42.3 63.5

132 30.0 24.0 36.0





#45

2-Fluorobiphenyl

Concen: 79.728 ng

RT: 9.186 min Scan# 1207

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:172 Resp: 1709929

Ion Ratio Lower Upper

172 100

171 35.8 28.6 43.0

170 23.3 18.6 28.0



#46

1,1'-Biphenyl

Concen: 40.602 ng

RT: 9.286 min Scan# 1224

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:154 Resp: 1056553


Ion Ratio Lower Upper

154 100

153 40.7 20.7 60.7

76 12.4 0.0 32.4





#47

2-Chloronaphthalene

Concen: 41.046 ng

RT: 9.310 min Scan# 1228

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:162 Resp: 790034

Ion Ratio Lower Upper

162 100

127 38.7 31.0 46.4

164 33.2 26.6 39.8



#48

2-Nitroaniline

Concen: 40.650 ng

RT: 9.404 min Scan# 1244

Delta R.T. -0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion: 65 Resp: 204768

Ion Ratio Lower Upper

65 100

92 68.6 54.9 82.3

138 106.5 85.2 127.8









#49
Acenaphthylene
Concen: 41.406 ng
RT: 9.727 min Scan# 1299
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:152 Resp: 1257300
Ion Ratio Lower Upper
152 100
151 20.0 16.0 24.0
153 13.8 11.0 16.6



#50
Dimethylphthalate
Concen: 41.100 ng
RT: 9.592 min Scan# 1276
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:163 Resp: 915321
Ion Ratio Lower Upper
163 100
194 4.2 3.4 5.0
164 10.4 8.3 12.5





#51

2,6-Dinitrotoluene

Concen: 40.375 ng

RT: 9.645 min Scan# 1285

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:165 Resp: 182446

Ion Ratio Lower Upper

165 100

63 64.6 51.7 77.5

89 60.4 48.3 72.5



#52

Acenaphthene

Concen: 41.015 ng

RT: 9.898 min Scan# 1328

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:154 Resp: 798156


Ion Ratio Lower Upper

154 100

153 110.0 88.0 132.0

152 49.3 39.4 59.2









#53
3-Nitroaniline
Concen: 40.054 ng
RT: 9.816 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:138 Resp: 216678
Ion Ratio Lower Upper
138 100
108 14.1 11.3 16.9
92 118.8 95.0 142.6



#54
2,4-Dinitrophenol
Concen: 40.241 ng
RT: 9.916 min Scan# 1331
Delta R.T. -0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:184 Resp: 39309
Ion Ratio Lower Upper
184 100
63 70.4 56.3 84.5
154 60.1 48.1 72.1





#55

Dibenzenofuran

Concen: 41.314 ng

RT: 10.069 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:168 Resp: 1161468

Ion Ratio Lower Upper

168 100

139 38.4 30.7 46.1

169 13.9 11.1 16.7



#56

4-Nitrophenol

Concen: 40.182 ng

RT: 9.969 min Scan# 1340

Delta R.T. -0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:139 Resp: 165540


Ion Ratio Lower Upper

139 100

109 65.2 45.2 85.2


65 85.1 65.1 105.1








#57
2,4-Dinitrotoluene
Concen: 39.360 ng
RT: 10.051 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:165 Resp: 218120
Ion Ratio Lower Upper
165 100
63 42.1 33.7 50.5
89 68.2 54.6 81.8
182 2.6 2.1 3.1




#58
Fluorene
Concen: 40.833 ng
RT: 10.416 min Scan# 1416
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35



Tgt Ion:166 Resp: 858822
Ion Ratio Lower Upper
166 100
165 97.5 78.0 117.0
167 13.3 10.6 16.0









#59
2,3,4,6-Tetrachlorophenol
Concen: 43.993 ng
RT: 10.186 min Scan# 1377
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:232 Resp: 223136
Ion Ratio Lower Upper
232 100
131 44.0 35.2 52.8
130 2.1 1.7 2.5
166 28.9 23.1 34.7



#60
Diethylphthalate
Concen: 41.940 ng
RT: 10.292 min Scan# 1395
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:149 Resp: 890692
Ion Ratio Lower Upper
149 100
177 22.4 17.9 26.9
150 12.7 10.2 15.2









#61
4-Chlorophenyl-phenylether
Concen: 40.599 ng
RT: 10.410 min Scan# 1415
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:204 Resp: 411904
Ion Ratio Lower Upper
204 100
206 33.0 26.4 39.6
141 57.7 46.2 69.2



#62
4-Nitroaniline
Concen: 39.953 ng
RT: 10.433 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:138 Resp: 213831
Ion Ratio Lower Upper
138 100
92 52.9 32.9 72.9
108 73.5 53.5 93.5









#63
Azobenzene
Concen: 41.206 ng
RT: 10.569 min Scan# 1442
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion: 77 Resp: 888073
Ion Ratio Lower Upper
77 100
182 25.1 5.1 45.1
105 22.8 2.8 42.8
51 31.1 11.1 51.1



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.351 min Scan# 1575
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:188 Resp: 636222
Ion Ratio Lower Upper
188 100
94 10.8 8.6 13.0
80 11.3 9.0 13.6









#65
4,6-Dinitro-2-methylphenol
Concen: 40.010 ng
RT: 10.457 min Scan# 1423
Delta R.T. -0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:198 Resp: 74239
Ion Ratio Lower Upper
198 100
51 48.7 28.7 68.7
105 47.2 27.2 67.2



#66
n-Nitrosodiphenylamine
Concen: 41.206 ng
RT: 10.527 min Scan# 1435
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:169 Resp: 791999
Ion Ratio Lower Upper
169 100
168 66.9 53.5 80.3
167 36.2 29.0 43.4









#67
4-Bromophenyl-phenylether
Concen: 41.874 ng
RT: 10.898 min Scan# 1498
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:248 Resp: 272833
Ion Ratio Lower Upper
248 100
250 97.4 77.9 116.9
141 76.0 60.8 91.2



#68
Hexachlorobenzene
Concen: 41.279 ng
RT: 10.957 min Scan# 1508
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:284 Resp: 287313
Ion Ratio Lower Upper
284 100
142 34.5 27.6 41.4
249 30.9 24.7 37.1





#69

Atrazine

Concen: 41.383 ng

RT: 11.057 min Scan# 1525

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:200 Resp: 216830

Ion Ratio Lower Upper

200 100

173 25.5 5.5 45.5

215 47.5 27.5 67.5



#70

Pentachlorophenol

Concen: 40.542 ng

RT: 11.151 min Scan# 1541

Delta R.T. -0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:266 Resp: 169202


Ion Ratio Lower Upper

266 100

268 63.5 50.8 76.2

264 62.2 49.8 74.6





#71

Phenanthrene

Concen: 41.530 ng

RT: 11.380 min Scan# 1580

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:178 Resp: 1336767

Ion Ratio Lower Upper

178 100

176 19.3 15.4 23.2

179 15.6 12.5 18.7



#72

Anthracene

Concen: 41.889 ng

RT: 11.433 min Scan# 1589

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:178 Resp: 1380601


Ion Ratio Lower Upper

178 100

176 18.6 14.9 22.3

179 15.6 12.5 18.7









#73
 Carbazole
 Concen: 41.929 ng
 RT: 11.586 min Scan# 1615
 Delta R.T. 0.000 min
 Lab File: BF135940.D
 Acq: 25 Oct 2023 13:35




Instrument :
 BNA_F
 ClientSampleId :


Tgt Ion:167 Resp: 1232719
 Ion Ratio Lower Upper
 167 100
 166 21.3 17.0 25.6
 139 13.0 10.4 15.6



#74
 Di-n-butylphthalate
 Concen: 42.807 ng
 RT: 11.927 min Scan# 1673
 Delta R.T. 0.000 min
 Lab File: BF135940.D
 Acq: 25 Oct 2023 13:35

Tgt Ion:149 Resp: 1339240
 Ion Ratio Lower Upper
 149 100
 150 9.6 7.7 11.5
 104 4.9 3.9 5.9





#75

Fluoranthene

Concen: 41.672 ng

RT: 12.574 min Scan# 1

Delta R.T. 0.000 min


Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:202 Resp: 1411158

Ion Ratio Lower Upper

202 100

101 10.6 0.0 30.6

203 17.5 0.0 37.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.010 min Scan# 2027

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:240 Resp: 405550


Ion Ratio Lower Upper

240 100

120 10.8 8.6 13.0

236 25.7 20.6 30.8









#77
Benzidine
Concen: 50.102 ng
RT: 12.698 min Scan# 1804
Delta R.T. -0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:184 Resp: 391794
Ion Ratio Lower Upper
184 100
185 14.6 11.7 17.5
183 11.5 9.2 13.8



#78
Pyrene
Concen: 42.367 ng
RT: 12.804 min Scan# 1822
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35


Tgt Ion:202 Resp: 1442670
Ion Ratio Lower Upper
202 100
200 21.3 17.0 25.6
203 18.1 14.5 21.7








#79
 Terphenyl-d14
 Concen: 84.526 ng
 RT: 12.957 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF135940.D
 Acq: 25 Oct 2023 13:35

Instrument :
 BNA_F
 ClientSampleId :



Tgt Ion:244 Resp: 2051702




Ion	Ratio	Lower	Upper
244	100		
212	6.3	5.0	7.6
122	10.0	8.0	12.0




#80
 Butylbenzylphthalate
 Concen: 40.471 ng
 RT: 13.439 min Scan# 1930
 Delta R.T. 0.000 min
 Lab File: BF135940.D
 Acq: 25 Oct 2023 13:35

Tgt Ion:149 Resp: 512423

Ion	Ratio	Lower	Upper
149	100		
91	66.7	53.4	80.0
206	21.9	17.5	26.3









#81
 Benzo(a)anthracene
 Concen: 41.730 ng
 RT: 13.998 min Scan# 2025
 Delta R.T. 0.000 min
 Lab File: BF135940.D
 Acq: 25 Oct 2023 13:35

Instrument :
 BNA_F
 ClientSampleId :

Tgt Ion:228 Resp: 1150704




Ion	Ratio	Lower	Upper
228	100		
226	27.2	21.8	32.6
229	20.3	16.2	24.4




#82
 3,3'-Dichlorobenzidine
 Concen: 42.174 ng
 RT: 13.963 min Scan# 2019
 Delta R.T. 0.000 min
 Lab File: BF135940.D
 Acq: 25 Oct 2023 13:35

Tgt Ion:252 Resp: 353816

Ion	Ratio	Lower	Upper
252	100		
254	63.6	50.9	76.3
126	12.2	9.8	14.6





#83

Chrysene

Concen: 41.857 ng

RT: 14.033 min Scan# 2031

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:228 Resp: 1124143

Ion Ratio Lower Upper

228 100

226 29.9 23.9 35.9

229 20.2 16.2 24.2



#84

Bis(2-ethylhexyl)phthalate

Concen: 43.835 ng

RT: 14.004 min Scan# 2026

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:149 Resp: 613791


Ion Ratio Lower Upper

149 100

167 27.7 22.2 33.2

279 3.9 3.1 4.7





#85

Di-n-octyl phthalate

Concen: 41.728 ng

RT: 14.621 min Scan# 2131

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:149 Resp: 920430

Ion Ratio Lower Upper

149 100

167 1.6 1.3 1.9

43 10.7 8.6 12.8



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.492 min Scan# 2279

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:264 Resp: 388236


Ion Ratio Lower Upper

264 100

260 23.3 18.6 28.0

265 21.6 17.3 25.9





#87

Indeno(1,2,3-cd)pyrene

Concen: 44.534 ng

RT: 16.992 min Scan# 21

Delta R.T. -0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:276 Resp: 980377

Ion Ratio Lower Upper

276 100

138 27.2 21.8 32.6

277 25.0 20.0 30.0



#88

Benzo(b)fluoranthene

Concen: 39.956 ng

RT: 15.057 min Scan# 2205

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:252 Resp: 923172


Ion Ratio Lower Upper

252 100

253 22.5 18.0 27.0

125 10.3 8.2 12.4





#89

Benzo(k)fluoranthene

Concen: 40.368 ng

RT: 15.086 min Scan# 2210

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35

Instrument :

BNA_F

ClientSampleId :





Tgt Ion:252 Resp: 916031

Ion Ratio Lower Upper

252 100

253 22.1 17.7 26.5

125 10.6 8.5 12.7



#90

Benzo(a)pyrene

Concen: 40.840 ng

RT: 15.427 min Scan# 2268

Delta R.T. 0.000 min

Lab File: BF135940.D

Acq: 25 Oct 2023 13:35




Tgt Ion:252 Resp: 869653


Ion Ratio Lower Upper

252 100

253 21.8 17.4 26.2


125 12.0 9.6 14.4








#91
Dibenzo(a,h)anthracene
Concen: 42.777 ng
RT: 17.021 min Scan# 2539
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Instrument :
BNA_F
ClientSampleId :



Tgt Ion:278 Resp: 805494
Ion Ratio Lower Upper
278 100
139 17.5 14.0 21.0
279 24.6 19.7 29.5



#92
Benzo(g,h,i)perylene
Concen: 38.798 ng
RT: 17.456 min Scan# 2613
Delta R.T. 0.000 min
Lab File: BF135940.D
Acq: 25 Oct 2023 13:35

Tgt Ion:276 Resp: 813915
Ion Ratio Lower Upper
276 100
277 23.3 18.6 28.0
138 23.0 18.4 27.6

