

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102618\
 Data File : BF110217.D
 Acq On : 26 Oct 2018 18:42
 Operator : JU/SJ
 Sample : J5624-08
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Oct 26 23:40:24 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 23 15:06:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	143882	20.00	ng	-0.01
21) Naphthalene-d8	8.25	136	545646	20.00	ng	-0.02
39) Acenaphthene-d10	10.01	164	212689	20.00	ng	-0.02
64) Phenanthrene-d10	11.50	188	315949	20.00	ng	-0.01
76) Chrysene-d12	14.15	240	243586	20.00	ng	-0.01
87) Perylene-d12	15.68	264	163198	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	656278	74.28	ng	0.00
7) Phenol-d6	6.59	99	844064	74.69	ng	-0.01
23) Nitrobenzene-d5	7.53	82	510922	55.54	ng	-0.02
42) 2,4,6-Tribromophenol	10.80	330	126546	60.06	ng	-0.02
45) 2-Fluorobiphenyl	9.32	172	903030	66.67	ng	-0.02
79) Terphenyl-d14	13.09	244	630178	53.80	ng	-0.02
Target Compounds						
9) Benzaldehyde	6.60	77	2310	Below Cal	Qvalue	# 1
10) Phenol	6.60	94	112404	9.305 ng	#	71
19) n-Nitroso-di-n-propylamine	7.53	70	66464	9.167 ng	#	80
25) Isophorone	7.53	82	510919	32.581 ng	#	67
50) Dimethylphthalate	9.72	163	96561	6.150 ng		99
57) 2,4-Dinitrotoluene	10.01	165	27346	6.366 ng	#	19
67) 4-Bromophenyl-phenylether	10.80	248	8372	2.443 ng	#	1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102618\
Data File : BF110217.D
Acq On : 26 Oct 2018 18:42
Operator : JU/SJ
Sample : J5624-08
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Oct 26 23:40:24 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 23 15:06:18 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.97 min Scan# 830
Delta R.T. -0.01 min
Lab File: BF110217.D
Acq: 26 Oct 2018 18:42

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	157.1	122.7	184.1
115	61.3	49.1	73.7






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 74.277 ng
RT: 5.59 min Scan# 596
Delta R.T. -0.01 min
Lab File: BF110217.D
Acq: 26 Oct 2018 18:42

Tgt Ion	Ratio	Lower	Upper
112	100		
64	58.3	44.1	66.1
63	30.5	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 74.687 ng

RT: 6.59 min Scan# 766

Delta R.T. -0.01 min

Lab File: BF110217.D

Acq: 26 Oct 2018 18:42

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 844064

Ion Ratio Lower Upper




99 100

42 18.7 15.8 23.6

71 33.6 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 9.305 ng

RT: 6.60 min Scan# 767

Delta R.T. -0.02 min

Lab File: BF110217.D

Acq: 26 Oct 2018 18:42


Tgt Ion: 94 Resp: 112404

Ion Ratio Lower Upper



94 100


65 32.7 25.3 65.3

66 45.5 54.5 94.5#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#19
n-Nitroso-di-n-propylamine
Concen: 9.167 ng
RT: 7.53 min Scan# 925
Delta R.T. 0.14 min
Lab File: BF110217.D
Acq: 26 Oct 2018 18:42




Instrument :
BNA_F
ClientSampleId :


Tot Ion: 70 Resp: 66464
Ion Ratio Lower Upper
70 100
42 49.2 47.4 71.2
101 0.0 7.3 10.9#
130 2.4 16.2 24.2#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.25 min Scan# 1048
Delta R.T. -0.02 min
Lab File: BF110217.D
Acq: 26 Oct 2018 18:42

Tgt Ion: 136 Resp: 545646
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 7.8 5.4 8.2
68 5.1 4.2 6.2









#23
 Nitrobenzene-d5
 Concen: 55.539 ng
 RT: 7.53 min Scan# 925
 Delta R.T. -0.02 min
 Lab File: BF110217.D
 Acq: 26 Oct 2018 18:42




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	82	Resp	510922
Ion Ratio	Lower	Upper	
82	100		
128	44.2	34.2	51.2
54	53.3	38.6	58.0



#25
 Isophorone
 Concen: 32.581 ng
 RT: 7.53 min Scan# 925
 Delta R.T. -0.28 min
 Lab File: BF110217.D
 Acq: 26 Oct 2018 18:42

Tgt Ion	82	Resp	510919
Ion Ratio	Lower	Upper	
82	100		
95	0.0	5.7	8.5#
138	0.0	13.2	19.8#





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.01 min Scan# 1347

Delta R.T. -0.02 min

Lab File: BF110217.D

Acq: 26 Oct 2018 18:42

Instrument :

BNA_F

ClientSampleId :


Tot Ion:164 Resp: 212689

Ion Ratio Lower Upper

164 100

162 105.2 83.0 124.6




160 47.1 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 60.065 ng

RT: 10.80 min Scan# 1481

Delta R.T. -0.02 min

Lab File: BF110217.D

Acq: 26 Oct 2018 18:42


Tgt Ion:330 Resp: 126546

Ion Ratio Lower Upper

330 100

332 97.7 77.1 115.7



141 38.3 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 66.670 ng
RT: 9.32 min Scan# 1230
Delta R.T. -0.02 min
Lab File: BF110217.D
Acq: 26 Oct 2018 18:42

Instrument :
BNA_F
ClientSampleId :

Tot Ion:172 Resp: 903030
Ion Ratio Lower Upper
172 100
171 35.4 28.6 43.0
170 23.6 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 6.150 ng
RT: 9.72 min Scan# 1297
Delta R.T. -0.02 min
Lab File: BF110217.D
Acq: 26 Oct 2018 18:42

Tgt Ion:163 Resp: 96561
Ion Ratio Lower Upper
163 100
194 4.1 3.2 4.8
164 9.7 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#57
 2,4-Dinitrotoluene
 Concen: 6.366 ng
 RT: 10.01 min Scan# 1347
 Delta R.T. -0.20 min
 Lab File: BF110217.D
 Acq: 26 Oct 2018 18:42




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
165	100		
63	1.1	44.8	67.2#
89	1.5	62.2	93.4#
182	0.0	2.1	3.1#



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.50 min Scan# 1601
 Delta R.T. -0.01 min
 Lab File: BF110217.D
 Acq: 26 Oct 2018 18:42

Tgt Ion	Ratio	Lower	Upper
188	100		
94	8.4	7.2	10.8
80	9.1	7.9	11.9









#67
4-Bromophenyl-phenylether
Concen: 2.443 ng
RT: 10.80 min Scan# 1481
Delta R.T. -0.26 min
Lab File: BF110217.D
Acq: 26 Oct 2018 18:42

Instrument :
BNA_F
ClientSampleId :

Tot Ion:248 Resp: 8372
Ion Ratio Lower Upper
248 100
250 188.9 79.4 119.2#
141 588.0 55.9 83.9#




Abundance Ion 248.00 (247.70 to 248.70): E
Ion 250.00 (249.70 to 250.70): E
Ion 141.00 (140.70 to 141.70): E






#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.15 min Scan# 2051
Delta R.T. -0.01 min
Lab File: BF110217.D
Acq: 26 Oct 2018 18:42

Tgt Ion:240 Resp: 243586
Ion Ratio Lower Upper
240 100
120 10.4 8.3 12.5
236 25.4 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 53.804 ng

RT: 13.09 min Scan# 1870

Delta R.T. -0.02 min

Lab File: BF110217.D

Acq: 26 Oct 2018 18:42

Instrument :

BNA_F

ClientSampleId :


Tot Ion:244 Resp: 630178

Ion Ratio Lower Upper

244 100

212 6.6 5.8 8.8




122 11.9 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.68 min Scan# 2311

Delta R.T. -0.01 min

Lab File: BF110217.D

Acq: 26 Oct 2018 18:42


Tgt Ion:264 Resp: 163198

Ion Ratio Lower Upper

264 100

260 23.4 18.7 28.1

265 21.3 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

