

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102618\
 Data File : BF110234.D
 Acq On : 27 Oct 2018 2:22
 Operator : JU/SJ
 Sample : J5686-12
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 102418-DBRI-F-U-S

Quant Time: Oct 27 06:33:43 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 23 15:06:18 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	135696	20.00	ng	-0.01
21) Naphthalene-d8	8.25	136	494741	20.00	ng	-0.02
39) Acenaphthene-d10	10.01	164	193493	20.00	ng	-0.02
64) Phenanthrene-d10	11.50	188	302498	20.00	ng	-0.01
76) Chrysene-d12	14.15	240	216472	20.00	ng	-0.01
87) Perylene-d12	15.68	264	145481	20.00	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	348795	41.86	ng	-0.01
7) Phenol-d6	6.58	99	268524	25.19	ng	-0.02
23) Nitrobenzene-d5	7.53	82	812997	97.47	ng	-0.02
42) 2,4,6-Tribromophenol	10.80	330	139832	72.96	ng	-0.01
45) 2-Fluorobiphenyl	9.33	172	1281989	104.04	ng	-0.01
79) Terphenyl-d14	13.09	244	995328	95.62	ng	-0.01
Target Compounds						
10) Phenol	6.59	94	39862	3.499	ng	Qvalue # 68
50) Dimethylphthalate	9.72	163	34825	2.438	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102618\
Data File : BF110234.D
Acq On : 27 Oct 2018 2:22
Operator : JU/SJ
Sample : J5686-12
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
102418-DBRI-F-U-S

Quant Time: Oct 27 06:33:43 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 23 15:06:18 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.97 min Scan# 830
Delta R.T. -0.01 min
Lab File: BF110234.D
Acq: 27 Oct 2018 2:22

Instrument :
BNA_F
ClientSampleId :
102418-DBRI-F-U-S

Tot Ion:152 Resp: 135696
Ion Ratio Lower Upper
152 100
150 153.9 122.7 184.1
115 58.1 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 41.858 ng
RT: 5.59 min Scan# 595
Delta R.T. -0.01 min
Lab File: BF110234.D
Acq: 27 Oct 2018 2:22

Tgt Ion:112 Resp: 348795
Ion Ratio Lower Upper
112 100
64 60.5 44.1 66.1
63 31.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 25.194 ng

RT: 6.58 min Scan# 764

Delta R.T. -0.02 min

Lab File: BF110234.D

Acq: 27 Oct 2018 2:22

Instrument :

BNA_F

ClientSampleId :

102418-DBRI-F-U-S


Tot Ion: 99 Resp: 268524

Ion Ratio Lower Upper


99 100

42 19.1 15.8 23.6



71 34.7 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



Time--> 6.50 6.55 6.60 6.65 6.70



#10

Phenol

Concen: 3.499 ng

RT: 6.59 min Scan# 766

Delta R.T. -0.02 min

Lab File: BF110234.D

Acq: 27 Oct 2018 2:22


Tgt Ion: 94 Resp: 39862

Ion Ratio Lower Upper


94 100

65 32.3 25.3 65.3


66 41.5 54.5 94.5#




Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1



Time--> 6.55 6.60 6.65









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.25 min Scan# 1048
Delta R.T. -0.02 min
Lab File: BF110234.D
Acq: 27 Oct 2018 2:22

Instrument :
BNA_F
ClientSampleId :
102418-DBRI-F-U-S

Tot Ion:136 Resp: 494741
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 7.8 5.4 8.2
68 5.4 4.2 6.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 97.468 ng
RT: 7.53 min Scan# 926
Delta R.T. -0.02 min
Lab File: BF110234.D
Acq: 27 Oct 2018 2:22

Tgt Ion: 82 Resp: 812997
Ion Ratio Lower Upper
82 100
128 45.2 34.2 51.2
54 52.0 38.6 58.0



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.01 min Scan# 1347

Delta R.T. -0.02 min

Lab File: BF110234.D

Acq: 27 Oct 2018 2:22

Instrument :

BNA_F

ClientSampleId :

102418-DBRI-F-U-S


Tot Ion:164 Resp: 193493

Ion Ratio Lower Upper

164 100

162 104.6 83.0 124.6




160 45.7 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 72.955 ng

RT: 10.80 min Scan# 1482

Delta R.T. -0.01 min

Lab File: BF110234.D

Acq: 27 Oct 2018 2:22


Tgt Ion:330 Resp: 139832

Ion Ratio Lower Upper

330 100

332 96.4 77.1 115.7



141 35.7 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 104.038 ng
RT: 9.33 min Scan# 1231
Delta R.T. -0.01 min
Lab File: BF110234.D
Acq: 27 Oct 2018 2:22

Instrument :
BNA_F
ClientSampleId :
102418-DBRI-F-U-S

Tot Ion:172 Resp: 1281989
Ion Ratio Lower Upper
172 100
171 35.7 28.6 43.0
170 24.1 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 2.438 ng
RT: 9.72 min Scan# 1297
Delta R.T. -0.02 min
Lab File: BF110234.D
Acq: 27 Oct 2018 2:22

Tgt Ion:163 Resp: 34825
Ion Ratio Lower Upper
163 100
194 3.6 3.2 4.8
164 10.5 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.50 min Scan# 1601
Delta R.T. -0.01 min
Lab File: BF110234.D
Acq: 27 Oct 2018 2:22




Instrument :
BNA_F
ClientSampleId :
102418-DBRI-F-U-S


Tot Ion:188 Resp: 302498
Ion Ratio Lower Upper
188 100
94 8.7 7.2 10.8
80 9.3 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.15 min Scan# 2051
Delta R.T. -0.01 min
Lab File: BF110234.D
Acq: 27 Oct 2018 2:22

Tgt Ion:240 Resp: 216472
Ion Ratio Lower Upper
240 100
120 11.3 8.3 12.5
236 25.5 21.2 31.8





#79

Terphenyl-d14

Concen: 95.624 ng

RT: 13.09 min Scan# 1871

Delta R.T. -0.01 min

Lab File: BF110234.D

Acq: 27 Oct 2018 2:22

Instrument :

BNA_F

ClientSampleId :

102418-DBRI-F-U-S


Tot Ion:244 Resp: 995328

Ion Ratio Lower Upper

244 100

212 6.7 5.8 8.8




122 10.7 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.68 min Scan# 2311

Delta R.T. -0.01 min

Lab File: BF110234.D

Acq: 27 Oct 2018 2:22


Tgt Ion:264 Resp: 145481

Ion Ratio Lower Upper

264 100

260 23.0 18.7 28.1

265 20.0 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

