

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102821\
 Data File : BF125986.D
 Acq On : 28 Oct 2021 13:40
 Operator : JU/CG
 Sample : M4373-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SU-01-102621

Manual Integrations
 APPROVED

mohammad
 10/29/2021 3:01:35 PM

Quant Time: Oct 28 15:22:18 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF102521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Oct 28 12:01:54 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.857	152	167573	20.000	ng	0.00
21) Naphthalene-d8	8.139	136	655174	20.000	ng	# 0.00
39) Acenaphthene-d10	9.892	164	347222	20.000	ng	0.00
64) Phenanthrene-d10	11.374	188	566090	20.000	ng	0.00
76) Chrysene-d12	14.015	240	412821	20.000	ng	0.00
86) Perylene-d12	15.480	264	363758	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.475	112	1177560	104.671	ng	0.00
7) Phenol-d6	6.481	99	1512204	98.001	ng	0.00
23) Nitrobenzene-d5	7.416	82	971380	76.583	ng	-0.01
42) 2,4,6-Tribromophenol	10.680	330	306695	101.324	ng	0.00
45) 2-Fluorobiphenyl	9.216	172	1481171	75.437	ng	0.00
79) Terphenyl-d14	12.963	244	1346568	53.355	ng	0.00
Target Compounds						Qvalue
49) Acenaphthylene	9.751	152	83830	2.894	ng	# 96
55) Dibenzofuran	10.098	168	58739	2.089	ng	90
58) Fluorene	10.439	166	121775	2.631	ng	99
71) Phenanthrene	11.398	178	796892	27.129	ng	98
72) Anthracene	11.451	178	220980	7.535	ng	100
75) Fluoranthene	12.592	202	915151	30.905	ng	99
78) Pyrene	12.815	202	775603	20.189	ng	97
81) Benzo(a)anthracene	14.004	228	455573	16.397	ng	94
83) Chrysene	14.039	228	351277	12.496	ng	98
87) Indeno(1,2,3-cd)pyrene	16.933	276	144197	5.502	ng	# 90
88) Benzo(b)fluoranthene	15.051	252	458100m	19.079	ng	
89) Benzo(k)fluoranthene	15.074	252	170838m	7.407	ng	
90) Benzo(a)pyrene	15.415	252	314627	16.232	ng	98
92) Benzo(g,h,i)perylene	17.368	276	119249	5.376	ng	# 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102821\
Data File : BF125986.D
Acq On : 28 Oct 2021 13:40
Operator : JU/CG
Sample : M4373-01
Misc :
ALS Vial : 8 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
SU-01-102621

Manual Integrations
APPROVED


mohammad
10/29/2021 3:01:35 PM

Quant Time: Oct 28 15:22:18 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF102521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Oct 28 12:01:54 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.857 min Scan# 811
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40





Tgt Ion:152 Resp: 167573
Ion Ratio Lower Upper
152 100
150 159.2 117.6 176.4
115 66.2 47.1 70.7



#5
2-Fluorophenol
Concen: 104.671 ng
RT: 5.475 min Scan# 576
Delta R.T. -0.000 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Tgt Ion:112 Resp: 1177560
Ion Ratio Lower Upper
112 100
64 69.5 44.2 66.2#
63 37.8 26.2 39.2




Instrument :
BNA_F
ClientSampleId :
SU-01-102621

Manual Integrations
APPROVED

mohammad
10/29/2021 3:01:35 PM






#7
Phenol-d6
Concen: 98.001 ng
RT: 6.481 min Scan# 747
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Tgt Ion: 99 Resp: 1512204

Ion	Ratio	Lower	Upper
99	100		
42	23.7	23.5	35.3
71	36.9	25.6	38.4





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.139 min Scan# 1029
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40



Tgt Ion: 136 Resp: 655174


Ion	Ratio	Lower	Upper
136	100		
137	10.4	9.8	14.6
54	12.0	6.4	9.6#
68	6.8	3.3	4.9#



Instrument :
BNA_F
ClientSampled :
SU-01-102621

Manual Integrations
APPROVED

mohammad
10/29/2021 3:01:35 PM



#23

Nitrobenzene-d5

Concen: 76.583 ng

RT: 7.416 min Scan# 906

Delta R.T. -0.012 min

Lab File: BF125986.D

Acq: 28 Oct 2021 13:40

Tgt Ion: 82 Resp: 971380

Ion	Ratio	Lower	Upper
82	100		
128	38.4	40.6	60.8#
54	68.2	49.6	74.4

Instrument :





BNA_F

ClientSampleId :

SU-01-102621

Manual Integrations
APPROVED

mohammad
10/29/2021 3:01:35 PM



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.892 min Scan# 1327




Delta R.T. -0.006 min


Lab File: BF125986.D

Acq: 28 Oct 2021 13:40


Tgt Ion: 164 Resp: 347222

Ion	Ratio	Lower	Upper
164	100		
162	93.3	81.3	121.9
160	42.4	38.0	57.0









#42
2,4,6-Tribromophenol
Concen: 101.324 ng
RT: 10.680 min Scan# 1461
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40





Tgt Ion:330 Resp: 306695
Ion Ratio Lower Upper
330 100
332 105.7 76.2 114.4
141 34.5 44.6 66.8#



#45
2-Fluorobiphenyl
Concen: 75.437 ng
RT: 9.216 min Scan# 1212
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Tgt Ion:172 Resp: 1481171
Ion Ratio Lower Upper
172 100
171 35.0 26.5 39.7
170 24.5 18.8 28.2



Instrument :
BNA_F
ClientSampleId :
SU-01-102621

Manual Integrations
APPROVED

mohammad
10/29/2021 3:01:35 PM







#49
Acenaphthylene
Concen: 2.894 ng
RT: 9.751 min Scan# 1303
Delta R.T. -0.012 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40

Tgt Ion:152 Resp: 83830
Ion Ratio Lower Upper
152 100
151 18.6 15.7 23.5
153 15.1 9.8 14.8#

Instrument :
BNA_F
ClientSampleId :
SU-01-102621




Manual Integrations
APPROVED


mohammad
10/29/2021 3:01:35 PM



#55
Dibenzofuran
Concen: 2.089 ng
RT: 10.098 min Scan# 1362
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40


Tgt Ion:168 Resp: 58739
Ion Ratio Lower Upper
168 100
139 32.8 32.7 49.1
169 15.0 11.2 16.8





#58
Fluorene
Concen: 2.631 ng
RT: 10.439 min Scan# 1420
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Instrument :
BNA_F
ClientSampleId :
SU-01-102621




Tgt Ion:166 Resp: 121775
Ion Ratio Lower Upper
166 100
165 97.6 78.1 117.1
167 11.9 11.1 16.7

Manual Integrations
APPROVED



mohammad
10/29/2021 3:01:35 PM




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.374 min Scan# 1579
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Tgt Ion:188 Resp: 566090
Ion Ratio Lower Upper
188 100
94 9.7 6.7 10.1
80 11.0 7.5 11.3





#71
Phenanthrene
Concen: 27.129 ng
RT: 11.398 min Scan# 1583
Delta R.T. -0.012 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Instrument :
BNA_F
ClientSampled :
SU-01-102621




Tgt Ion:178 Resp: 796892
Ion Ratio Lower Upper
178 100
176 19.3 14.7 22.1
179 15.2 11.5 17.3

Manual Integrations
APPROVED



mohammad
10/29/2021 3:01:35 PM




#72
Anthracene
Concen: 7.535 ng
RT: 11.451 min Scan# 1592
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Tgt Ion:178 Resp: 220980
Ion Ratio Lower Upper
178 100
176 18.0 14.3 21.5
179 15.0 12.2 18.4









#75
Fluoranthene
Concen: 30.905 ng
RT: 12.592 min Scan# 1786
Delta R.T. -0.000 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40





Tgt Ion:202 Resp: 915151
Ion Ratio Lower Upper
202 100
101 10.2 0.0 30.7
203 16.6 0.0 36.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.015 min Scan# 2028
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Tgt Ion:240 Resp: 412821
Ion Ratio Lower Upper
240 100
120 10.8 10.8 16.2
236 26.0 21.6 32.4




Instrument :
BNA_F
ClientSampleId :
SU-01-102621

Manual Integrations
APPROVED




mohammad
10/29/2021 3:01:35 PM




#78
Pyrene
Concen: 20.189 ng
RT: 12.815 min Scan# 1824
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40





Tgt Ion:202 Resp: 775603
Ion Ratio Lower Upper
202 100
200 21.3 15.3 22.9
203 17.3 13.4 20.0



#79
Terphenyl-d14
Concen: 53.355 ng
RT: 12.963 min Scan# 1849
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Tgt Ion:244 Resp: 1346568
Ion Ratio Lower Upper
244 100
212 7.6 5.9 8.9
122 11.2 9.0 13.4



Instrument :
BNA_F
ClientSampleId :
SU-01-102621


Manual Integrations
APPROVED

mohammad
10/29/2021 3:01:35 PM



#81
Benzo(a)anthracene
Concen: 16.397 ng
RT: 14.004 min Scan# 2026
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Instrument :
BNA_F
ClientSampled :
SU-01-102621




Tgt Ion:228 Resp: 455573
Ion Ratio Lower Upper
228 100
226 32.1 21.6 32.4
229 19.8 15.6 23.4

Manual Integrations
APPROVED



mohammad
10/29/2021 3:01:35 PM




#83
Chrysene
Concen: 12.496 ng
RT: 14.039 min Scan# 2032
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Tgt Ion:228 Resp: 351277
Ion Ratio Lower Upper
228 100
226 29.0 22.6 34.0
229 21.2 15.9 23.9





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.480 min Scan# 2277
Delta R.T. -0.000 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40




Instrument :
BNA_F
ClientSampleId :
SU-01-102621




Tgt Ion:264 Resp: 363758
Ion Ratio Lower Upper
264 100
260 25.7 19.6 29.4
265 22.3 17.2 25.8

Manual Integrations
APPROVED



mohammad
10/29/2021 3:01:35 PM




#87
Indeno(1,2,3-cd)pyrene
Concen: 5.502 ng
RT: 16.933 min Scan# 2524
Delta R.T. -0.012 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40



Tgt Ion:276 Resp: 144197
Ion Ratio Lower Upper
276 100
138 21.6 24.1 36.1#
277 24.5 18.8 28.2









#88
Benzo(b)fluoranthene
Concen: 19.079 ng m
RT: 15.051 min Scan# 2204
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40

Tgt Ion:252 Resp: 458100
Ion Ratio Lower Upper
252 100
253 23.6 16.8 25.2
125 10.3 9.8 14.8

Instrument :
BNA_F
ClientSampled :
SU-01-102621




Manual Integrations
APPROVED


mohammad
10/29/2021 3:01:35 PM



#89
Benzo(k)fluoranthene
Concen: 7.407 ng m
RT: 15.074 min Scan# 2208
Delta R.T. -0.012 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40

Tgt Ion:252 Resp: 170838
Ion Ratio Lower Upper
252 100
253 22.6 17.8 26.8
125 11.0 7.2 10.8#









#90
Benzo(a)pyrene
Concen: 16.232 ng
RT: 15.415 min Scan# 2266
Delta R.T. -0.006 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40

Tgt Ion:252 Resp: 314627
Ion Ratio Lower Upper
252 100
253 22.0 18.4 27.6
125 11.5 9.9 14.9

Instrument :
BNA_F
ClientSampleId :
SU-01-102621

Manual Integrations
APPROVED

mohammad
10/29/2021 3:01:35 PM



#92
Benzo(g,h,i)perylene
Concen: 5.376 ng
RT: 17.368 min Scan# 2598
Delta R.T. -0.018 min
Lab File: BF125986.D
Acq: 28 Oct 2021 13:40

Tgt Ion:276 Resp: 119249
Ion Ratio Lower Upper
276 100
277 22.6 22.0 33.0
138 21.1 22.2 33.4#

