

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102825\
 Data File : BF144098.D
 Acq On : 28 Oct 2025 13:47
 Operator : RC/JU
 Sample : PB170267BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB170267BL

Quant Time: Oct 28 14:28:16 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 24 17:30:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	74235	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	292746	20.000	ng	0.00
39) Acenaphthene-d10	9.916	164	176104	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	344710	20.000	ng	0.00
76) Chrysene-d12	14.051	240	212971	20.000	ng	0.00
86) Perylene-d12	15.533	264	182134	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	469400	100.039	ng	0.01
7) Phenol-d6	6.504	99	545013	105.174	ng	0.00
23) Nitrobenzene-d5	7.439	82	363250	67.982	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	273621	121.977	ng	0.00
45) 2-Fluorobiphenyl	9.233	172	819800	65.509	ng	0.00
79) Terphenyl-d14	12.998	244	1057072	86.772	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102825\
Data File : BF144098.D
Acq On : 28 Oct 2025 13:47
Operator : RC/JU
Sample : PB170267BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB170267BL


Quant Time: Oct 28 14:28:16 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 24 17:30:25 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 79
Delta R.T. -0.006 min
Lab File: BF144098.D
Acq: 28 Oct 2025 13:47

Instrument :
BNA_F
ClientSampleId :
PB170267BL







Tgt Ion:152 Resp: 74235
Ion Ratio Lower Upper
152 100
150 159.1 124.4 186.6
115 69.2 49.4 74.0



#5
2-Fluorophenol
Concen: 100.039 ng
RT: 5.504 min Scan# 563
Delta R.T. 0.012 min
Lab File: BF144098.D
Acq: 28 Oct 2025 13:47

Tgt Ion:112 Resp: 469400
Ion Ratio Lower Upper
112 100
64 62.4 49.8 74.8
63 34.1 27.4 41.2





#7
Phenol-d6
Concen: 105.174 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF144098.D
Acq: 28 Oct 2025 13:47





Instrument :

BNA_F

ClientSampleId :




PB170267BL


Tgt Ion: 99 Resp: 545013
Ion Ratio Lower Upper
99 100
42 29.5 23.9 35.9
71 43.9 34.4 51.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1014
Delta R.T. -0.006 min
Lab File: BF144098.D
Acq: 28 Oct 2025 13:47

Tgt Ion: 136 Resp: 292746
Ion Ratio Lower Upper
136 100
137 10.7 8.6 13.0
54 9.0 6.6 9.8
68 5.6 4.6 6.8









#23
Nitrobenzene-d5
Concen: 67.982 ng
RT: 7.439 min Scan# 892
Delta R.T. -0.000 min
Lab File: BF144098.D
Acq: 28 Oct 2025 13:47




Instrument :
BNA_F
ClientSampleId :
PB170267BL


Tgt Ion: 82 Resp: 363250
Ion Ratio Lower Upper
82 100
128 41.5 32.4 48.6
54 65.3 54.0 81.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.916 min Scan# 1313
Delta R.T. -0.000 min
Lab File: BF144098.D
Acq: 28 Oct 2025 13:47

Tgt Ion:164 Resp: 176104
Ion Ratio Lower Upper
164 100
162 100.1 79.4 119.2
160 44.2 36.7 55.1





#42

2,4,6-Tribromophenol

Concen: 121.977 ng

RT: 10.710 min Scan# 1448

Delta R.T. -0.000 min

Lab File: BF144098.D


Acq: 28 Oct 2025 13:47

Instrument :

BNA_F

ClientSampleId :

PB170267BL






Tgt Ion:330 Resp: 273621

Ion Ratio Lower Upper

330 100

332 92.6 77.0 115.6

141 21.1 19.4 29.0



#45

2-Fluorobiphenyl

Concen: 65.509 ng

RT: 9.233 min Scan# 1197

Delta R.T. -0.006 min

Lab File: BF144098.D

Acq: 28 Oct 2025 13:47




Tgt Ion:172 Resp: 819800


Ion Ratio Lower Upper

172 100

171 34.6 27.5 41.3

170 23.6 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF144098.D
Acq: 28 Oct 2025 13:47




Instrument :
BNA_F
ClientSampleId :
PB170267BL


Tgt Ion:188 Resp: 344710
Ion Ratio Lower Upper
188 100
94 7.2 5.4 8.0
80 7.9 6.0 9.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2016
Delta R.T. -0.006 min
Lab File: BF144098.D
Acq: 28 Oct 2025 13:47

Tgt Ion:240 Resp: 212971
Ion Ratio Lower Upper
240 100
120 8.2 6.5 9.7
236 25.8 20.1 30.1









#79
 Terphenyl-d14
 Concen: 86.772 ng
 RT: 12.998 min Scan# 1837
 Delta R.T. -0.000 min
 Lab File: BF144098.D
 Acq: 28 Oct 2025 13:47

Instrument :
 BNA_F
 ClientSampleId :
 PB170267BL

Tgt Ion:244 Resp: 1057072
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.8 8.6
 122 6.4 4.9 7.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.533 min Scan# 2268
 Delta R.T. -0.006 min
 Lab File: BF144098.D
 Acq: 28 Oct 2025 13:47

Tgt Ion:264 Resp: 182134
 Ion Ratio Lower Upper
 264 100
 260 22.7 17.0 25.4
 265 22.7 16.6 24.8

