

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102825\
 Data File : BF144112.D
 Acq On : 28 Oct 2025 20:43
 Operator : RC/JU
 Sample : Q3460-12
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 WC-3

Quant Time: Oct 29 05:46:45 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 24 17:30:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	68240	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	269288	20.000	ng	0.00
39) Acenaphthene-d10	9.916	164	150244	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	288528	20.000	ng	0.00
76) Chrysene-d12	14.051	240	157550	20.000	ng	0.00
86) Perylene-d12	15.539	264	114838	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	497612	115.369	ng	0.02
7) Phenol-d6	6.510	99	511006	107.275	ng	0.00
23) Nitrobenzene-d5	7.439	82	415383	84.510	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	284457	148.633	ng	0.00
45) 2-Fluorobiphenyl	9.239	172	882487	82.656	ng	0.00
79) Terphenyl-d14	12.998	244	990399	109.897	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102825\
Data File : BF144112.D
Acq On : 28 Oct 2025 20:43
Operator : RC/JU
Sample : Q3460-12
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
WC-3

Quant Time: Oct 29 05:46:45 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 24 17:30:25 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.881 min Scan# 79
Delta R.T. -0.000 min
Lab File: BF144112.D
Acq: 28 Oct 2025 20:43




Instrument :
BNA_F
ClientSampleId :
WC-3


Tgt Ion:152 Resp: 68240
Ion Ratio Lower Upper
152 100
150 158.5 124.4 186.6
115 63.7 49.4 74.0



#5
2-Fluorophenol
Concen: 115.369 ng
RT: 5.510 min Scan# 564
Delta R.T. 0.018 min
Lab File: BF144112.D
Acq: 28 Oct 2025 20:43

Tgt Ion:112 Resp: 497612
Ion Ratio Lower Upper
112 100
64 61.7 49.8 74.8
63 33.4 27.4 41.2





#7
Phenol-d6
Concen: 107.275 ng
RT: 6.510 min Scan# 71
Delta R.T. 0.006 min
Lab File: BF144112.D
Acq: 28 Oct 2025 20:43





Instrument :

BNA_F

ClientSampleId :




WC-3


Tgt Ion: 99 Resp: 511006
Ion Ratio Lower Upper
99 100
42 28.3 23.9 35.9
71 43.7 34.4 51.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1014
Delta R.T. -0.006 min
Lab File: BF144112.D
Acq: 28 Oct 2025 20:43

Tgt Ion: 136 Resp: 269288
Ion Ratio Lower Upper
136 100
137 10.9 8.6 13.0
54 9.0 6.6 9.8
68 5.4 4.6 6.8









#23
Nitrobenzene-d5
Concen: 84.510 ng
RT: 7.439 min Scan# 892
Delta R.T. -0.000 min
Lab File: BF144112.D
Acq: 28 Oct 2025 20:43




Instrument :
BNA_F
ClientSampleId :
WC-3


Tgt Ion: 82 Resp: 415383
Ion Ratio Lower Upper
82 100
128 40.0 32.4 48.6
54 64.4 54.0 81.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.916 min Scan# 1313
Delta R.T. -0.000 min
Lab File: BF144112.D
Acq: 28 Oct 2025 20:43

Tgt Ion:164 Resp: 150244
Ion Ratio Lower Upper
164 100
162 100.8 79.4 119.2
160 45.5 36.7 55.1









#42
2,4,6-Tribromophenol
Concen: 148.633 ng
RT: 10.710 min Scan# 1448
Delta R.T. -0.000 min
Lab File: BF144112.D
Acq: 28 Oct 2025 20:43




Instrument :
BNA_F
ClientSampleId :
WC-3


Tgt Ion:330 Resp: 284457
Ion Ratio Lower Upper
330 100
332 95.7 77.0 115.6
141 22.4 19.4 29.0



#45
2-Fluorobiphenyl
Concen: 82.656 ng
RT: 9.239 min Scan# 1198
Delta R.T. -0.000 min
Lab File: BF144112.D
Acq: 28 Oct 2025 20:43

Tgt Ion:172 Resp: 882487
Ion Ratio Lower Upper
172 100
171 35.6 27.5 41.3
170 24.0 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF144112.D
Acq: 28 Oct 2025 20:43




Instrument :
BNA_F
ClientSampleId :
WC-3


Tgt Ion:188 Resp: 288528
Ion Ratio Lower Upper
188 100
94 7.6 5.4 8.0
80 7.9 6.0 9.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2016
Delta R.T. -0.006 min
Lab File: BF144112.D
Acq: 28 Oct 2025 20:43

Tgt Ion:240 Resp: 157550
Ion Ratio Lower Upper
240 100
120 8.0 6.5 9.7
236 25.2 20.1 30.1









#79
 Terphenyl-d14
 Concen: 109.897 ng
 RT: 12.998 min Scan# 1837
 Delta R.T. -0.000 min
 Lab File: BF144112.D
 Acq: 28 Oct 2025 20:43

Instrument :
 BNA_F
 ClientSampleId :
 WC-3

Tgt Ion:244 Resp: 990399
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.8 8.6
 122 6.6 4.9 7.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.539 min Scan# 2269
 Delta R.T. -0.000 min
 Lab File: BF144112.D
 Acq: 28 Oct 2025 20:43

Tgt Ion:264 Resp: 114838
 Ion Ratio Lower Upper
 264 100
 260 22.8 17.0 25.4
 265 20.7 16.6 24.8

