

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102919\
 Data File : BF117601.D
 Acq On : 29 Oct 2019 19:51
 Operator : JU
 Sample : K5497-17 2X
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 188-46-(0-1)

Quant Time: Oct 30 04:17:07 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF101819.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 18 18:53:31 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.73	152	38730	20.00	ng	0.00
21) Naphthalene-d8	8.01	136	164724	20.00	ng	0.00
39) Acenaphthene-d10	9.76	164	68860	20.00	ng	0.00
64) Phenanthrene-d10	11.25	188	101511	20.00	ng	0.00
76) Chrysene-d12	13.90	240	75770	20.00	ng	0.00
87) Perylene-d12	15.33	264	58590	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.39	112	14608	5.61	ng	0.04
7) Phenol-d6	6.42	99	20340	5.82	ng	0.04
23) Nitrobenzene-d5	7.33	82	10816	3.24	ng	0.02
42) 2,4,6-Tribromophenol	10.57	330	2782	4.67	ng	0.00
45) 2-Fluorobiphenyl	9.09	172	24727	5.06	ng	0.00
79) Terphenyl-d14	12.83	244	19710	4.24	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF102919\
Data File : BF117601.D
Acq On : 29 Oct 2019 19:51
Operator : JU
Sample : K5497-17 2X
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
188-46-(0-1)

Quant Time: Oct 30 04:17:07 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF101819.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 18 18:53:31 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.73 min Scan# 789
Delta R.T. -0.01 min
Lab File: BF117601.D
Acq: 29 Oct 2019 19:51

Instrument :
BNA_F
ClientSampleId :
188-46-(0-1)

Tot Ion:152 Resp: 38730
Ion Ratio Lower Upper
152 100
150 156.9 126.8 190.2
115 64.1 51.6 77.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 5.611 ng
RT: 5.39 min Scan# 561
Delta R.T. 0.04 min
Lab File: BF117601.D
Acq: 29 Oct 2019 19:51

Tgt Ion:112 Resp: 14608
Ion Ratio Lower Upper
112 100
64 57.4 44.1 66.1
63 22.7 23.4 35.2#



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 5.817 ng

RT: 6.42 min Scan# 736

Delta R.T. 0.04 min

Lab File: BF117601.D

Acq: 29 Oct 2019 19:51

Instrument :

BNA_F

ClientSampleId :

188-46-(0-1)


Tot Ion: 99 Resp: 20340

Ion Ratio Lower Upper




99 100

42 13.8 12.8 19.2

71 29.1 28.6 43.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.01 min Scan# 1007

Delta R.T. -0.01 min

Lab File: BF117601.D

Acq: 29 Oct 2019 19:51

Tgt Ion: 136 Resp: 164724


Ion Ratio Lower Upper

136 100



137 10.2 8.2 12.4

54 5.5 4.5 6.7

68 5.1 4.3 6.5



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 3.242 ng
 RT: 7.33 min Scan# 891
 Delta R.T. 0.02 min
 Lab File: BF117601.D
 Acq: 29 Oct 2019 19:51

Instrument :
 BNA_F
 ClientSampleId :
 188-46-(0-1)

Tot Ion	82	Resp	10816
Ion Ratio	Lower	Upper	
82	100		
128	39.2	32.2	48.2
54	37.7	34.2	51.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.76 min Scan# 1305
 Delta R.T. -0.01 min
 Lab File: BF117601.D
 Acq: 29 Oct 2019 19:51

Tgt Ion	164	Resp	68860
Ion Ratio	Lower	Upper	
164	100		
162	103.0	81.8	122.6
160	43.1	34.4	51.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 4.669 ng

RT: 10.57 min Scan# 1442

Delta R.T. 0.01 min

Lab File: BF117601.D

Acq: 29 Oct 2019 19:51

Instrument :

BNA_F

ClientSampleId :

188-46-(0-1)


Tot Ion:330 Resp: 2782

Ion Ratio Lower Upper

330 100

332 87.7 78.5 117.7

141 47.0 37.0 55.6






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 5.060 ng

RT: 9.09 min Scan# 1190

Delta R.T. -0.01 min

Lab File: BF117601.D

Acq: 29 Oct 2019 19:51


Tgt Ion:172 Resp: 24727

Ion Ratio Lower Upper

172 100

171 32.2 27.5 41.3

170 23.4 18.6 27.8






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.25 min Scan# 1558

Delta R.T. 0.00 min

Lab File: BF117601.D

Acq: 29 Oct 2019 19:51

Instrument :

BNA_F

ClientSampleId :

188-46-(0-1)


Tot Ion:188 Resp: 101511

Ion Ratio Lower Upper

188 100

94 9.1 8.0 12.0




80 10.8 9.5 14.3



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.90 min Scan# 2008

Delta R.T. 0.00 min

Lab File: BF117601.D

Acq: 29 Oct 2019 19:51


Tgt Ion:240 Resp: 75770

Ion Ratio Lower Upper

240 100

120 11.2 8.4 12.6



236 23.9 20.0 30.0




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 4.243 ng

RT: 12.83 min Scan# 1826

Delta R.T. -0.01 min

Lab File: BF117601.D

Acq: 29 Oct 2019 19:51

Instrument :

BNA_F

ClientSampleId :

188-46-(0-1)


Tot Ion:244 Resp: 19710

Ion Ratio Lower Upper

244 100

212 7.5 5.8 8.6




122 13.2 11.8 17.8



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.33 min Scan# 2252

Delta R.T. 0.01 min

Lab File: BF117601.D

Acq: 29 Oct 2019 19:51


Tgt Ion:264 Resp: 58590

Ion Ratio Lower Upper

264 100

260 22.6 18.4 27.6

265 21.6 16.1 24.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

