

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102925\
 Data File : BF144133.D
 Acq On : 29 Oct 2025 17:32
 Operator : RC/JU
 Sample : Q3480-01
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 RT3449

Quant Time: Oct 29 17:57:40 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 24 17:30:25 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	53753	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	210318	20.000	ng	0.00
39) Acenaphthene-d10	9.916	164	117391	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	195326	20.000	ng	0.00
76) Chrysene-d12	14.051	240	153480	20.000	ng	0.00
86) Perylene-d12	15.533	264	189841	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.493	112	303232	89.250	ng	0.00
7) Phenol-d6	6.498	99	355160	94.653	ng	0.00
23) Nitrobenzene-d5	7.434	82	220200	57.361	ng	0.00
42) 2,4,6-Tribromophenol	10.704	330	125780	84.115	ng	0.00
45) 2-Fluorobiphenyl	9.234	172	467897	56.089	ng	0.00
79) Terphenyl-d14	12.992	244	431153	49.111	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	14.027	149	156238	27.416	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF102925\
Data File : BF144133.D
Acq On : 29 Oct 2025 17:32
Operator : RC/JU
Sample : Q3480-01
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
RT3449

Quant Time: Oct 29 17:57:40 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF102425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 24 17:30:25 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 797
Delta R.T. -0.006 min
Lab File: BF144133.D
Acq: 29 Oct 2025 17:32




Instrument :
BNA_F
ClientSampleId :
RT3449

Tgt Ion:152 Resp: 53753
Ion Ratio Lower Upper
152 100
150 162.8 124.4 186.6
115 61.1 49.4 74.0



#5
2-Fluorophenol
Concen: 89.250 ng
RT: 5.493 min Scan# 561
Delta R.T. 0.000 min
Lab File: BF144133.D
Acq: 29 Oct 2025 17:32

Tgt Ion:112 Resp: 303232
Ion Ratio Lower Upper
112 100
64 60.0 49.8 74.8
63 31.7 27.4 41.2









#7
Phenol-d6
Concen: 94.653 ng
RT: 6.498 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF144133.D
Acq: 29 Oct 2025 17:32




Instrument :
BNA_F
ClientSampleId :
RT3449


Tgt Ion: 99 Resp: 355160
Ion Ratio Lower Upper
99 100
42 27.1 23.9 35.9
71 39.9 34.4 51.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1014
Delta R.T. -0.006 min
Lab File: BF144133.D
Acq: 29 Oct 2025 17:32


Tgt Ion: 136 Resp: 210318
Ion Ratio Lower Upper
136 100
137 11.2 8.6 13.0
54 8.9 6.6 9.8
68 5.7 4.6 6.8








#23
Nitrobenzene-d5
Concen: 57.361 ng
RT: 7.434 min Scan# 892
Delta R.T. -0.006 min
Lab File: BF144133.D
Acq: 29 Oct 2025 17:32

Instrument :
BNA_F
ClientSampleId :
RT3449







Tgt Ion: 82 Resp: 220200
Ion Ratio Lower Upper
82 100
128 41.4 32.4 48.6
54 64.2 54.0 81.0



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.916 min Scan# 1313
Delta R.T. 0.000 min
Lab File: BF144133.D
Acq: 29 Oct 2025 17:32

Tgt Ion:164 Resp: 117391
Ion Ratio Lower Upper
164 100
162 101.9 79.4 119.2
160 45.6 36.7 55.1









#42
2,4,6-Tribromophenol
Concen: 84.115 ng
RT: 10.704 min Scan# 1447
Delta R.T. -0.006 min
Lab File: BF144133.D
Acq: 29 Oct 2025 17:32




Instrument :
BNA_F
ClientSampleId :
RT3449


Tgt Ion:330 Resp: 125780
Ion Ratio Lower Upper
330 100
332 95.9 77.0 115.6
141 22.5 19.4 29.0



#45
2-Fluorobiphenyl
Concen: 56.089 ng
RT: 9.234 min Scan# 1197
Delta R.T. -0.006 min
Lab File: BF144133.D
Acq: 29 Oct 2025 17:32

Tgt Ion:172 Resp: 467897
Ion Ratio Lower Upper
172 100
171 35.2 27.5 41.3
170 23.0 19.0 28.6





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.404 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF144133.D

Acq: 29 Oct 2025 17:32

Instrument :

BNA_F

ClientSampleId :

RT3449





Tgt Ion:188 Resp: 195326

Ion Ratio Lower Upper

188 100

94 7.7 5.4 8.0

80 8.4 6.0 9.0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.051 min Scan# 2016

Delta R.T. -0.006 min

Lab File: BF144133.D

Acq: 29 Oct 2025 17:32




Tgt Ion:240 Resp: 153480


Ion Ratio Lower Upper

240 100

120 8.0 6.5 9.7

236 25.2 20.1 30.1









#79
 Terphenyl-d14
 Concen: 49.111 ng
 RT: 12.992 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF144133.D
 Acq: 29 Oct 2025 17:32




Instrument :
 BNA_F
 ClientSampleId :
 RT3449


Tgt Ion:244 Resp: 431153
 Ion Ratio Lower Upper
 244 100
 212 6.4 5.8 8.6
 122 6.8 4.9 7.3



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 27.416 ng
 RT: 14.027 min Scan# 2012
 Delta R.T. -0.006 min
 Lab File: BF144133.D
 Acq: 29 Oct 2025 17:32

Tgt Ion:149 Resp: 156238
 Ion Ratio Lower Upper
 149 100
 167 28.1 22.5 33.7
 279 4.6 3.6 5.4





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.533 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF144133.D


Acq: 29 Oct 2025 17:32

Instrument :

BNA_F

ClientSampleId :

RT3449



Tgt Ion:264 Resp: 189841

Ion Ratio Lower Upper

264 100

260 22.4 17.0 25.4

265 21.3 16.6 24.8

