

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF103018\
 Data File : BF110308.D
 Acq On : 30 Oct 2018 17:35
 Operator : JU/SJ
 Sample : J5722-08
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 102618-TIPC-F-D-S

Quant Time: Oct 31 05:09:50 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 29 17:29:00 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.97	152	100317	20.00	ng	0.00
21) Naphthalene-d8	8.25	136	403324	20.00	ng	0.00
39) Acenaphthene-d10	10.01	164	179272	20.00	ng	0.00
64) Phenanthrene-d10	11.50	188	297064	20.00	ng	0.00
76) Chrysene-d12	14.16	240	186435	20.00	ng	0.00
87) Perylene-d12	15.69	264	157294	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	205885	33.42	ng	0.00
7) Phenol-d6	6.58	99	161963	20.56	ng	-0.01
23) Nitrobenzene-d5	7.53	82	577808	84.97	ng	0.00
42) 2,4,6-Tribromophenol	10.80	330	125652	70.76	ng	0.00
45) 2-Fluorobiphenyl	9.33	172	1045463	91.57	ng	0.00
79) Terphenyl-d14	13.09	244	797528	88.97	ng	0.00
Target Compounds						
10) Phenol	6.60	94	31674	3.761	ng	Qvalue # 65

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF103018\
Data File : BF110308.D
Acq On : 30 Oct 2018 17:35
Operator : JU/SJ
Sample : J5722-08
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
102618-TIPC-F-D-S

Quant Time: Oct 31 05:09:50 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 29 17:29:00 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.97 min Scan# 830
 Delta R.T. 0.00 min
 Lab File: BF110308.D
 Acq: 30 Oct 2018 17:35

Instrument :
 BNA_F
 ClientSampleId :
 102618-TIPC-F-D-S

Tot Ion	Ratio	Lower	Upper
152	100		
150	153.8	122.7	184.1
115	60.6	49.1	73.7





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
 Concen: 33.421 ng
 RT: 5.59 min Scan# 595
 Delta R.T. 0.00 min
 Lab File: BF110308.D
 Acq: 30 Oct 2018 17:35

Tgt Ion	Ratio	Lower	Upper
112	100		
64	60.5	44.1	66.1
63	31.7	23.7	35.5





Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 20.555 ng

RT: 6.58 min Scan# 764

Delta R.T. -0.01 min

Lab File: BF110308.D

Acq: 30 Oct 2018 17:35

Instrument :

BNA_F

ClientSampleId :

102618-TIPC-F-D-S


Tot Ion: 99 Resp: 161963

Ion Ratio Lower Upper




99 100

42 19.2 15.8 23.6

71 35.1 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 3.761 ng

RT: 6.60 min Scan# 767

Delta R.T. -0.01 min

Lab File: BF110308.D

Acq: 30 Oct 2018 17:35


Tgt Ion: 94 Resp: 31674

Ion Ratio Lower Upper



94 100


65 28.1 25.3 65.3

66 40.3 54.5 94.5#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.25 min Scan# 1048

Delta R.T. 0.00 min

Lab File: BF110308.D

Acq: 30 Oct 2018 17:35

Instrument :

BNA_F

ClientSampleId :

102618-TIPC-F-D-S

Tot Ion:136 Resp: 403324


Ion Ratio Lower Upper

136 100

137 10.2 8.8 13.2

54 7.5 5.4 8.2

68 4.7 4.2 6.2






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 84.973 ng

RT: 7.53 min Scan# 926

Delta R.T. 0.00 min

Lab File: BF110308.D

Acq: 30 Oct 2018 17:35


Tgt Ion: 82 Resp: 577808

Ion Ratio Lower Upper

82 100

128 45.8 34.2 51.2



54 53.5 38.6 58.0



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.01 min Scan# 1347

Delta R.T. -0.01 min

Lab File: BF110308.D

Acq: 30 Oct 2018 17:35

Instrument :

BNA_F

ClientSampleId :

102618-TIPC-F-D-S


Tot Ion:164 Resp: 179272

Ion Ratio Lower Upper

164 100

162 105.2 83.0 124.6



160 45.4 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 70.758 ng

RT: 10.80 min Scan# 1482

Delta R.T. -0.01 min

Lab File: BF110308.D

Acq: 30 Oct 2018 17:35


Tgt Ion:330 Resp: 125652

Ion Ratio Lower Upper

330 100

332 96.2 77.1 115.7



141 37.2 27.0 40.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 91.573 ng
 RT: 9.33 min Scan# 1231
 Delta R.T. 0.00 min
 Lab File: BF110308.D
 Acq: 30 Oct 2018 17:35




Instrument :
 BNA_F
 ClientSampleId :
 102618-TIPC-F-D-S

Tot Ion:172 Resp: 1045463

Ion	Ratio	Lower	Upper
172	100		
171	35.6	28.6	43.0
170	23.2	19.7	29.5




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 11.50 min Scan# 1601
 Delta R.T. -0.01 min
 Lab File: BF110308.D
 Acq: 30 Oct 2018 17:35


Tgt Ion:188 Resp: 297064

Ion	Ratio	Lower	Upper
188	100		
94	9.1	7.2	10.8
80	9.5	7.9	11.9



Abundance Ion 188.00 (187.70 to 188.70): E
 Ion 94.00 (93.70 to 94.70): BF1
 Ion 80.00 (79.70 to 80.70): BF1





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.16 min Scan# 2052

Delta R.T. 0.00 min

Lab File: BF110308.D

Acq: 30 Oct 2018 17:35

Instrument :

BNA_F

ClientSampleId :

102618-TIPC-F-D-S





Tot Ion:240 Resp: 186435

Ion Ratio Lower Upper

240 100

120 10.1 8.3 12.5

236 27.2 21.2 31.8



#79

Terphenyl-d14

Concen: 88.965 ng

RT: 13.09 min Scan# 1871

Delta R.T. 0.00 min

Lab File: BF110308.D

Acq: 30 Oct 2018 17:35




Tgt Ion:244 Resp: 797528


Ion Ratio Lower Upper

244 100

212 7.0 5.8 8.8

122 11.5 8.7 13.1





#87

Pervlene-d12

Concen: 20.000 ng

RT: 15.69 min Scan# 2313

Delta R.T. 0.01 min

Lab File: BF110308.D


Acq: 30 Oct 2018 17:35

Instrument :

BNA_F

ClientSampleId :

102618-TIPC-F-D-S




Tot Ion:264 Resp: 157294

Ion Ratio Lower Upper

264 100

260 22.3 18.7 28.1

265 19.3 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

150000 Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

