

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110118\
 Data File : BF110394.D
 Acq On : 2 Nov 2018 6:23
 Operator : JU/SJ
 Sample : J5741-50
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Nov 02 08:36:38 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 01 16:06:12 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.96	152	83191	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	324886	20.00	ng	0.00
39) Acenaphthene-d10	10.00	164	139394	20.00	ng	0.00
64) Phenanthrene-d10	11.49	188	224328	20.00	ng	0.00
76) Chrysene-d12	14.13	240	174421	20.00	ng	0.00
87) Perylene-d12	15.66	264	139014	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	499088	97.70	ng	0.01
7) Phenol-d6	6.58	99	545229	83.44	ng	0.00
23) Nitrobenzene-d5	7.52	82	430318	78.56	ng	0.00
42) 2,4,6-Tribromophenol	10.79	330	145652	105.48	ng	0.00
45) 2-Fluorobiphenyl	9.31	172	783914	88.31	ng	0.00
79) Terphenyl-d14	13.07	244	656465	78.27	ng	0.00
Target Compounds						
9) Benzaldehyde	6.58	77	689	Below Cal		Qvalue
19) n-Nitroso-di-n-propylamine	7.52	70	58091	13.858 ng	#	1
25) Isophorone	7.52	82	430314	46.087 ng	#	81
51) 2,6-Dinitrotoluene	10.00	165	17487	7.890 ng	#	67
57) 2,4-Dinitrotoluene	10.00	165	17487	6.211 ng	#	22
67) 4-Bromophenyl-phenylether	10.79	248	9419	3.871 ng	#	19
					#	1

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110118\
Data File : BF110394.D
Acq On : 2 Nov 2018 6:23
Operator : JU/SJ
Sample : J5741-50
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Nov 02 08:36:38 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 01 16:06:12 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.96 min Scan# 828
Delta R.T. 0.00 min
Lab File: BF110394.D
Acq: 2 Nov 2018 6:23

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 83191
Ion Ratio Lower Upper
152 100
150 157.9 122.7 184.1
115 62.7 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 97.696 ng
RT: 5.59 min Scan# 595
Delta R.T. 0.01 min
Lab File: BF110394.D
Acq: 2 Nov 2018 6:23

Tgt Ion:112 Resp: 499088
Ion Ratio Lower Upper
112 100
64 60.6 44.1 66.1
63 32.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 83.441 ng

RT: 6.58 min Scan# 764

Delta R.T. 0.00 min

Lab File: BF110394.D

Acq: 2 Nov 2018 6:23


Instrument :

BNA_F

ClientSampleId :

Tot Ion: 99 Resp: 545229

Ion	Ratio	Lower	Upper
99	100		
42	18.9	15.8	23.6
71	34.7	28.0	42.0






Abundance

Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 13.858 ng

RT: 7.52 min Scan# 923


Delta R.T. 0.15 min

Lab File: BF110394.D

Acq: 2 Nov 2018 6:23

Tgt Ion: 70 Resp: 58091

Ion	Ratio	Lower	Upper
70	100		
42	50.7	47.4	71.2
101	0.0	7.3	10.9#
130	2.7	16.2	24.2#





Abundance

Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.24 min Scan# 1046
Delta R.T. 0.00 min
Lab File: BF110394.D
Acq: 2 Nov 2018 6:23

Instrument :
BNA_F
ClientSampleId :

Tot Ion:136	Resp:	324886
Ion Ratio	Lower	Upper
136	100	
137	10.7	8.8 13.2
54	7.8	5.4 8.2
68	5.0	4.2 6.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 78.562 ng
RT: 7.52 min Scan# 923
Delta R.T. -0.01 min
Lab File: BF110394.D
Acq: 2 Nov 2018 6:23

Tgt Ion: 82	Resp:	430318
Ion Ratio	Lower	Upper
82	100	
128	43.6	34.2 51.2
54	54.9	38.6 58.0



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#25

Isophorone

Concen: 46.087 ng

RT: 7.52 min Scan# 923

Delta R.T. -0.26 min

Lab File: BF110394.D

Acq: 2 Nov 2018 6:23

Instrument :

BNA_F

ClientSampled :


Tot Ion: 82 Resp: 430314

Ion Ratio Lower Upper

82 100

95 0.0 5.7 8.5#




138 0.0 13.2 19.8#



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 95.00 (94.70 to 95.70): BF1

Ion 138.00 (137.70 to 138.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.00 min Scan# 1345

Delta R.T. 0.00 min

Lab File: BF110394.D

Acq: 2 Nov 2018 6:23


Tgt Ion:164 Resp: 139394

Ion Ratio Lower Upper

164 100

162 106.4 83.0 124.6



160 48.0 37.0 55.6




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 105.485 ng

RT: 10.79 min Scan# 1479

Delta R.T. -0.01 min

Lab File: BF110394.D

Acq: 2 Nov 2018 6:23

Instrument :

BNA_F

ClientSampleId :


Tot Ion:330 Resp: 145652

Ion Ratio Lower Upper

330 100

332 97.5 77.1 115.7

141 37.4 27.0 40.4






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 88.307 ng

RT: 9.31 min Scan# 1228

Delta R.T. -0.01 min

Lab File: BF110394.D

Acq: 2 Nov 2018 6:23


Tgt Ion:172 Resp: 783914

Ion Ratio Lower Upper

172 100

171 35.8 28.6 43.0

170 23.7 19.7 29.5





Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#51

2,6-Dinitrotoluene

Concen: 7.890 ng

RT: 10.00 min Scan# 1345

Delta R.T. 0.22 min

Lab File: BF110394.D

Acq: 2 Nov 2018 6:23

Instrument :

BNA_F

ClientSampleId :


Tot Ion:165 Resp: 17487

Ion Ratio Lower Upper

165 100

63 0.0 48.9 73.3#




89 2.0 46.6 69.8#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1



#57

2,4-Dinitrotoluene

Concen: 6.211 ng

RT: 10.00 min Scan# 1345

Delta R.T. -0.19 min

Lab File: BF110394.D

Acq: 2 Nov 2018 6:23

Tgt Ion:165 Resp: 17487


Ion Ratio Lower Upper

165 100

63 0.0 44.8 67.2#

89 2.0 62.2 93.4#

182 0.0 2.1 3.1#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.49 min Scan# 1598
Delta R.T. -0.01 min
Lab File: BF110394.D
Acq: 2 Nov 2018 6:23




Instrument :
BNA_F
ClientSampleId :


Tot Ion:188 Resp: 224328
Ion Ratio Lower Upper
188 100
94 9.4 7.2 10.8
80 10.3 7.9 11.9



#67
4-Bromophenyl-phenylether
Concen: 3.871 ng
RT: 10.79 min Scan# 1479
Delta R.T. -0.24 min
Lab File: BF110394.D
Acq: 2 Nov 2018 6:23

Tgt Ion:248 Resp: 9419
Ion Ratio Lower Upper
248 100
250 193.6 79.4 119.2#
141 570.3 55.9 83.9#









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.13 min Scan# 2048
 Delta R.T. -0.01 min
 Lab File: BF110394.D
 Acq: 2 Nov 2018 6:23




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion:240 Resp: 174421
 Ion Ratio Lower Upper
 240 100
 120 11.7 8.3 12.5
 236 24.7 21.2 31.8



#79
 Terphenyl-d14
 Concen: 78.274 ng
 RT: 13.07 min Scan# 1867
 Delta R.T. -0.01 min
 Lab File: BF110394.D
 Acq: 2 Nov 2018 6:23

Tgt Ion:244 Resp: 656465
 Ion Ratio Lower Upper
 244 100
 212 6.9 5.8 8.8
 122 13.0 8.7 13.1






#87
Pervlene-d12
Concen: 20.000 ng
RT: 15.66 min Scan# 2307
Delta R.T. 0.00 min
Lab File: BF110394.D
Acq: 2 Nov 2018 6:23

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.2	18.7	28.1
265	19.7	16.7	25.1



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

