

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110118\
 Data File : BF110398.D
 Acq On : 2 Nov 2018 8:11
 Operator : JU/SJ
 Sample : J5730-02RE
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Nov 02 09:04:59 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 01 16:06:12 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.96	152	74230	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	265447	20.00	ng	0.00
39) Acenaphthene-d10	10.00	164	110042	20.00	ng	0.00
64) Phenanthrene-d10	11.49	188	193167	20.00	ng	0.00
76) Chrysene-d12	14.13	240	180370	20.00	ng	0.00
87) Perylene-d12	15.66	264	142801	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	161186	35.36	ng	0.00
7) Phenol-d6	6.57	99	120230	20.62	ng	-0.01
23) Nitrobenzene-d5	7.52	82	443725	99.15	ng	0.00
42) 2,4,6-Tribromophenol	10.79	330	88684	81.36	ng	0.00
45) 2-Fluorobiphenyl	9.31	172	770036	109.88	ng	0.00
79) Terphenyl-d14	13.07	244	677191	78.08	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propylamine	7.52	70	58553	15.654	ng	# 77
25) Isophorone	7.52	82	443722	58.165	ng	# 67
51) 2,6-Dinitrotoluene	10.00	165	13485	7.707	ng	# 21
57) 2,4-Dinitrotoluene	10.00	165	13485	6.068	ng	# 17
67) 4-Bromophenyl-phenylether	10.79	248	5396	2.575	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110118\
Data File : BF110398.D
Acq On : 2 Nov 2018 8:11
Operator : JU/SJ
Sample : J5730-02RE
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Nov 02 09:04:59 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 01 16:06:12 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.96 min Scan# 828
Delta R.T. 0.00 min
Lab File: BF110398.D
Acq: 2 Nov 2018 8:11

Instrument :
BNA_F
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.5	122.7	184.1
115	59.6	49.1	73.7





Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 35.361 ng
RT: 5.57 min Scan# 593
Delta R.T. 0.00 min
Lab File: BF110398.D
Acq: 2 Nov 2018 8:11

Tgt Ion	Ratio	Lower	Upper
112	100		
64	59.6	44.1	66.1
63	31.5	23.7	35.5






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BF1

Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 20.621 ng

RT: 6.57 min Scan# 762

Delta R.T. -0.01 min

Lab File: BF110398.D

Acq: 2 Nov 2018 8:11

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 120230

Ion Ratio Lower Upper

99 100

42 19.0 15.8 23.6




71 35.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 15.654 ng

RT: 7.52 min Scan# 923

Delta R.T. 0.15 min

Lab File: BF110398.D

Acq: 2 Nov 2018 8:11

Tgt Ion: 70 Resp: 58553


Ion Ratio Lower Upper

70 100

42 46.5 47.4 71.2#

101 0.0 7.3 10.9#

130 1.6 16.2 24.2#





Abundance Ion 70.00 (69.70 to 70.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 101.00 (100.70 to 101.70): BF1

Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.24 min Scan# 1046
Delta R.T. 0.00 min
Lab File: BF110398.D
Acq: 2 Nov 2018 8:11

Instrument :
BNA_F
ClientSampleId :

Tot Ion:136	Resp:	265447
Ion Ratio	Lower	Upper
136	100	
137	10.7	8.8 13.2
54	7.3	5.4 8.2
68	5.0	4.2 6.2




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 99.149 ng
RT: 7.52 min Scan# 923
Delta R.T. -0.01 min
Lab File: BF110398.D
Acq: 2 Nov 2018 8:11

Tgt Ion: 82	Resp:	443725
Ion Ratio	Lower	Upper
82	100	
128	43.8	34.2 51.2
54	53.7	38.6 58.0



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1









#25
Isophorone
Concen: 58.165 ng
RT: 7.52 min Scan# 923
Delta R.T. -0.26 min
Lab File: BF110398.D
Acq: 2 Nov 2018 8:11




Instrument :
BNA_F
ClientSampled :


Tot Ion: 82 Resp: 443722
Ion Ratio Lower Upper
82 100
95 0.0 5.7 8.5#
138 0.0 13.2 19.8#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.00 min Scan# 1345
Delta R.T. 0.00 min
Lab File: BF110398.D
Acq: 2 Nov 2018 8:11

Tgt Ion:164 Resp: 110042
Ion Ratio Lower Upper
164 100
162 105.7 83.0 124.6
160 45.8 37.0 55.6





#42

2,4,6-Tribromophenol

Concen: 81.359 ng

RT: 10.79 min Scan# 1479

Delta R.T. -0.01 min

Lab File: BF110398.D

Acq: 2 Nov 2018 8:11

Instrument :

BNA_F

ClientSampled :


Tot Ion:330 Resp: 88684

Ion Ratio Lower Upper

330 100

332 94.0 77.1 115.7

141 37.1 27.0 40.4






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 109.881 ng

RT: 9.31 min Scan# 1228

Delta R.T. -0.01 min

Lab File: BF110398.D

Acq: 2 Nov 2018 8:11


Tgt Ion:172 Resp: 770036

Ion Ratio Lower Upper

172 100

171 34.9 28.6 43.0

170 23.3 19.7 29.5





Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#51

2,6-Dinitrotoluene

Concen: 7.707 ng

RT: 10.00 min Scan# 1345

Delta R.T. 0.22 min

Lab File: BF110398.D

Acq: 2 Nov 2018 8:11

Instrument :

BNA_F

ClientSampleId :


Tot Ion:165 Resp: 13485

Ion Ratio Lower Upper

165 100

63 0.0 48.9 73.3#




89 0.0 46.6 69.8#



Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1



#57

2,4-Dinitrotoluene

Concen: 6.068 ng

RT: 10.00 min Scan# 1345

Delta R.T. -0.19 min

Lab File: BF110398.D

Acq: 2 Nov 2018 8:11

Tgt Ion:165 Resp: 13485


Ion Ratio Lower Upper

165 100

63 0.0 44.8 67.2#

89 0.0 62.2 93.4#

182 0.0 2.1 3.1#






Abundance Ion 165.00 (164.70 to 165.70): E

Ion 63.00 (62.70 to 63.70): BF1

Ion 89.00 (88.70 to 89.70): BF1

Ion 182.00 (181.70 to 182.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.49 min Scan# 1598
Delta R.T. -0.01 min
Lab File: BF110398.D
Acq: 2 Nov 2018 8:11




Instrument :
BNA_F
ClientSampled :


Tot Ion:188 Resp: 193167
Ion Ratio Lower Upper
188 100
94 9.5 7.2 10.8
80 10.5 7.9 11.9



#67
4-Bromophenyl-phenylether
Concen: 2.575 ng
RT: 10.79 min Scan# 1479
Delta R.T. -0.24 min
Lab File: BF110398.D
Acq: 2 Nov 2018 8:11

Tgt Ion:248 Resp: 5396
Ion Ratio Lower Upper
248 100
250 206.7 79.4 119.2#
141 575.5 55.9 83.9#









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 14.13 min Scan# 2048
 Delta R.T. -0.01 min
 Lab File: BF110398.D
 Acq: 2 Nov 2018 8:11




Instrument :
 BNA_F
 ClientSampleId :


Tot Ion	Ratio	Lower	Upper
240	100		
120	11.0	8.3	12.5
236	25.6	21.2	31.8



#79
 Terphenyl-d14
 Concen: 78.082 ng
 RT: 13.07 min Scan# 1867
 Delta R.T. -0.01 min
 Lab File: BF110398.D
 Acq: 2 Nov 2018 8:11

Tgt Ion	Ratio	Lower	Upper
244	100		
212	7.2	5.8	8.8
122	12.7	8.7	13.1






#87
 Pervlene-d12
 Concen: 20.000 ng
 RT: 15.66 min Scan# 2307
 Delta R.T. 0.00 min
 Lab File: BF110398.D
 Acq: 2 Nov 2018 8:11

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.9	18.7	28.1
265	21.5	16.7	25.1



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

