

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110118\
 Data File : BF110380.D
 Acq On : 1 Nov 2018 21:01
 Operator : JU/SJ
 Sample : J5192-07 5X
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 AU-05-103118-B

Quant Time: Nov 02 05:03:50 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 01 16:06:12 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.96	152	70833	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	260218	20.00	ng	0.00
39) Acenaphthene-d10	10.00	164	97458	20.00	ng	0.00
64) Phenanthrene-d10	11.49	188	167268	20.00	ng	0.00
76) Chrysene-d12	14.13	240	187394	20.00	ng	0.00
87) Perylene-d12	15.66	264	162291	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	93058	21.39	ng	0.00
7) Phenol-d6	6.57	99	112826	20.28	ng	-0.01
23) Nitrobenzene-d5	7.52	82	64812	14.77	ng	0.00
42) 2,4,6-Tribromophenol	10.79	330	17886	18.53	ng	0.00
45) 2-Fluorobiphenyl	9.31	172	115573	18.62	ng	0.00
79) Terphenyl-d14	13.07	244	109615	12.17	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110118\
Data File : BF110380.D
Acq On : 1 Nov 2018 21:01
Operator : JU/SJ
Sample : J5192-07 5X
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
AU-05-103118-B

Quant Time: Nov 02 05:03:50 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 01 16:06:12 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.96 min Scan# 828
Delta R.T. -0.00 min
Lab File: BF110380.D
Acq: 1 Nov 2018 21:01

Instrument :
BNA_F
ClientSampleId :
AU-05-103118-B

Tot Ion:152 Resp: 70833
Ion Ratio Lower Upper
152 100
150 152.4 122.7 184.1
115 58.7 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 21.394 ng
RT: 5.57 min Scan# 592
Delta R.T. -0.01 min
Lab File: BF110380.D
Acq: 1 Nov 2018 21:01

Tgt Ion:112 Resp: 93058
Ion Ratio Lower Upper
112 100
64 60.0 44.1 66.1
63 31.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 20.279 ng

RT: 6.57 min Scan# 762

Delta R.T. -0.01 min

Lab File: BF110380.D

Acq: 1 Nov 2018 21:01

Instrument :

BNA_F

ClientSampleId :

AU-05-103118-B


Tot Ion: 99 Resp: 112826

Ion Ratio Lower Upper




99 100

42 18.5 15.8 23.6

71 34.1 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1046

Delta R.T. 0.00 min

Lab File: BF110380.D

Acq: 1 Nov 2018 21:01

Tgt Ion: 136 Resp: 260218


Ion Ratio Lower Upper

136 100



137 10.6 8.8 13.2


54 7.4 5.4 8.2

68 5.1 4.2 6.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 14.773 ng
RT: 7.52 min Scan# 923
Delta R.T. -0.01 min
Lab File: BF110380.D
Acq: 1 Nov 2018 21:01

Instrument :
BNA_F
ClientSampleId :
AU-05-103118-B

Tot Ion: 82 Resp: 64812
Ion Ratio Lower Upper
82 100
128 46.0 34.2 51.2
54 52.9 38.6 58.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.00 min Scan# 1345
Delta R.T. -0.00 min
Lab File: BF110380.D
Acq: 1 Nov 2018 21:01

Tgt Ion:164 Resp: 97458
Ion Ratio Lower Upper
164 100
162 107.9 83.0 124.6
160 49.0 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 18.527 ng
 RT: 10.79 min Scan# 1479
 Delta R.T. -0.01 min
 Lab File: BF110380.D
 Acq: 1 Nov 2018 21:01

Instrument :
 BNA_F
 ClientSampleId :
 AU-05-103118-B

Tot Ion:330 Resp: 17886
 Ion Ratio Lower Upper
 330 100
 332 95.7 77.1 115.7
 141 38.7 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 18.621 ng
 RT: 9.31 min Scan# 1228
 Delta R.T. -0.01 min
 Lab File: BF110380.D
 Acq: 1 Nov 2018 21:01

Tgt Ion:172 Resp: 115573
 Ion Ratio Lower Upper
 172 100
 171 35.5 28.6 43.0
 170 22.7 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.49 min Scan# 1598

Delta R.T. -0.01 min

Lab File: BF110380.D

Acq: 1 Nov 2018 21:01

Instrument :

BNA_F

ClientSampleId :

AU-05-103118-B


Tot Ion:188 Resp: 167268

Ion Ratio Lower Upper

188 100

94 9.3 7.2 10.8




80 10.2 7.9 11.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.13 min Scan# 2048

Delta R.T. -0.01 min

Lab File: BF110380.D

Acq: 1 Nov 2018 21:01


Tgt Ion:240 Resp: 187394

Ion Ratio Lower Upper

240 100

120 10.9 8.3 12.5



236 25.8 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 12.165 ng
 RT: 13.07 min Scan# 1867
 Delta R.T. -0.01 min
 Lab File: BF110380.D
 Acq: 1 Nov 2018 21:01

Instrument :
 BNA_F
 ClientSampleId :
 AU-05-103118-B

Tot Ion	Ratio	Lower	Upper
244	100		
212	6.3	5.8	8.8
122	9.7	8.7	13.1



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.66 min Scan# 2307
 Delta R.T. 0.00 min
 Lab File: BF110380.D
 Acq: 1 Nov 2018 21:01

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.5	18.7	28.1
265	21.0	16.7	25.1

