

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110218\
 Data File : BF110442.D
 Acq On : 3 Nov 2018 6:15
 Operator : JU/SJ
 Sample : J5789-03
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 103118-DBRI-E-D-S

Quant Time: Nov 03 05:50:41 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 01 16:06:12 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.96	152	90611	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	324695	20.00	ng	0.00
39) Acenaphthene-d10	10.00	164	129120	20.00	ng	0.00
64) Phenanthrene-d10	11.49	188	218428	20.00	ng	0.00
76) Chrysene-d12	14.13	240	148387	20.00	ng	0.00
87) Perylene-d12	15.66	264	108628	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	239913	43.12	ng	0.00
7) Phenol-d6	6.57	99	180731	25.39	ng	0.00
23) Nitrobenzene-d5	7.52	82	588783	107.56	ng	0.00
42) 2,4,6-Tribromophenol	10.79	330	111985	87.56	ng	0.00
45) 2-Fluorobiphenyl	9.31	172	966290	117.51	ng	0.00
79) Terphenyl-d14	13.07	244	859332	120.44	ng	0.00
Target Compounds						
10) Phenol	6.59	94	36822	4.840	ng	Qvalue # 67
50) Dimethylphthalate	9.70	163	30706	3.222	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110218\
Data File : BF110442.D
Acq On : 3 Nov 2018 6:15
Operator : JU/SJ
Sample : J5789-03
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
103118-DBRI-E-D-S

Quant Time: Nov 03 05:50:41 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 01 16:06:12 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.96 min Scan# 828
Delta R.T. 0.00 min
Lab File: BF110442.D
Acq: 3 Nov 2018 6:15

Instrument :
BNA_F
ClientSampleId :
103118-DBRI-E-D-S

Tot Ion:152 Resp: 90611
Ion Ratio Lower Upper
152 100
150 158.3 122.7 184.1
115 61.6 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 43.117 ng
RT: 5.57 min Scan# 593
Delta R.T. 0.00 min
Lab File: BF110442.D
Acq: 3 Nov 2018 6:15

Tgt Ion:112 Resp: 239913
Ion Ratio Lower Upper
112 100
64 62.3 44.1 66.1
63 32.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 25.394 ng

RT: 6.57 min Scan# 763

Delta R.T. -0.01 min

Lab File: BF110442.D

Acq: 3 Nov 2018 6:15

Instrument :

BNA_F

ClientSampleId :

103118-DBRI-E-D-S


Tot Ion: 99 Resp: 180731

Ion Ratio Lower Upper




99 100

42 17.9 15.8 23.6

71 33.9 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 4.840 ng

RT: 6.59 min Scan# 765

Delta R.T. -0.01 min

Lab File: BF110442.D

Acq: 3 Nov 2018 6:15


Tgt Ion: 94 Resp: 36822

Ion Ratio Lower Upper



94 100


65 29.4 25.3 65.3

66 42.5 54.5 94.5#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1046

Delta R.T. 0.00 min

Lab File: BF110442.D

Acq: 3 Nov 2018 6:15

Instrument :

BNA_F

ClientSampleId :

103118-DBRI-E-D-S

Tot Ion:136 Resp: 324695



Ion Ratio Lower Upper

136 100

137 10.8 8.8 13.2

54 7.9 5.4 8.2

68 4.9 4.2 6.2





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 107.555 ng

RT: 7.52 min Scan# 924

Delta R.T. 0.00 min

Lab File: BF110442.D

Acq: 3 Nov 2018 6:15



Tgt Ion: 82 Resp: 588783

Ion Ratio Lower Upper

82 100

128 46.0 34.2 51.2


54 51.8 38.6 58.0



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.00 min Scan# 1345

Delta R.T. 0.00 min

Lab File: BF110442.D

Acq: 3 Nov 2018 6:15

Instrument :

BNA_F

ClientSampleId :

103118-DBRI-E-D-S


Tot Ion:164 Resp: 129120

Ion Ratio Lower Upper

164 100

162 106.4 83.0 124.6



160 47.5 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 87.555 ng

RT: 10.79 min Scan# 1479

Delta R.T. -0.01 min

Lab File: BF110442.D

Acq: 3 Nov 2018 6:15


Tgt Ion:330 Resp: 111985

Ion Ratio Lower Upper

330 100

332 95.6 77.1 115.7



141 37.2 27.0 40.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 117.513 ng
RT: 9.31 min Scan# 1228
Delta R.T. -0.01 min
Lab File: BF110442.D
Acq: 3 Nov 2018 6:15

Instrument :
BNA_F
ClientSampleId :
103118-DBRI-E-D-S

Tot Ion:172 Resp: 966290
Ion Ratio Lower Upper
172 100
171 35.9 28.6 43.0
170 23.8 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E





#50
Dimethylphthalate
Concen: 3.222 ng
RT: 9.70 min Scan# 1295
Delta R.T. -0.01 min
Lab File: BF110442.D
Acq: 3 Nov 2018 6:15

Tgt Ion:163 Resp: 30706
Ion Ratio Lower Upper
163 100
194 4.5 3.2 4.8
164 10.9 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.49 min Scan# 1599
Delta R.T. 0.00 min
Lab File: BF110442.D
Acq: 3 Nov 2018 6:15




Instrument :
BNA_F
ClientSampleId :
103118-DBRI-E-D-S

Tot Ion:188 Resp: 218428
Ion Ratio Lower Upper
188 100
94 8.1 7.2 10.8
80 8.9 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.13 min Scan# 2048
Delta R.T. -0.01 min
Lab File: BF110442.D
Acq: 3 Nov 2018 6:15

Tgt Ion:240 Resp: 148387
Ion Ratio Lower Upper
240 100
120 11.9 8.3 12.5
236 26.3 21.2 31.8





#79

Terphenyl-d14

Concen: 120.439 ng

RT: 13.07 min Scan# 1868

Delta R.T. 0.00 min

Lab File: BF110442.D

Acq: 3 Nov 2018 6:15

Instrument :

BNA_F

ClientSampleId :

103118-DBRI-E-D-S





Tot Ion:244 Resp: 859332

Ion Ratio Lower Upper

244 100

212 6.7 5.8 8.8

122 10.3 8.7 13.1



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.66 min Scan# 2308

Delta R.T. 0.01 min

Lab File: BF110442.D

Acq: 3 Nov 2018 6:15

Tgt Ion:264 Resp: 108628

Ion Ratio Lower Upper

264 100

260 23.5 18.7 28.1

265 20.8 16.7 25.1

