

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110320\
 Data File : BF122244.D
 Acq On : 3 Nov 2020 17:02
 Operator : JU/CG
 Sample : L4607-06
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 OW-04

Quant Time: Nov 04 01:07:14 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 30 10:16:54 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.710	152	78325	20.00	ng	0.00
21) Naphthalene-d8	7.992	136	311763	20.00	ng	0.00
39) Acenaphthene-d10	9.745	164	163138	20.00	ng	0.00
64) Phenanthrene-d10	11.233	188	316823	20.00	ng	0.00
76) Chrysene-d12	13.886	240	223452	20.00	ng	0.00
86) Perylene-d12	15.327	264	207847	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.345	112	255809	48.20	ng	0.01
7) Phenol-d6	6.386	99	194135	28.42	ng	0.02
23) Nitrobenzene-d5	7.280	82	568677	93.55	ng	0.00
42) 2,4,6-Tribromophenol	10.539	330	256904	127.30	ng	0.00
45) 2-Fluorobiphenyl	9.069	172	958674	86.46	ng	0.00
79) Terphenyl-d14	12.815	244	994807	84.84	ng	0.00
Target Compounds						
10) Phenol	6.404	94	17675	2.51	ng	Qvalue # 80
50) Dimethylphthalate	9.474	163	77133	6.47	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110320\
Data File : BF122244.D
Acq On : 3 Nov 2020 17:02
Operator : JU/CG
Sample : L4607-06
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
OW-04

Quant Time: Nov 04 01:07:14 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 30 10:16:54 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.710 min Scan# 786
Delta R.T. -0.006 min
Lab File: BF122244.D
Acq: 3 Nov 2020 17:02




Instrument :
BNA_F
ClientSampleId :
OW-04


Tgt Ion:152 Resp: 78325
Ion Ratio Lower Upper
152 100
150 154.1 125.3 187.9
115 62.9 51.9 77.9



#5
2-Fluorophenol
Concen: 48.20 ng
RT: 5.345 min Scan# 554
Delta R.T. 0.012 min
Lab File: BF122244.D
Acq: 3 Nov 2020 17:02

Tgt Ion:112 Resp: 255809
Ion Ratio Lower Upper
112 100
64 62.6 50.4 75.6
63 32.8 25.8 38.6









#7
Phenol-d6
Concen: 28.42 ng
RT: 6.386 min Scan# 731
Delta R.T. 0.017 min
Lab File: BF122244.D
Acq: 3 Nov 2020 17:02




Instrument :
BNA_F
ClientSampleId :
OW-04


Tgt Ion: 99 Resp: 194135
Ion Ratio Lower Upper
99 100
42 19.8 15.9 23.9
71 34.0 27.1 40.7



#10
Phenol
Concen: 2.51 ng
RT: 6.404 min Scan# 734
Delta R.T. 0.023 min
Lab File: BF122244.D
Acq: 3 Nov 2020 17:02

Tgt Ion: 94 Resp: 17675
Ion Ratio Lower Upper
94 100
65 34.6 17.1 57.1
66 78.4 36.0 76.0#









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.992 min Scan# 1004
Delta R.T. -0.006 min
Lab File: BF122244.D
Acq: 3 Nov 2020 17:02

Instrument :
BNA_F
ClientSampleId :
OW-04

Tgt Ion:136 Resp: 311763




Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.6	13.0
54	9.7	7.1	10.7
68	6.4	5.0	7.4




#23
Nitrobenzene-d5
Concen: 93.55 ng
RT: 7.280 min Scan# 883
Delta R.T. -0.006 min
Lab File: BF122244.D
Acq: 3 Nov 2020 17:02

Tgt Ion: 82 Resp: 568677

Ion	Ratio	Lower	Upper
82	100		
128	40.2	35.0	52.4
54	55.7	43.9	65.9





#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.745 min Scan# 1302

Delta R.T. -0.006 min

Lab File: BF122244.D

Acq: 3 Nov 2020 17:02


Tgt Ion:164 Resp: 163138

Ion Ratio Lower Upper




164 100

162 103.1 83.2 124.8

160 46.4 37.5 56.3



Abundance



#42

2,4,6-Tribromophenol

Concen: 127.30 ng

RT: 10.539 min Scan# 1437

Delta R.T. -0.006 min

Lab File: BF122244.D

Acq: 3 Nov 2020 17:02


Tgt Ion:330 Resp: 256904

Ion Ratio Lower Upper



330 100


332 95.7 77.3 115.9

141 30.8 22.3 33.5



Abundance









#45
2-Fluorobiphenyl
Concen: 86.46 ng
RT: 9.069 min Scan# 1187
Delta R.T. -0.006 min
Lab File: BF122244.D
Acq: 3 Nov 2020 17:02




Instrument :
BNA_F
ClientSampleId :
OW-04


Tgt Ion:172 Resp: 958674
Ion Ratio Lower Upper
172 100
171 35.4 29.1 43.7
170 23.8 19.8 29.6



#50
Dimethylphthalate
Concen: 6.47 ng
RT: 9.474 min Scan# 1256
Delta R.T. -0.006 min
Lab File: BF122244.D
Acq: 3 Nov 2020 17:02

Tgt Ion:163 Resp: 77133
Ion Ratio Lower Upper
163 100
194 4.0 3.3 4.9
164 10.4 8.2 12.4









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.233 min Scan# 1555
Delta R.T. -0.000 min
Lab File: BF122244.D
Acq: 3 Nov 2020 17:02




Instrument :
BNA_F
ClientSampleId :
OW-04


Tgt Ion:188 Resp: 316823
Ion Ratio Lower Upper
188 100
94 10.2 8.3 12.5
80 11.0 9.1 13.7



#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.886 min Scan# 2006
Delta R.T. 0.006 min
Lab File: BF122244.D
Acq: 3 Nov 2020 17:02


Tgt Ion:240 Resp: 223452
Ion Ratio Lower Upper
240 100
120 10.5 9.2 13.8
236 25.1 20.9 31.3








#79
 Terphenyl-d14
 Concen: 84.84 ng
 RT: 12.815 min Scan# 1824
 Delta R.T. -0.000 min
 Lab File: BF122244.D
 Acq: 3 Nov 2020 17:02


Instrument :
 BNA_F
 ClientSampleId :
 OW-04



Tgt Ion:244 Resp: 994807
 Ion Ratio Lower Upper
 244 100
 212 7.4 5.4 8.2
 122 10.8 8.1 12.1



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.327 min Scan# 2251
 Delta R.T. 0.023 min
 Lab File: BF122244.D
 Acq: 3 Nov 2020 17:02



Tgt Ion:264 Resp: 207847
 Ion Ratio Lower Upper
 264 100
 260 23.4 18.7 28.1
 265 21.9 17.3 25.9

