

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110320\
 Data File : BF122245.D
 Acq On : 3 Nov 2020 17:33
 Operator : JU/CG
 Sample : L4607-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 LW-06

Quant Time: Nov 04 01:07:21 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 30 10:16:54 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.710	152	78012	20.00	ng	0.00
21) Naphthalene-d8	7.992	136	311238	20.00	ng	0.00
39) Acenaphthene-d10	9.745	164	153475	20.00	ng	0.00
64) Phenanthrene-d10	11.233	188	284440	20.00	ng	0.00
76) Chrysene-d12	13.886	240	181629	20.00	ng	0.00
86) Perylene-d12	15.321	264	187132	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.345	112	278706	52.73	ng	0.01
7) Phenol-d6	6.381	99	205619	30.22	ng	0.01
23) Nitrobenzene-d5	7.280	82	573973	94.58	ng	0.00
42) 2,4,6-Tribromophenol	10.539	330	252921	133.22	ng	0.00
45) 2-Fluorobiphenyl	9.069	172	948367	90.92	ng	0.00
79) Terphenyl-d14	12.815	244	810522	85.04	ng	0.00
Target Compounds						
10) Phenol	6.398	94	44323	6.31	ng	96
50) Dimethylphthalate	9.469	163	102018	9.09	ng	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF110320\
Data File : BF122245.D
Acq On : 3 Nov 2020 17:33
Operator : JU/CG
Sample : L4607-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
LW-06

Quant Time: Nov 04 01:07:21 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF101220.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 30 10:16:54 2020
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.710 min Scan# 786
Delta R.T. -0.006 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33




Instrument :
BNA_F
ClientSampleId :
LW-06

Tgt Ion:152 Resp: 78012
Ion Ratio Lower Upper
152 100
150 159.2 125.3 187.9
115 62.5 51.9 77.9



#5
2-Fluorophenol
Concen: 52.73 ng
RT: 5.345 min Scan# 554
Delta R.T. 0.012 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33

Tgt Ion:112 Resp: 278706
Ion Ratio Lower Upper
112 100
64 62.6 50.4 75.6
63 33.0 25.8 38.6









#7
Phenol-d6
Concen: 30.22 ng
RT: 6.381 min Scan# 730
Delta R.T. 0.012 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33




Instrument :
BNA_F
ClientSampleId :
LW-06


Tgt Ion: 99 Resp: 205619
Ion Ratio Lower Upper
99 100
42 20.4 15.9 23.9
71 33.8 27.1 40.7



#10
Phenol
Concen: 6.31 ng
RT: 6.398 min Scan# 733
Delta R.T. 0.017 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33

Tgt Ion: 94 Resp: 44323
Ion Ratio Lower Upper
94 100
65 33.4 17.1 57.1
66 54.1 36.0 76.0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 7.992 min Scan# 1004
Delta R.T. -0.006 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33

Instrument :
BNA_F
ClientSampleId :
LW-06

Tgt Ion:136 Resp: 311238




Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.6	13.0
54	9.2	7.1	10.7
68	6.4	5.0	7.4




#23
Nitrobenzene-d5
Concen: 94.58 ng
RT: 7.280 min Scan# 883
Delta R.T. -0.006 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33

Tgt Ion: 82 Resp: 573973

Ion	Ratio	Lower	Upper
82	100		
128	41.1	35.0	52.4
54	56.6	43.9	65.9





#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.745 min Scan# 1302

Delta R.T. -0.006 min

Lab File: BF122245.D

Acq: 3 Nov 2020 17:33





Tgt Ion:164 Resp: 153475

Ion Ratio Lower Upper

164 100

162 100.4 83.2 124.8

160 46.3 37.5 56.3



#42

2,4,6-Tribromophenol

Concen: 133.22 ng

RT: 10.539 min Scan# 1437

Delta R.T. -0.006 min

Lab File: BF122245.D

Acq: 3 Nov 2020 17:33




Tgt Ion:330 Resp: 252921


Ion Ratio Lower Upper

330 100

332 94.9 77.3 115.9

141 30.5 22.3 33.5









#45
2-Fluorobiphenyl
Concen: 90.92 ng
RT: 9.069 min Scan# 1187
Delta R.T. -0.006 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33




Instrument :
BNA_F
ClientSampleId :
LW-06


Tgt Ion:172 Resp: 948367
Ion Ratio Lower Upper
172 100
171 35.3 29.1 43.7
170 23.9 19.8 29.6



#50
Dimethylphthalate
Concen: 9.09 ng
RT: 9.469 min Scan# 1255
Delta R.T. -0.012 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33

Tgt Ion:163 Resp: 102018
Ion Ratio Lower Upper
163 100
194 4.3 3.3 4.9
164 10.2 8.2 12.4









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.233 min Scan# 1555
Delta R.T. -0.000 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33




Instrument :
BNA_F
ClientSampleId :
LW-06


Tgt Ion:188 Resp: 284440
Ion Ratio Lower Upper
188 100
94 10.5 8.3 12.5
80 11.6 9.1 13.7



#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.886 min Scan# 2006
Delta R.T. 0.006 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33


Tgt Ion:240 Resp: 181629
Ion Ratio Lower Upper
240 100
120 9.9 9.2 13.8
236 25.6 20.9 31.3








#79
Terphenyl-d14
Concen: 85.04 ng
RT: 12.815 min Scan# 1824
Delta R.T. -0.000 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33

Instrument :
BNA_F
ClientSampled :
LW-06



Tgt Ion:244 Resp: 810522
Ion Ratio Lower Upper
244 100
212 7.3 5.4 8.2
122 10.3 8.1 12.1



#86
Perylene-d12
Concen: 20.00 ng
RT: 15.321 min Scan# 2250
Delta R.T. 0.017 min
Lab File: BF122245.D
Acq: 3 Nov 2020 17:33

Tgt Ion:264 Resp: 187132
Ion Ratio Lower Upper
264 100
260 24.0 18.7 28.1
265 21.0 17.3 25.9

