

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110518\
 Data File : BF110460.D
 Acq On : 5 Nov 2018 13:07
 Operator : JU/SJ
 Sample : J5745-18
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 8B

Quant Time: Nov 05 17:10:05 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 01 16:06:12 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	90200	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	377287	20.00	ng	0.00
39) Acenaphthene-d10	10.00	164	188396	20.00	ng	0.00
64) Phenanthrene-d10	11.49	188	364979	20.00	ng	0.00
76) Chrysene-d12	14.13	240	235258	20.00	ng	0.00
87) Perylene-d12	15.66	264	155690	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	737471	133.14	ng	0.01
7) Phenol-d6	6.59	99	949652	134.04	ng	0.00
23) Nitrobenzene-d5	7.52	82	610339	95.95	ng	0.00
42) 2,4,6-Tribromophenol	10.79	330	243582	130.52	ng	0.00
45) 2-Fluorobiphenyl	9.31	172	1114178	92.87	ng	0.00
79) Terphenyl-d14	13.07	244	1089062	96.27	ng	0.00
Target Compounds						
10) Phenol	6.59	94	41330	5.457	ng	Qvalue # 77
50) Dimethylphthalate	9.70	163	187075	13.452	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110518\
Data File : BF110460.D
Acq On : 5 Nov 2018 13:07
Operator : JU/SJ
Sample : J5745-18
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
8B

Quant Time: Nov 05 17:10:05 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 01 16:06:12 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 827
Delta R.T. -0.01 min
Lab File: BF110460.D
Acq: 5 Nov 2018 13:07

Instrument :
BNA_F
ClientSampled :
8B

Tot Ion:152 Resp: 90200
Ion Ratio Lower Upper
152 100
150 160.2 122.7 184.1
115 65.3 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 133.141 ng
RT: 5.59 min Scan# 595
Delta R.T. 0.01 min
Lab File: BF110460.D
Acq: 5 Nov 2018 13:07

Tgt Ion:112 Resp: 737471
Ion Ratio Lower Upper
112 100
64 60.8 44.1 66.1
63 31.9 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 134.041 ng

RT: 6.59 min Scan# 765

Delta R.T. 0.01 min

Lab File: BF110460.D

Acq: 5 Nov 2018 13:07

Instrument :

BNA_F

ClientSampled :

8B


Tot Ion: 99 Resp: 949652

Ion Ratio Lower Upper




99 100

42 19.0 15.8 23.6

71 35.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 5.457 ng

RT: 6.59 min Scan# 766

Delta R.T. -0.01 min

Lab File: BF110460.D

Acq: 5 Nov 2018 13:07


Tgt Ion: 94 Resp: 41330

Ion Ratio Lower Upper



94 100


65 34.1 25.3 65.3

66 51.4 54.5 94.5#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.24 min Scan# 1046
Delta R.T. 0.00 min
Lab File: BF110460.D
Acq: 5 Nov 2018 13:07




Instrument :
BNA_F
ClientSampled :
8B


Tot Ion:	136	Resp:	377287
Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.8	13.2
54	7.3	5.4	8.2
68	4.7	4.2	6.2



#23
Nitrobenzene-d5
Concen: 95.951 ng
RT: 7.52 min Scan# 924
Delta R.T. 0.00 min
Lab File: BF110460.D
Acq: 5 Nov 2018 13:07

Tgt Ion:	82	Resp:	610339
Ion	Ratio	Lower	Upper
82	100		
128	47.0	34.2	51.2
54	51.9	38.6	58.0





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.00 min Scan# 1345

Delta R.T. 0.00 min

Lab File: BF110460.D

Acq: 5 Nov 2018 13:07

Instrument :

BNA_F

ClientSampleId :

8B


Tot Ion:164 Resp: 188396

Ion Ratio Lower Upper

164 100

162 106.1 83.0 124.6




160 47.1 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 130.524 ng

RT: 10.79 min Scan# 1480

Delta R.T. 0.00 min

Lab File: BF110460.D

Acq: 5 Nov 2018 13:07


Tgt Ion:330 Resp: 243582

Ion Ratio Lower Upper

330 100

332 95.3 77.1 115.7



141 37.3 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 92.865 ng
 RT: 9.31 min Scan# 1228
 Delta R.T. -0.01 min
 Lab File: BF110460.D
 Acq: 5 Nov 2018 13:07




Instrument :
 BNA_F
 ClientSampled :
 8B

Tot Ion:172 Resp: 1114178

Ion	Ratio	Lower	Upper
172	100		
171	35.9	28.6	43.0
170	23.4	19.7	29.5




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50
 Dimethylphthalate
 Concen: 13.452 ng
 RT: 9.70 min Scan# 1295
 Delta R.T. -0.01 min
 Lab File: BF110460.D
 Acq: 5 Nov 2018 13:07


Tgt Ion:163 Resp: 187075

Ion	Ratio	Lower	Upper
163	100		
194	3.6	3.2	4.8
164	9.6	8.1	12.1



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.49 min Scan# 1598

Delta R.T. -0.01 min

Lab File: BF110460.D

Acq: 5 Nov 2018 13:07

Instrument :

BNA_F

ClientSampleId :

8B


Tot Ion:188 Resp: 364979

Ion Ratio Lower Upper

188 100

94 9.6 7.2 10.8




80 10.2 7.9 11.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.13 min Scan# 2048

Delta R.T. -0.01 min

Lab File: BF110460.D

Acq: 5 Nov 2018 13:07


Tgt Ion:240 Resp: 235258

Ion Ratio Lower Upper

240 100

120 12.1 8.3 12.5



236 24.6 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 96.274 ng
 RT: 13.07 min Scan# 1868
 Delta R.T. 0.00 min
 Lab File: BF110460.D
 Acq: 5 Nov 2018 13:07

Instrument :
 BNA_F
 ClientSampleId :
 8B

Tot Ion:244 Resp: 1089062

Ion	Ratio	Lower	Upper
244	100		
212	6.9	5.8	8.8
122	12.0	8.7	13.1



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.66 min Scan# 2307
 Delta R.T. 0.00 min
 Lab File: BF110460.D
 Acq: 5 Nov 2018 13:07

Tgt Ion:264 Resp: 155690

Ion	Ratio	Lower	Upper
264	100		
260	22.5	18.7	28.1
265	21.7	16.7	25.1

