

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110618\
 Data File : BF110508.D
 Acq On : 6 Nov 2018 12:04
 Operator : JU/SJ
 Sample : J5745-09
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 6B

Quant Time: Nov 06 14:00:48 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 01 16:06:12 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.96	152	103803	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	411162	20.00	ng	0.00
39) Acenaphthene-d10	10.00	164	175379	20.00	ng	0.00
64) Phenanthrene-d10	11.49	188	273764	20.00	ng	0.00
76) Chrysene-d12	14.14	240	180117	20.00	ng	0.00
87) Perylene-d12	15.66	264	140185	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.59	112	716179	112.35	ng	0.01
7) Phenol-d6	6.59	99	909367	111.53	ng	0.00
23) Nitrobenzene-d5	7.52	82	558946	80.63	ng	0.00
42) 2,4,6-Tribromophenol	10.79	330	167628	96.49	ng	0.00
45) 2-Fluorobiphenyl	9.31	172	971916	87.02	ng	0.00
79) Terphenyl-d14	13.07	244	616570	71.19	ng	0.00
Target Compounds						
10) Phenol	6.59	94	38053	4.366	ng	Qvalue # 77
50) Dimethylphthalate	9.70	163	163756	12.649	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110618\
Data File : BF110508.D
Acq On : 6 Nov 2018 12:04
Operator : JU/SJ
Sample : J5745-09
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
6B

Quant Time: Nov 06 14:00:48 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 01 16:06:12 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.96 min Scan# 828
Delta R.T. 0.00 min
Lab File: BF110508.D
Acq: 6 Nov 2018 12:04

Instrument :
BNA_F
ClientSampled :
6B

Tot Ion:152 Resp: 103803
Ion Ratio Lower Upper
152 100
150 152.0 122.7 184.1
115 58.9 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 112.354 ng
RT: 5.59 min Scan# 595
Delta R.T. 0.01 min
Lab File: BF110508.D
Acq: 6 Nov 2018 12:04

Tgt Ion:112 Resp: 716179
Ion Ratio Lower Upper
112 100
64 56.7 44.1 66.1
63 30.6 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 111.534 ng

RT: 6.59 min Scan# 765

Delta R.T. 0.01 min

Lab File: BF110508.D

Acq: 6 Nov 2018 12:04

Instrument :

BNA_F

ClientSampled :

6B


Tot Ion: 99 Resp: 909367

Ion Ratio Lower Upper




99 100

42 18.6 15.8 23.6

71 34.1 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 4.366 ng

RT: 6.59 min Scan# 766

Delta R.T. -0.01 min

Lab File: BF110508.D

Acq: 6 Nov 2018 12:04


Tgt Ion: 94 Resp: 38053

Ion Ratio Lower Upper



94 100

65 33.6 25.3 65.3

66 52.1 54.5 94.5#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.24 min Scan# 1046
Delta R.T. 0.00 min
Lab File: BF110508.D
Acq: 6 Nov 2018 12:04




Instrument :
BNA_F
ClientSampleId :
6B

Tot Ion:	136	Resp:	411162
Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.8	13.2
54	7.2	5.4	8.2
68	5.0	4.2	6.2



#23
Nitrobenzene-d5
Concen: 80.632 ng
RT: 7.52 min Scan# 924
Delta R.T. 0.00 min
Lab File: BF110508.D
Acq: 6 Nov 2018 12:04

Tgt Ion:	82	Resp:	558946
Ion	Ratio	Lower	Upper
82	100		
128	45.9	34.2	51.2
54	52.0	38.6	58.0





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.00 min Scan# 1345

Delta R.T. 0.00 min

Lab File: BF110508.D

Acq: 6 Nov 2018 12:04

Instrument :

BNA_F

ClientSampleId :

6B


Tot Ion:164 Resp: 175379

Ion Ratio Lower Upper

164 100

162 106.1 83.0 124.6



160 47.1 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 96.491 ng

RT: 10.79 min Scan# 1480

Delta R.T. 0.00 min

Lab File: BF110508.D

Acq: 6 Nov 2018 12:04


Tgt Ion:330 Resp: 167628

Ion Ratio Lower Upper

330 100

332 98.0 77.1 115.7



141 38.0 27.0 40.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 87.021 ng
 RT: 9.31 min Scan# 1228
 Delta R.T. -0.01 min
 Lab File: BF110508.D
 Acq: 6 Nov 2018 12:04




Instrument :
 BNA_F
 ClientSampled :
 6B

Tot Ion:172 Resp: 971916

Ion	Ratio	Lower	Upper
172	100		
171	36.2	28.6	43.0
170	23.7	19.7	29.5




Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50
 Dimethylphthalate
 Concen: 12.649 ng
 RT: 9.70 min Scan# 1295
 Delta R.T. -0.01 min
 Lab File: BF110508.D
 Acq: 6 Nov 2018 12:04

Tgt Ion:163 Resp: 163756

Ion	Ratio	Lower	Upper
163	100		
194	4.0	3.2	4.8
164	9.6	8.1	12.1



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.49 min Scan# 1598

Delta R.T. -0.01 min

Lab File: BF110508.D

Acq: 6 Nov 2018 12:04

Instrument :

BNA_F

ClientSampleId :

6B


Tot Ion:188 Resp: 273764

Ion Ratio Lower Upper

188 100

94 9.5 7.2 10.8




80 9.9 7.9 11.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.14 min Scan# 2049

Delta R.T. 0.00 min

Lab File: BF110508.D

Acq: 6 Nov 2018 12:04


Tgt Ion:240 Resp: 180117

Ion Ratio Lower Upper

240 100

120 10.0 8.3 12.5



236 24.5 21.2 31.8



Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 71.192 ng

RT: 13.07 min Scan# 1867

Delta R.T. -0.01 min

Lab File: BF110508.D

Acq: 6 Nov 2018 12:04

Instrument :

BNA_F

ClientSampleId :

6B





Tot Ion:244 Resp: 616570

Ion Ratio Lower Upper

244 100

212 7.1 5.8 8.8

122 12.6 8.7 13.1



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.66 min Scan# 2308

Delta R.T. 0.01 min

Lab File: BF110508.D

Acq: 6 Nov 2018 12:04

Tgt Ion:264 Resp: 140185

Ion Ratio Lower Upper

264 100

260 23.4 18.7 28.1

265 22.3 16.7 25.1

