

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110618\
 Data File : BF110511.D
 Acq On : 6 Nov 2018 13:24
 Operator : JU/SJ
 Sample : J5827-01
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SP-A

Quant Time: Nov 06 15:08:20 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 01 16:06:12 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	99084	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	400200	20.00	ng	0.00
39) Acenaphthene-d10	10.00	164	174979	20.00	ng	0.00
64) Phenanthrene-d10	11.49	188	276351	20.00	ng	0.00
76) Chrysene-d12	14.13	240	178986	20.00	ng	0.00
87) Perylene-d12	15.66	264	149850	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.58	112	620902	102.05	ng	0.00
7) Phenol-d6	6.58	99	791207	101.66	ng	0.00
23) Nitrobenzene-d5	7.52	82	497661	73.76	ng	0.00
42) 2,4,6-Tribromophenol	10.79	330	151705	87.52	ng	0.00
45) 2-Fluorobiphenyl	9.31	172	869834	78.06	ng	0.00
79) Terphenyl-d14	13.07	244	600740	69.80	ng	0.00
Target Compounds						
10) Phenol	6.59	94	50569	6.079	ng	Qvalue # 68
50) Dimethylphthalate	9.70	163	105252	8.149	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110618\
Data File : BF110511.D
Acq On : 6 Nov 2018 13:24
Operator : JU/SJ
Sample : J5827-01
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SP-A

Quant Time: Nov 06 15:08:20 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 01 16:06:12 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 827
Delta R.T. -0.01 min
Lab File: BF110511.D
Acq: 6 Nov 2018 13:24

Instrument :
BNA_F
ClientSampled :
SP-A

Tot Ion:152 Resp: 99084
Ion Ratio Lower Upper
152 100
150 159.9 122.7 184.1
115 66.5 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 102.046 ng
RT: 5.58 min Scan# 594
Delta R.T. 0.01 min
Lab File: BF110511.D
Acq: 6 Nov 2018 13:24

Tgt Ion:112 Resp: 620902
Ion Ratio Lower Upper
112 100
64 62.5 44.1 66.1
63 33.0 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 101.663 ng

RT: 6.58 min Scan# 764

Delta R.T. 0.00 min

Lab File: BF110511.D

Acq: 6 Nov 2018 13:24

Instrument :

BNA_F

ClientSampleId :

SP-A


Tot Ion: 99 Resp: 791207

Ion Ratio Lower Upper




99 100

42 19.9 15.8 23.6

71 35.8 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 6.079 ng

RT: 6.59 min Scan# 766

Delta R.T. -0.01 min

Lab File: BF110511.D

Acq: 6 Nov 2018 13:24


Tgt Ion: 94 Resp: 50569

Ion Ratio Lower Upper



94 100


65 30.2 25.3 65.3

66 43.1 54.5 94.5#



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1046

Delta R.T. 0.00 min

Lab File: BF110511.D

Acq: 6 Nov 2018 13:24

Instrument :

BNA_F

ClientSampled :

SP-A

Tot Ion:136 Resp: 400200



Ion Ratio Lower Upper

136 100

137 10.7 8.8 13.2

54 7.5 5.4 8.2

68 4.5 4.2 6.2





Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1



#23

Nitrobenzene-d5

Concen: 73.758 ng

RT: 7.52 min Scan# 924

Delta R.T. 0.00 min

Lab File: BF110511.D

Acq: 6 Nov 2018 13:24



Tgt Ion: 82 Resp: 497661

Ion Ratio Lower Upper

82 100

128 46.1 34.2 51.2


54 50.7 38.6 58.0



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BF1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 10.00 min Scan# 1345

Delta R.T. 0.00 min

Lab File: BF110511.D

Acq: 6 Nov 2018 13:24

Instrument :

BNA_F

ClientSampleId :

SP-A


Tot Ion:164 Resp: 174979

Ion Ratio Lower Upper

164 100

162 102.5 83.0 124.6



160 46.4 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 87.525 ng

RT: 10.79 min Scan# 1479

Delta R.T. -0.01 min

Lab File: BF110511.D

Acq: 6 Nov 2018 13:24


Tgt Ion:330 Resp: 151705

Ion Ratio Lower Upper

330 100

332 95.1 77.1 115.7



141 37.7 27.0 40.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 78.059 ng
 RT: 9.31 min Scan# 1228
 Delta R.T. -0.01 min
 Lab File: BF110511.D
 Acq: 6 Nov 2018 13:24




Instrument :
 BNA_F
 ClientSampleId :
 SP-A

Tot Ion:172 Resp: 869834
 Ion Ratio Lower Upper
 172 100
 171 35.0 28.6 43.0
 170 23.2 19.7 29.5



#50
 Dimethylphthalate
 Concen: 8.149 ng
 RT: 9.70 min Scan# 1295
 Delta R.T. -0.01 min
 Lab File: BF110511.D
 Acq: 6 Nov 2018 13:24

Tgt Ion:163 Resp: 105252
 Ion Ratio Lower Upper
 163 100
 194 3.5 3.2 4.8
 164 10.0 8.1 12.1









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.49 min Scan# 1598
Delta R.T. -0.01 min
Lab File: BF110511.D
Acq: 6 Nov 2018 13:24




Instrument :
BNA_F
ClientSampleId :
SP-A

Tot Ion:188 Resp: 276351
Ion Ratio Lower Upper
188 100
94 9.5 7.2 10.8
80 9.9 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.13 min Scan# 2048
Delta R.T. -0.01 min
Lab File: BF110511.D
Acq: 6 Nov 2018 13:24

Tgt Ion:240 Resp: 178986
Ion Ratio Lower Upper
240 100
120 11.7 8.3 12.5
236 24.7 21.2 31.8





#79

Terphenyl-d14

Concen: 69.802 ng

RT: 13.07 min Scan# 1867

Delta R.T. -0.01 min

Lab File: BF110511.D

Acq: 6 Nov 2018 13:24

Instrument :

BNA_F

ClientSampleId :

SP-A





Tot Ion:244 Resp: 600740

Ion Ratio Lower Upper

244 100

212 6.9 5.8 8.8

122 11.3 8.7 13.1



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.66 min Scan# 2308

Delta R.T. 0.01 min

Lab File: BF110511.D

Acq: 6 Nov 2018 13:24

Tgt Ion:264 Resp: 149850

Ion Ratio Lower Upper

264 100

260 22.6 18.7 28.1

265 20.8 16.7 25.1

