

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110618\
 Data File : BF110548.D
 Acq On : 7 Nov 2018 7:33
 Operator : JU/SJ
 Sample : J5808-04
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 110118-DBRI-E-D-B

Quant Time: Nov 07 13:56:01 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 01 16:06:12 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.96	152	81296	20.00	ng	0.00
21) Naphthalene-d8	8.24	136	286689	20.00	ng	0.00
39) Acenaphthene-d10	10.00	164	110156	20.00	ng	0.00
64) Phenanthrene-d10	11.49	188	196621	20.00	ng	0.00
76) Chrysene-d12	14.14	240	131353	20.00	ng	0.00
87) Perylene-d12	15.67	264	93363	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	192325	38.52	ng	0.00
7) Phenol-d6	6.57	99	148528	23.26	ng	0.00
23) Nitrobenzene-d5	7.52	82	459719	95.11	ng	0.00
42) 2,4,6-Tribromophenol	10.79	330	81408	74.61	ng	0.00
45) 2-Fluorobiphenyl	9.31	172	782341	111.52	ng	0.00
79) Terphenyl-d14	13.07	244	674455	106.79	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110618\
Data File : BF110548.D
Acq On : 7 Nov 2018 7:33
Operator : JU/SJ
Sample : J5808-04
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
110118-DBRI-E-D-B

Quant Time: Nov 07 13:56:01 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF102318.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 01 16:06:12 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.96 min Scan# 828
Delta R.T. 0.00 min
Lab File: BF110548.D
Acq: 7 Nov 2018 7:33

Instrument :
BNA_F
ClientSampleId :
110118-DBRI-E-D-B

Tot Ion:152 Resp: 81296
Ion Ratio Lower Upper
152 100
150 158.9 122.7 184.1
115 62.1 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 38.525 ng
RT: 5.57 min Scan# 593
Delta R.T. 0.00 min
Lab File: BF110548.D
Acq: 7 Nov 2018 7:33

Tgt Ion:112 Resp: 192325
Ion Ratio Lower Upper
112 100
64 60.7 44.1 66.1
63 32.2 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 23.260 ng

RT: 6.57 min Scan# 763

Delta R.T. -0.01 min

Lab File: BF110548.D

Acq: 7 Nov 2018 7:33

Instrument :

BNA_F

ClientSampleId :

110118-DBRI-E-D-B


Tot Ion: 99 Resp: 148528

Ion Ratio Lower Upper




99 100

42 18.8 15.8 23.6

71 33.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.24 min Scan# 1046

Delta R.T. 0.00 min

Lab File: BF110548.D

Acq: 7 Nov 2018 7:33

Tgt Ion: 136 Resp: 286689


Ion Ratio Lower Upper

136 100



137 10.7 8.8 13.2


54 8.0 5.4 8.2

68 4.8 4.2 6.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
Nitrobenzene-d5
Concen: 95.111 ng
RT: 7.52 min Scan# 924
Delta R.T. 0.00 min
Lab File: BF110548.D
Acq: 7 Nov 2018 7:33

Instrument :
BNA_F
ClientSampleId :
110118-DBRI-E-D-B

Tot Ion: 82 Resp: 459719
Ion Ratio Lower Upper
82 100
128 45.5 34.2 51.2
54 51.4 38.6 58.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1






#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.00 min Scan# 1345
Delta R.T. 0.00 min
Lab File: BF110548.D
Acq: 7 Nov 2018 7:33

Tgt Ion:164 Resp: 110156
Ion Ratio Lower Upper
164 100
162 103.1 83.0 124.6
160 45.4 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#42
 2,4,6-Tribromophenol
 Concen: 74.606 ng
 RT: 10.79 min Scan# 1480
 Delta R.T. 0.00 min
 Lab File: BF110548.D
 Acq: 7 Nov 2018 7:33

Instrument :
 BNA_F
 ClientSampleId :
 110118-DBRI-E-D-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	99.6	77.1	115.7
141	38.3	27.0	40.4






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 111.522 ng
 RT: 9.31 min Scan# 1228
 Delta R.T. -0.01 min
 Lab File: BF110548.D
 Acq: 7 Nov 2018 7:33

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.6	28.6	43.0
170	23.1	19.7	29.5






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.49 min Scan# 1599
Delta R.T. 0.00 min
Lab File: BF110548.D
Acq: 7 Nov 2018 7:33




Instrument :
BNA_F
ClientSampleId :
110118-DBRI-E-D-B

Tot Ion:188 Resp: 196621
Ion Ratio Lower Upper
188 100
94 8.6 7.2 10.8
80 9.4 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.14 min Scan# 2049
Delta R.T. 0.00 min
Lab File: BF110548.D
Acq: 7 Nov 2018 7:33

Tgt Ion:240 Resp: 131353
Ion Ratio Lower Upper
240 100
120 11.8 8.3 12.5
236 24.5 21.2 31.8





#79

Terphenyl-d14

Concen: 106.786 ng

RT: 13.07 min Scan# 1868

Delta R.T. 0.00 min

Lab File: BF110548.D

Acq: 7 Nov 2018 7:33

Instrument :

BNA_F

ClientSampleId :

110118-DBRI-E-D-B


Tot Ion:244 Resp: 674455

Ion Ratio Lower Upper

244 100

212 6.6 5.8 8.8




122 10.8 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.67 min Scan# 2309

Delta R.T. 0.01 min

Lab File: BF110548.D

Acq: 7 Nov 2018 7:33


Tgt Ion:264 Resp: 93363

Ion Ratio Lower Upper

264 100

260 24.1 18.7 28.1

265 21.0 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

