

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110818\
 Data File : BF110585.D
 Acq On : 8 Nov 2018 15:30
 Operator : JU/SJ
 Sample : J5839-04
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-4

Quant Time: Nov 09 11:47:06 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 08 14:14:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	66286	20.00	ng	0.00
21) Naphthalene-d8	8.23	136	267710	20.00	ng	0.00
39) Acenaphthene-d10	9.99	164	128780	20.00	ng	0.00
64) Phenanthrene-d10	11.48	188	248109	20.00	ng	0.00
76) Chrysene-d12	14.13	240	182523	20.00	ng	-0.01
87) Perylene-d12	15.66	264	134489	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	410721	100.65	ng	0.01
7) Phenol-d6	6.57	99	469869	90.04	ng	0.00
23) Nitrobenzene-d5	7.51	82	357176	76.84	ng	0.00
42) 2,4,6-Tribromophenol	10.78	330	152490	117.52	ng	0.00
45) 2-Fluorobiphenyl	9.30	172	662686	73.49	ng	0.00
79) Terphenyl-d14	13.07	244	730135	74.91	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110818\
Data File : BF110585.D
Acq On : 8 Nov 2018 15:30
Operator : JU/SJ
Sample : J5839-04
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-4

Quant Time: Nov 09 11:47:06 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 08 14:14:47 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 826
Delta R.T. 0.00 min
Lab File: BF110585.D
Acq: 8 Nov 2018 15:30

Instrument :
BNA_F
ClientSampleId :
SB-4

Tot Ion:152 Resp: 66286
Ion Ratio Lower Upper
152 100
150 158.5 122.7 184.1
115 61.1 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 100.646 ng
RT: 5.57 min Scan# 593
Delta R.T. 0.01 min
Lab File: BF110585.D
Acq: 8 Nov 2018 15:30

Tgt Ion:112 Resp: 410721
Ion Ratio Lower Upper
112 100
64 59.1 44.1 66.1
63 31.3 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 90.040 ng

RT: 6.57 min Scan# 762

Delta R.T. -0.01 min

Lab File: BF110585.D

Acq: 8 Nov 2018 15:30

Instrument :

BNA_F

ClientSampleId :

SB-4


Tot Ion: 99 Resp: 469869

Ion Ratio Lower Upper




99 100

42 19.9 15.8 23.6

71 35.3 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.23 min Scan# 1044

Delta R.T. 0.00 min

Lab File: BF110585.D

Acq: 8 Nov 2018 15:30

Tgt Ion: 136 Resp: 267710


Ion Ratio Lower Upper

136 100



137 10.5 8.8 13.2


54 7.7 5.4 8.2

68 4.9 4.2 6.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 76.835 ng
 RT: 7.51 min Scan# 922
 Delta R.T. -0.01 min
 Lab File: BF110585.D
 Acq: 8 Nov 2018 15:30

Instrument :
 BNA_F
 ClientSampleId :
 SB-4

Tot Ion: 82 Resp: 357176
 Ion Ratio Lower Upper
 82 100
 128 45.8 34.2 51.2
 54 52.1 38.6 58.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.99 min Scan# 1343
 Delta R.T. -0.01 min
 Lab File: BF110585.D
 Acq: 8 Nov 2018 15:30

Tgt Ion: 164 Resp: 128780
 Ion Ratio Lower Upper
 164 100
 162 104.0 83.0 124.6
 160 46.4 37.0 55.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 117.515 ng
 RT: 10.78 min Scan# 1478
 Delta R.T. -0.01 min
 Lab File: BF110585.D
 Acq: 8 Nov 2018 15:30

Instrument :
 BNA_F
 ClientSampled :
 SB-4

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.7	77.1	115.7
141	38.9	27.0	40.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 73.492 ng
 RT: 9.30 min Scan# 1226
 Delta R.T. -0.01 min
 Lab File: BF110585.D
 Acq: 8 Nov 2018 15:30

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.4	28.6	43.0
170	23.6	19.7	29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.48 min Scan# 1597
Delta R.T. -0.01 min
Lab File: BF110585.D
Acq: 8 Nov 2018 15:30

Instrument :
BNA_F
ClientSampleId :
SB-4

Tot Ion	Ratio	Lower	Upper
188	100		
94	8.4	7.2	10.8
80	9.0	7.9	11.9




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.13 min Scan# 2047
Delta R.T. -0.01 min
Lab File: BF110585.D
Acq: 8 Nov 2018 15:30

Tgt Ion	Ratio	Lower	Upper
240	100		
120	11.8	8.3	12.5
236	24.9	21.2	31.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 74.915 ng

RT: 13.07 min Scan# 1867

Delta R.T. 0.00 min

Lab File: BF110585.D

Acq: 8 Nov 2018 15:30

Instrument :

BNA_F

ClientSampled :

SB-4


Tot Ion:244 Resp: 730135

Ion Ratio Lower Upper

244 100

212 6.9 5.8 8.8




122 10.2 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.66 min Scan# 2307

Delta R.T. 0.00 min

Lab File: BF110585.D

Acq: 8 Nov 2018 15:30


Tgt Ion:264 Resp: 134489

Ion Ratio Lower Upper

264 100

260 23.7 18.7 28.1

265 20.7 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

