

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110818\
 Data File : BF110586.D
 Acq On : 8 Nov 2018 15:57
 Operator : JU/SJ
 Sample : J5839-08
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-6

Quant Time: Nov 09 12:16:34 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 08 14:14:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	72572	20.00	ng	0.00
21) Naphthalene-d8	8.23	136	293820	20.00	ng	0.00
39) Acenaphthene-d10	9.99	164	139326	20.00	ng	0.00
64) Phenanthrene-d10	11.48	188	275438	20.00	ng	0.00
76) Chrysene-d12	14.13	240	192393	20.00	ng	-0.01
87) Perylene-d12	15.66	264	140397	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	453256	101.45	ng	0.01
7) Phenol-d6	6.57	99	512312	89.67	ng	0.00
23) Nitrobenzene-d5	7.51	82	408422	80.05	ng	0.00
42) 2,4,6-Tribromophenol	10.78	330	177533	126.46	ng	0.00
45) 2-Fluorobiphenyl	9.30	172	764260	78.34	ng	0.00
79) Terphenyl-d14	13.07	244	824959	80.30	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110818\
Data File : BF110586.D
Acq On : 8 Nov 2018 15:57
Operator : JU/SJ
Sample : J5839-08
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-6

Quant Time: Nov 09 12:16:34 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 08 14:14:47 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 826
Delta R.T. -0.00 min
Lab File: BF110586.D
Acq: 8 Nov 2018 15:57

Instrument :
BNA_F
ClientSampleId :
SB-6

Tot Ion:152 Resp: 72572
Ion Ratio Lower Upper
152 100
150 152.6 122.7 184.1
115 61.4 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 101.448 ng
RT: 5.57 min Scan# 593
Delta R.T. 0.01 min
Lab File: BF110586.D
Acq: 8 Nov 2018 15:57

Tgt Ion:112 Resp: 453256
Ion Ratio Lower Upper
112 100
64 62.0 44.1 66.1
63 32.7 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 89.670 ng

RT: 6.57 min Scan# 762

Delta R.T. -0.01 min

Lab File: BF110586.D

Acq: 8 Nov 2018 15:57

Instrument :

BNA_F

ClientSampleId :

SB-6


Tot Ion: 99 Resp: 512312

Ion Ratio Lower Upper




99 100

42 19.8 15.8 23.6

71 35.5 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.23 min Scan# 1044

Delta R.T. -0.00 min

Lab File: BF110586.D

Acq: 8 Nov 2018 15:57

Tgt Ion: 136 Resp: 293820


Ion Ratio Lower Upper

136 100



137 10.5 8.8 13.2

54 7.7 5.4 8.2

68 5.1 4.2 6.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 80.052 ng
 RT: 7.51 min Scan# 922
 Delta R.T. -0.01 min
 Lab File: BF110586.D
 Acq: 8 Nov 2018 15:57

Instrument :
 BNA_F
 ClientSampled :
 SB-6

Tot Ion	82	Resp	408422
Ion Ratio	Lower	Upper	
82	100		
128	45.1	34.2	51.2
54	53.4	38.6	58.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.99 min Scan# 1343
 Delta R.T. -0.01 min
 Lab File: BF110586.D
 Acq: 8 Nov 2018 15:57

Tgt Ion	164	Resp	139326
Ion Ratio	Lower	Upper	
164	100		
162	105.3	83.0	124.6
160	48.2	37.0	55.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 126.459 ng
 RT: 10.78 min Scan# 1478
 Delta R.T. -0.01 min
 Lab File: BF110586.D
 Acq: 8 Nov 2018 15:57

Instrument :
 BNA_F
 ClientSampled :
 SB-6

Tot Ion:330 Resp: 177533
 Ion Ratio Lower Upper
 330 100
 332 94.9 77.1 115.7
 141 36.8 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 78.342 ng
 RT: 9.30 min Scan# 1226
 Delta R.T. -0.01 min
 Lab File: BF110586.D
 Acq: 8 Nov 2018 15:57

Tgt Ion:172 Resp: 764260
 Ion Ratio Lower Upper
 172 100
 171 35.8 28.6 43.0
 170 23.6 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.48 min Scan# 1597
Delta R.T. -0.01 min
Lab File: BF110586.D
Acq: 8 Nov 2018 15:57




Instrument :
BNA_F
ClientSampleId :
SB-6


Tot Ion:188 Resp: 275438
Ion Ratio Lower Upper
188 100
94 8.5 7.2 10.8
80 9.2 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.13 min Scan# 2047
Delta R.T. -0.01 min
Lab File: BF110586.D
Acq: 8 Nov 2018 15:57

Tgt Ion:240 Resp: 192393
Ion Ratio Lower Upper
240 100
120 11.4 8.3 12.5
236 25.5 21.2 31.8





#79

Terphenyl-d14

Concen: 80.302 ng

RT: 13.07 min Scan# 1867

Delta R.T. -0.00 min

Lab File: BF110586.D

Acq: 8 Nov 2018 15:57

Instrument :

BNA_F

ClientSampleId :

SB-6





Tot Ion:244 Resp: 824959

Ion Ratio Lower Upper

244 100

212 6.8 5.8 8.8

122 10.6 8.7 13.1



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.66 min Scan# 2307

Delta R.T. -0.00 min

Lab File: BF110586.D

Acq: 8 Nov 2018 15:57

Tgt Ion:264 Resp: 140397

Ion Ratio Lower Upper

264 100

260 23.2 18.7 28.1

265 20.2 16.7 25.1

