

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110818\
 Data File : BF110587.D
 Acq On : 8 Nov 2018 16:24
 Operator : JU/SJ
 Sample : J5839-12
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-7-S

Quant Time: Nov 09 12:18:02 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 08 14:14:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	67962	20.00	ng	0.00
21) Naphthalene-d8	8.23	136	276261	20.00	ng	0.00
39) Acenaphthene-d10	9.99	164	134251	20.00	ng	0.00
64) Phenanthrene-d10	11.48	188	259631	20.00	ng	0.00
76) Chrysene-d12	14.13	240	186278	20.00	ng	-0.01
87) Perylene-d12	15.65	264	132996	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.57	112	453082	108.29	ng	0.01
7) Phenol-d6	6.57	99	519131	97.03	ng	0.00
23) Nitrobenzene-d5	7.51	82	397979	82.96	ng	0.00
42) 2,4,6-Tribromophenol	10.78	330	169310	125.16	ng	0.00
45) 2-Fluorobiphenyl	9.30	172	739929	78.71	ng	0.00
79) Terphenyl-d14	13.06	244	798661	80.29	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110818\
Data File : BF110587.D
Acq On : 8 Nov 2018 16:24
Operator : JU/SJ
Sample : J5839-12
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-7-S

Quant Time: Nov 09 12:18:02 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 08 14:14:47 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.95 min Scan# 826
Delta R.T. 0.00 min
Lab File: BF110587.D
Acq: 8 Nov 2018 16:24

Instrument :
BNA_F
ClientSampleId :
SB-7-S

Tot Ion:152 Resp: 67962
Ion Ratio Lower Upper
152 100
150 155.7 122.7 184.1
115 61.1 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
Concen: 108.288 ng
RT: 5.57 min Scan# 593
Delta R.T. 0.01 min
Lab File: BF110587.D
Acq: 8 Nov 2018 16:24

Tgt Ion:112 Resp: 453082
Ion Ratio Lower Upper
112 100
64 60.6 44.1 66.1
63 32.5 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 97.027 ng

RT: 6.57 min Scan# 762

Delta R.T. -0.01 min

Lab File: BF110587.D

Acq: 8 Nov 2018 16:24

Instrument :

BNA_F

ClientSampleId :

SB-7-S


Tot Ion: 99 Resp: 519131

Ion Ratio Lower Upper




99 100

42 19.8 15.8 23.6

71 35.5 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.23 min Scan# 1044

Delta R.T. 0.00 min

Lab File: BF110587.D

Acq: 8 Nov 2018 16:24

Tgt Ion: 136 Resp: 276261


Ion Ratio Lower Upper

136 100



137 10.7 8.8 13.2

54 7.4 5.4 8.2

68 4.7 4.2 6.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 82.963 ng
 RT: 7.51 min Scan# 922
 Delta R.T. -0.01 min
 Lab File: BF110587.D
 Acq: 8 Nov 2018 16:24

Instrument :
 BNA_F
 ClientSampled :
 SB-7-S

Tot Ion	82	Resp	397979
Ion Ratio	Lower	Upper	
82	100		
128	44.4	34.2	51.2
54	52.1	38.6	58.0




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): E
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.99 min Scan# 1343
 Delta R.T. -0.01 min
 Lab File: BF110587.D
 Acq: 8 Nov 2018 16:24

Tgt Ion	164	Resp	134251
Ion Ratio	Lower	Upper	
164	100		
162	101.5	83.0	124.6
160	46.9	37.0	55.6



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 125.160 ng
 RT: 10.78 min Scan# 1478
 Delta R.T. -0.01 min
 Lab File: BF110587.D
 Acq: 8 Nov 2018 16:24

Instrument :
 BNA_F
 ClientSampleId :
 SB-7-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.5	77.1	115.7
141	37.5	27.0	40.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 78.715 ng
 RT: 9.30 min Scan# 1226
 Delta R.T. -0.01 min
 Lab File: BF110587.D
 Acq: 8 Nov 2018 16:24

Tgt Ion	Ratio	Lower	Upper
172	100		
171	36.3	28.6	43.0
170	23.4	19.7	29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.48 min Scan# 1597

Delta R.T. -0.01 min

Lab File: BF110587.D

Acq: 8 Nov 2018 16:24

Instrument :

BNA_F

ClientSampleId :

SB-7-S


Tot Ion:188 Resp: 259631

Ion Ratio Lower Upper

188 100

94 8.1 7.2 10.8




80 8.3 7.9 11.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.13 min Scan# 2047

Delta R.T. -0.01 min

Lab File: BF110587.D

Acq: 8 Nov 2018 16:24


Tgt Ion:240 Resp: 186278

Ion Ratio Lower Upper

240 100

120 10.9 8.3 12.5



236 26.0 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 80.294 ng
 RT: 13.06 min Scan# 1866
 Delta R.T. -0.01 min
 Lab File: BF110587.D
 Acq: 8 Nov 2018 16:24

Instrument :
 BNA_F
 ClientSampleId :
 SB-7-S

Tot Ion:244 Resp: 798661
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.8 8.8
 122 13.5 8.7 13.1#



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.65 min Scan# 2306
 Delta R.T. -0.01 min
 Lab File: BF110587.D
 Acq: 8 Nov 2018 16:24

Tgt Ion:264 Resp: 132996
 Ion Ratio Lower Upper
 264 100
 260 22.6 18.7 28.1
 265 21.0 16.7 25.1

