

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110918\
 Data File : BF110633.D
 Acq On : 9 Nov 2018 17:58
 Operator : JU/SJ
 Sample : J5269-01
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-12-GW

Quant Time: Nov 11 03:35:53 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 09 15:13:13 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.95	152	100614	20.00	ng	0.00
21) Naphthalene-d8	8.23	136	410583	20.00	ng	0.00
39) Acenaphthene-d10	9.99	164	198867	20.00	ng	0.00
64) Phenanthrene-d10	11.48	188	383644	20.00	ng	0.00
76) Chrysene-d12	14.13	240	275464	20.00	ng	-0.01
87) Perylene-d12	15.66	264	176457	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	330331	53.33	ng	0.00
7) Phenol-d6	6.56	99	262876	33.19	ng	-0.01
23) Nitrobenzene-d5	7.51	82	558778	78.38	ng	0.00
42) 2,4,6-Tribromophenol	10.78	330	192044	95.84	ng	0.00
45) 2-Fluorobiphenyl	9.30	172	964028	69.23	ng	0.00
79) Terphenyl-d14	13.07	244	1058310	71.95	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF110918\
Data File : BF110633.D
Acq On : 9 Nov 2018 17:58
Operator : JU/SJ
Sample : J5269-01
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-12-GW

Quant Time: Nov 11 03:35:53 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 09 15:13:13 2018
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.95 min Scan# 826
 Delta R.T. 0.00 min
 Lab File: BF110633.D
 Acq: 9 Nov 2018 17:58

Instrument :
 BNA_F
 ClientSampleId :
 SB-12-GW

Tot Ion:152 Resp: 100614
 Ion Ratio Lower Upper
 152 100
 150 154.4 122.7 184.1
 115 61.9 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5

2-Fluorophenol
 Concen: 53.329 ng
 RT: 5.56 min Scan# 591
 Delta R.T. 0.00 min
 Lab File: BF110633.D
 Acq: 9 Nov 2018 17:58

Tgt Ion:112 Resp: 330331
 Ion Ratio Lower Upper
 112 100
 64 62.3 44.1 66.1
 63 33.4 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 33.187 ng

RT: 6.56 min Scan# 761

Delta R.T. -0.01 min

Lab File: BF110633.D

Acq: 9 Nov 2018 17:58

Instrument :

BNA_F

ClientSampleId :

SB-12-GW


Tot Ion: 99 Resp: 262876

Ion Ratio Lower Upper




99 100

42 19.9 15.8 23.6

71 34.8 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.23 min Scan# 1044

Delta R.T. 0.00 min

Lab File: BF110633.D

Acq: 9 Nov 2018 17:58

Tgt Ion: 136 Resp: 410583


Ion Ratio Lower Upper

136 100



137 10.9 8.8 13.2

54 7.4 5.4 8.2

68 4.5 4.2 6.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 78.376 ng
 RT: 7.51 min Scan# 922
 Delta R.T. -0.01 min
 Lab File: BF110633.D
 Acq: 9 Nov 2018 17:58




Instrument :
 BNA_F
 ClientSampleId :
 SB-12-GW


Tot Ion	82	Resp	558778
Ion Ratio	Lower	Upper	
82	100		
128	43.9	34.2	51.2
54	52.8	38.6	58.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.99 min Scan# 1343
 Delta R.T. -0.01 min
 Lab File: BF110633.D
 Acq: 9 Nov 2018 17:58

Tgt Ion	164	Resp	198867
Ion Ratio	Lower	Upper	
164	100		
162	105.3	83.0	124.6
160	47.5	37.0	55.6









#42
 2,4,6-Tribromophenol
 Concen: 95.838 ng
 RT: 10.78 min Scan# 1478
 Delta R.T. -0.01 min
 Lab File: BF110633.D
 Acq: 9 Nov 2018 17:58

Instrument :
 BNA_F
 ClientSampleId :
 SB-12-GW

Tot Ion:330 Resp: 192044
 Ion Ratio Lower Upper
 330 100
 332 95.4 77.1 115.7
 141 37.2 27.0 40.4




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 69.233 ng
 RT: 9.30 min Scan# 1226
 Delta R.T. -0.01 min
 Lab File: BF110633.D
 Acq: 9 Nov 2018 17:58

Tgt Ion:172 Resp: 964028
 Ion Ratio Lower Upper
 172 100
 171 36.1 28.6 43.0
 170 23.8 19.7 29.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.48 min Scan# 1597
Delta R.T. -0.01 min
Lab File: BF110633.D
Acq: 9 Nov 2018 17:58

Instrument :
BNA_F
ClientSampleId :
SB-12-GW

Tot Ion	Ratio	Lower	Upper
188	100		
94	9.0	7.2	10.8
80	9.6	7.9	11.9




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.13 min Scan# 2047
Delta R.T. -0.01 min
Lab File: BF110633.D
Acq: 9 Nov 2018 17:58

Tgt Ion	Ratio	Lower	Upper
240	100		
120	12.4	8.3	12.5
236	25.5	21.2	31.8



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 71.950 ng

RT: 13.07 min Scan# 1867

Delta R.T. 0.00 min

Lab File: BF110633.D

Acq: 9 Nov 2018 17:58

Instrument :

BNA_F

ClientSampleId :

SB-12-GW


Tot Ion:244 Resp: 1058310

Ion Ratio Lower Upper

244 100

212 6.8 5.8 8.8




122 12.2 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.66 min Scan# 2307

Delta R.T. 0.00 min

Lab File: BF110633.D

Acq: 9 Nov 2018 17:58


Tgt Ion:264 Resp: 176457

Ion Ratio Lower Upper

264 100

260 22.8 18.7 28.1

265 19.5 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

