

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF111519\
 Data File : BF117813.D
 Acq On : 15 Nov 2019 19:57
 Operator : JU
 Sample : K5861-15
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EP-12

Quant Time: Nov 18 03:14:17 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF111319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 13 18:36:07 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.92	152	221642	20.00	ng	0.00
21) Naphthalene-d8	8.20	136	851923	20.00	ng	-0.01
39) Acenaphthene-d10	9.97	164	435699	20.00	ng	0.00
64) Phenanthrene-d10	11.46	188	813789	20.00	ng	-0.01
76) Chrysene-d12	14.10	240	578153	20.00	ng	-0.01
87) Perylene-d12	15.62	264	590286	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.53	112	1502168	119.97	ng	0.00
7) Phenol-d6	6.54	99	1911235	126.55	ng	0.00
23) Nitrobenzene-d5	7.48	82	1147485	80.07	ng	-0.01
42) 2,4,6-Tribromophenol	10.76	330	565912	122.69	ng	-0.01
45) 2-Fluorobiphenyl	9.29	172	2103799	86.63	ng	0.00
79) Terphenyl-d14	13.05	244	2361844	74.66	ng	0.00
Target Compounds						
10) Phenol	6.55	94	95769	6.102	ng	93
50) Dimethylphthalate	9.67	163	322461	10.554	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF111519\
Data File : BF117813.D
Acq On : 15 Nov 2019 19:57
Operator : JU
Sample : K5861-15
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EP-12

Quant Time: Nov 18 03:14:17 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF111319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 13 18:36:07 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.92 min Scan# 822
 Delta R.T. -0.01 min
 Lab File: BF117813.D
 Acq: 15 Nov 2019 19:57

Instrument :
 BNA_F
 ClientSampleId :
 EP-12

Tot Ion:152 Resp: 221642
 Ion Ratio Lower Upper
 152 100
 150 155.8 125.3 187.9
 115 59.1 47.0 70.4




Abundance Ion 152.00 (151.70 to 152.70): E
 Ion 150.00 (149.70 to 150.70): E
 Ion 115.00 (114.70 to 115.70): E





#5




2-Fluorophenol
 Concen: 119.968 ng
 RT: 5.53 min Scan# 586
 Delta R.T. -0.00 min
 Lab File: BF117813.D
 Acq: 15 Nov 2019 19:57

Tgt Ion:112 Resp: 1502168
 Ion Ratio Lower Upper
 112 100
 64 56.0 45.6 68.4
 63 30.0 24.1 36.1



Abundance Ion 112.00 (111.70 to 112.70): E
 Ion 64.00 (63.70 to 64.70): BF1
 Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 126.548 ng

RT: 6.54 min Scan# 757

Delta R.T. -0.01 min

Lab File: BF117813.D

Acq: 15 Nov 2019 19:57

Instrument :

BNA_F

ClientSampleId :

EP-12





Tot Ion: 99 Resp: 1911235

Ion Ratio Lower Upper

99 100

42 19.1 14.9 22.3

71 36.6 28.6 43.0



#10

Phenol

Concen: 6.102 ng

RT: 6.55 min Scan# 759

Delta R.T. -0.01 min

Lab File: BF117813.D

Acq: 15 Nov 2019 19:57


Tgt Ion: 94 Resp: 95769


Ion Ratio Lower Upper

94 100

65 25.6 8.9 48.9

66 34.6 18.7 58.7









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.20 min Scan# 1040
Delta R.T. -0.01 min
Lab File: BF117813.D
Acq: 15 Nov 2019 19:57

Instrument :
BNA_F
ClientSampleId :
EP-12

Tot Ion:136 Resp: 851923
Ion Ratio Lower Upper
136 100
137 11.2 9.0 13.4
54 7.5 5.4 8.2
68 5.4 4.3 6.5




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1






#23
Nitrobenzene-d5
Concen: 80.070 ng
RT: 7.48 min Scan# 917
Delta R.T. -0.01 min
Lab File: BF117813.D
Acq: 15 Nov 2019 19:57

Tgt Ion: 82 Resp: 1147485
Ion Ratio Lower Upper
82 100
128 50.4 38.9 58.3
54 50.9 39.8 59.6



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BF1









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.97 min Scan# 1340
Delta R.T. -0.01 min
Lab File: BF117813.D
Acq: 15 Nov 2019 19:57

Instrument :
BNA_F
ClientSampleId :
EP-12

Tot Ion:164 Resp: 435699
Ion Ratio Lower Upper
164 100
162 102.5 81.3 121.9
160 45.6 36.6 55.0




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#42
2,4,6-Tribromophenol
Concen: 122.686 ng
RT: 10.76 min Scan# 1474
Delta R.T. -0.01 min
Lab File: BF117813.D
Acq: 15 Nov 2019 19:57

Tgt Ion:330 Resp: 565912
Ion Ratio Lower Upper
330 100
332 95.6 76.7 115.1
141 33.7 27.7 41.5



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 86.626 ng
RT: 9.29 min Scan# 1224
Delta R.T. -0.01 min
Lab File: BF117813.D
Acq: 15 Nov 2019 19:57

Instrument :
BNA_F
ClientSampleId :
EP-12

Tot Ion:172 Resp: 2103799
Ion Ratio Lower Upper
172 100
171 37.1 30.9 46.3
170 25.1 21.0 31.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 10.554 ng
RT: 9.67 min Scan# 1290
Delta R.T. -0.02 min
Lab File: BF117813.D
Acq: 15 Nov 2019 19:57

Tgt Ion:163 Resp: 322461
Ion Ratio Lower Upper
163 100
194 3.7 3.3 4.9
164 9.9 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.46 min Scan# 1593

Delta R.T. -0.01 min

Lab File: BF117813.D

Acq: 15 Nov 2019 19:57

Instrument :

BNA_F

ClientSampleId :

EP-12


Tot Ion:188 Resp: 813789

Ion Ratio Lower Upper

188 100

94 9.9 6.6 10.0




80 10.8 7.2 10.8#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.10 min Scan# 2043

Delta R.T. -0.01 min

Lab File: BF117813.D

Acq: 15 Nov 2019 19:57


Tgt Ion:240 Resp: 578153

Ion Ratio Lower Upper

240 100

120 12.3 9.5 14.3



236 26.4 21.3 31.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 74.661 ng

RT: 13.05 min Scan# 1864

Delta R.T. -0.01 min

Lab File: BF117813.D

Acq: 15 Nov 2019 19:57

Instrument :

BNA_F

ClientSampleId :

EP-12


Tot Ion:244 Resp: 2361844

Ion Ratio Lower Upper

244 100

212 7.4 6.3 9.5




122 12.0 9.4 14.2



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.62 min Scan# 2300

Delta R.T. -0.01 min

Lab File: BF117813.D

Acq: 15 Nov 2019 19:57


Tgt Ion:264 Resp: 590286

Ion Ratio Lower Upper

264 100

260 23.9 19.4 29.0

265 20.9 17.1 25.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

