

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111524\
 Data File : BF140406.D
 Acq On : 15 Nov 2024 16:21
 Operator : RC/JU
 Sample : P4809-04
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-5

Quant Time: Nov 15 17:11:43 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111324.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 13 14:40:06 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	130831	20.000	ng	0.00
21) Naphthalene-d8	8.151	136	492550	20.000	ng	0.00
39) Acenaphthene-d10	9.910	164	266760	20.000	ng	0.00
64) Phenanthrene-d10	11.398	188	485244	20.000	ng	0.00
76) Chrysene-d12	14.051	240	267305	20.000	ng	0.00
86) Perylene-d12	15.551	264	269169	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	967975	126.324	ng	0.03
7) Phenol-d6	6.516	99	1250661	120.468	ng	0.01
23) Nitrobenzene-d5	7.434	82	847504	89.650	ng	0.00
42) 2,4,6-Tribromophenol	10.704	330	357857	134.902	ng	0.00
45) 2-Fluorobiphenyl	9.228	172	1466196	88.356	ng	0.00
79) Terphenyl-d14	12.986	244	1559853	101.292	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF111524\
Data File : BF140406.D
Acq On : 15 Nov 2024 16:21
Operator : RC/JU
Sample : P4809-04
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-5

Quant Time: Nov 15 17:11:43 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111324.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 13 14:40:06 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 813
Delta R.T. -0.006 min
Lab File: BF140406.D
Acq: 15 Nov 2024 16:21




Instrument :
BNA_F
ClientSampleId :
MH-5


Tgt Ion:152 Resp: 130831
Ion Ratio Lower Upper
152 100
150 156.4 127.4 191.0
115 61.7 47.4 71.2



#5
2-Fluorophenol
Concen: 126.324 ng
RT: 5.522 min Scan# 583
Delta R.T. 0.029 min
Lab File: BF140406.D
Acq: 15 Nov 2024 16:21

Tgt Ion:112 Resp: 967975
Ion Ratio Lower Upper
112 100
64 59.9 49.2 73.8
63 31.8 25.6 38.4









#7
Phenol-d6
Concen: 120.468 ng
RT: 6.516 min Scan# 71
Delta R.T. 0.012 min
Lab File: BF140406.D
Acq: 15 Nov 2024 16:21




Instrument :
BNA_F
ClientSampleId :
MH-5


Tgt Ion: 99 Resp: 1250661
Ion Ratio Lower Upper
99 100
42 18.7 15.1 22.7
71 35.7 27.9 41.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF140406.D
Acq: 15 Nov 2024 16:21

Tgt Ion: 136 Resp: 492550
Ion Ratio Lower Upper
136 100
137 11.1 8.7 13.1
54 7.6 6.5 9.7
68 6.0 5.0 7.6









#23
 Nitrobenzene-d5
 Concen: 89.650 ng
 RT: 7.434 min Scan# 909
 Delta R.T. -0.006 min
 Lab File: BF140406.D
 Acq: 15 Nov 2024 16:21




Instrument :
 BNA_F
 ClientSampleId :
 MH-5


Tgt Ion: 82 Resp: 847504
 Ion Ratio Lower Upper
 82 100
 128 42.4 33.3 49.9
 54 49.1 39.8 59.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.910 min Scan# 1329
 Delta R.T. -0.006 min
 Lab File: BF140406.D
 Acq: 15 Nov 2024 16:21

Tgt Ion:164 Resp: 266760
 Ion Ratio Lower Upper
 164 100
 162 98.7 79.8 119.8
 160 43.5 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 134.902 ng
RT: 10.704 min Scan# 1464
Delta R.T. -0.000 min
Lab File: BF140406.D
Acq: 15 Nov 2024 16:21




Instrument :
BNA_F
ClientSampleId :
MH-5


Tgt Ion: 330 Resp: 357857
Ion Ratio Lower Upper
330 100
332 95.9 75.9 113.9
141 32.9 26.9 40.3



#45
2-Fluorobiphenyl
Concen: 88.356 ng
RT: 9.228 min Scan# 1213
Delta R.T. -0.006 min
Lab File: BF140406.D
Acq: 15 Nov 2024 16:21

Tgt Ion: 172 Resp: 1466196
Ion Ratio Lower Upper
172 100
171 35.2 28.5 42.7
170 23.6 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.398 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF140406.D

Acq: 15 Nov 2024 16:21

Instrument :

BNA_F

ClientSampleId :

MH-5





Tgt Ion:188 Resp: 485244

Ion Ratio Lower Upper

188 100

94 9.3 7.6 11.4

80 9.9 8.0 12.0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.051 min Scan# 2033

Delta R.T. -0.000 min

Lab File: BF140406.D

Acq: 15 Nov 2024 16:21




Tgt Ion:240 Resp: 267305


Ion Ratio Lower Upper

240 100

120 9.9 8.8 13.2


236 25.8 20.9 31.3








#79
 Terphenyl-d14
 Concen: 101.292 ng
 RT: 12.986 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF140406.D
 Acq: 15 Nov 2024 16:21

Instrument :
 BNA_F
 ClientSampleId :
 MH-5



Tgt Ion:244 Resp: 1559853
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.8 8.8
 122 11.2 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.551 min Scan# 2288
 Delta R.T. -0.006 min
 Lab File: BF140406.D
 Acq: 15 Nov 2024 16:21

Tgt Ion:264 Resp: 269169
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.2 28.8
 265 21.0 17.1 25.7

