

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112024\
 Data File : BF140512.D
 Acq On : 20 Nov 2024 20:54
 Operator : RC/JU
 Sample : P4910-05
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-759

Quant Time: Nov 21 00:08:41 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111324.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 13 14:40:06 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	103145	20.000	ng	0.00
21) Naphthalene-d8	8.151	136	360315	20.000	ng	0.00
39) Acenaphthene-d10	9.904	164	157514	20.000	ng	-0.01
64) Phenanthrene-d10	11.398	188	257723	20.000	ng	0.00
76) Chrysene-d12	14.045	240	211715	20.000	ng	0.00
86) Perylene-d12	15.533	264	163614	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	431499	71.427	ng	0.01
7) Phenol-d6	6.510	99	561319	68.581	ng	0.00
23) Nitrobenzene-d5	7.434	82	338412	48.935	ng	0.00
42) 2,4,6-Tribromophenol	10.698	330	99324	63.411	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	565925	57.757	ng	-0.01
79) Terphenyl-d14	12.980	244	518978	42.550	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.434	70	49321	9.977	ng	# 77
25) Isophorone	7.434	82	332717	27.147	ng	# 67
63) Azobenzene	10.616	77	24394	2.352	ng	# 1
67) 4-Bromophenyl-phenylether	10.698	248	6191	2.403	ng	# 1
75) Fluoranthene	12.610	202	35201	2.592	ng	98
88) Benzo(b)fluoranthene	15.098	252	28648	2.677	ng	# 59
89) Benzo(k)fluoranthene	15.098	252	28359	3.243	ng	# 57


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112024\
Data File : BF140512.D
Acq On : 20 Nov 2024 20:54
Operator : RC/JU
Sample : P4910-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-759

Quant Time: Nov 21 00:08:41 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111324.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 13 14:40:06 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54




Instrument :
BNA_F
ClientSampleId :
MH-759


Tgt Ion:152 Resp: 103145
Ion Ratio Lower Upper
152 100
150 156.5 127.4 191.0
115 61.7 47.4 71.2



#5
2-Fluorophenol
Concen: 71.427 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.012 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54

Tgt Ion:112 Resp: 431499
Ion Ratio Lower Upper
112 100
64 59.3 49.2 73.8
63 30.7 25.6 38.4









#7
Phenol-d6
Concen: 68.581 ng
RT: 6.510 min Scan# 71
Delta R.T. 0.006 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54




Instrument :
BNA_F
ClientSampleId :
MH-759


Tgt Ion: 99 Resp: 561319
Ion Ratio Lower Upper
99 100
42 17.7 15.1 22.7
71 34.6 27.9 41.9



#19
n-Nitroso-di-n-propylamine
Concen: 9.977 ng
RT: 7.434 min Scan# 908
Delta R.T. 0.141 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54

Tgt Ion: 70 Resp: 49321
Ion Ratio Lower Upper
70 100
42 45.9 46.8 70.2#
101 0.0 7.5 11.3#
130 1.8 16.3 24.5#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54

Instrument :
BNA_F
ClientSampleId :
MH-759

Tgt Ion:136 Resp: 360315




Ion	Ratio	Lower	Upper
136	100		
137	10.8	8.7	13.1
54	7.8	6.5	9.7
68	6.3	5.0	7.6




#23
Nitrobenzene-d5
Concen: 48.935 ng
RT: 7.434 min Scan# 908
Delta R.T. -0.006 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54

Tgt Ion: 82 Resp: 338412

Ion	Ratio	Lower	Upper
82	100		
128	43.1	33.3	49.9
54	47.2	39.8	59.8









#25
Isophorone
Concen: 27.147 ng
RT: 7.434 min Scan# 90
Delta R.T. -0.265 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54




Instrument :
BNA_F
ClientSampleId :
MH-759


Tgt Ion: 82 Resp: 332717
Ion Ratio Lower Upper
82 100
95 0.3 5.9 8.9#
138 0.0 13.4 20.2#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.904 min Scan# 1328
Delta R.T. -0.012 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54

Tgt Ion:164 Resp: 157514
Ion Ratio Lower Upper
164 100
162 99.5 79.8 119.8
160 45.0 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 63.411 ng
RT: 10.698 min Scan# 1463
Delta R.T. -0.006 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54




Instrument :
BNA_F
ClientSampleId :
MH-759


Tgt Ion:330 Resp: 99324
Ion Ratio Lower Upper
330 100
332 97.1 75.9 113.9
141 34.8 26.9 40.3



#45
2-Fluorobiphenyl
Concen: 57.757 ng
RT: 9.222 min Scan# 1212
Delta R.T. -0.012 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54

Tgt Ion:172 Resp: 565925
Ion Ratio Lower Upper
172 100
171 35.3 28.5 42.7
170 23.5 19.1 28.7









#63
Azobenzene
Concen: 2.352 ng
RT: 10.616 min Scan# 1449
Delta R.T. -0.000 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54




Instrument :
BNA_F
ClientSampleId :
MH-759


Tgt Ion: 77	Resp: 24394
Ion Ratio	Lower Upper
77 100	
182 75.7	4.6 44.6#
105 145.0	0.9 40.9#
51 35.4	8.3 48.3



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.398 min Scan# 1582
Delta R.T. -0.006 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54

Tgt Ion: 188	Resp: 257723
Ion Ratio	Lower Upper
188 100	
94 8.9	7.6 11.4
80 10.0	8.0 12.0









#67
4-Bromophenyl-phenylether
Concen: 2.403 ng
RT: 10.698 min Scan# 1463
Delta R.T. -0.247 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54




Instrument :
BNA_F
ClientSampleId :
MH-759


Tgt Ion:248 Resp: 6191
Ion Ratio Lower Upper
248 100
250 209.3 77.9 116.9#
141 563.6 61.8 92.6#



#75
Fluoranthene
Concen: 2.592 ng
RT: 12.610 min Scan# 1788
Delta R.T. -0.006 min
Lab File: BF140512.D
Acq: 20 Nov 2024 20:54

Tgt Ion:202 Resp: 35201
Ion Ratio Lower Upper
202 100
101 10.1 0.0 30.7
203 18.7 0.0 37.7





#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.045 min Scan# 2032

Delta R.T. -0.006 min

Lab File: BF140512.D

Acq: 20 Nov 2024 20:54

Instrument :

BNA_F

ClientSampleId :

MH-759





Tgt Ion:240 Resp: 211715

Ion Ratio Lower Upper

240 100

120 10.1 8.8 13.2

236 26.0 20.9 31.3



#79

Terphenyl-d14

Concen: 42.550 ng

RT: 12.980 min Scan# 1851

Delta R.T. -0.006 min

Lab File: BF140512.D

Acq: 20 Nov 2024 20:54




Tgt Ion:244 Resp: 518978


Ion Ratio Lower Upper

244 100

212 7.1 5.8 8.8

122 10.9 8.8 13.2





#86

Perylene-d12

Concen: 20.000 ng

RT: 15.533 min Scan# 21

Delta R.T. -0.024 min

Lab File: BF140512.D

Acq: 20 Nov 2024 20:54

Instrument :

BNA_F

ClientSampleId :

MH-759





Tgt Ion:264 Resp: 163614

Ion Ratio Lower Upper

264 100

260 23.8 19.2 28.8

265 21.8 17.1 25.7



#88

Benzo(b)fluoranthene

Concen: 2.677 ng

RT: 15.098 min Scan# 2211

Delta R.T. -0.018 min

Lab File: BF140512.D

Acq: 20 Nov 2024 20:54




Tgt Ion:252 Resp: 28648


Ion Ratio Lower Upper

252 100

253 39.3 17.5 26.3#

125 29.3 8.0 12.0#





#89

Benzo(k)fluoranthene

Concen: 3.243 ng

RT: 15.098 min Scan# 21

Delta R.T. -0.053 min

Lab File: BF140512.D


Acq: 20 Nov 2024 20:54

Instrument :

BNA_F

ClientSampleId :

MH-759



Tgt Ion:252 Resp: 28359

Ion Ratio Lower Upper

252 100

253 39.3 17.3 25.9#

125 29.3 7.4 11.2#

