

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112024\
 Data File : BF140505.D
 Acq On : 20 Nov 2024 17:51
 Operator : RC/JU
 Sample : P4910-01
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-COTTAGE

Quant Time: Nov 21 00:06:59 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111324.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 13 14:40:06 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	102588	20.000	ng	0.00
21) Naphthalene-d8	8.151	136	380523	20.000	ng	0.00
39) Acenaphthene-d10	9.904	164	198317	20.000	ng	-0.01
64) Phenanthrene-d10	11.398	188	352738	20.000	ng	0.00
76) Chrysene-d12	14.045	240	211653	20.000	ng	0.00
86) Perylene-d12	15.533	264	208834	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	453886	75.541	ng	0.01
7) Phenol-d6	6.510	99	590931	72.591	ng	0.00
23) Nitrobenzene-d5	7.434	82	368805	50.498	ng	0.00
42) 2,4,6-Tribromophenol	10.698	330	139328	70.649	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	698141	56.591	ng	-0.01
79) Terphenyl-d14	12.980	244	643943	52.811	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112024\
Data File : BF140505.D
Acq On : 20 Nov 2024 17:51
Operator : RC/JU
Sample : P4910-01
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-COTTAGE

Quant Time: Nov 21 00:06:59 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF111324.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 13 14:40:06 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 813
Delta R.T. -0.006 min
Lab File: BF140505.D
Acq: 20 Nov 2024 17:51




Instrument :
BNA_F
ClientSampleId :
MH-COTTAGE


Tgt Ion:152 Resp: 102588
Ion Ratio Lower Upper
152 100
150 157.1 127.4 191.0
115 60.6 47.4 71.2



#5
2-Fluorophenol
Concen: 75.541 ng
RT: 5.504 min Scan# 580
Delta R.T. 0.012 min
Lab File: BF140505.D
Acq: 20 Nov 2024 17:51

Tgt Ion:112 Resp: 453886
Ion Ratio Lower Upper
112 100
64 59.0 49.2 73.8
63 30.7 25.6 38.4









#7
Phenol-d6
Concen: 72.591 ng
RT: 6.510 min Scan# 71
Delta R.T. 0.006 min
Lab File: BF140505.D
Acq: 20 Nov 2024 17:51




Instrument :
BNA_F
ClientSampleId :
MH-COTTAGE


Tgt Ion: 99 Resp: 590931
Ion Ratio Lower Upper
99 100
42 17.2 15.1 22.7
71 34.2 27.9 41.9



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.151 min Scan# 1030
Delta R.T. -0.006 min
Lab File: BF140505.D
Acq: 20 Nov 2024 17:51

Tgt Ion: 136 Resp: 380523
Ion Ratio Lower Upper
136 100
137 10.9 8.7 13.1
54 7.6 6.5 9.7
68 6.1 5.0 7.6









#23
 Nitrobenzene-d5
 Concen: 50.498 ng
 RT: 7.434 min Scan# 909
 Delta R.T. -0.006 min
 Lab File: BF140505.D
 Acq: 20 Nov 2024 17:51




Instrument :
 BNA_F
 ClientSampleId :
 MH-COTTAGE


Tgt Ion: 82 Resp: 368805
 Ion Ratio Lower Upper
 82 100
 128 43.2 33.3 49.9
 54 47.2 39.8 59.8



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.904 min Scan# 1328
 Delta R.T. -0.012 min
 Lab File: BF140505.D
 Acq: 20 Nov 2024 17:51


Tgt Ion:164 Resp: 198317
 Ion Ratio Lower Upper
 164 100
 162 100.8 79.8 119.8
 160 44.7 35.4 53.0








#42
2,4,6-Tribromophenol
Concen: 70.649 ng
RT: 10.698 min Scan# 1463
Delta R.T. -0.006 min
Lab File: BF140505.D
Acq: 20 Nov 2024 17:51

Instrument :
BNA_F
ClientSampleId :
MH-COTTAGE







Tgt Ion:330 Resp: 139328
Ion Ratio Lower Upper
330 100
332 98.6 75.9 113.9
141 34.0 26.9 40.3



#45
2-Fluorobiphenyl
Concen: 56.591 ng
RT: 9.222 min Scan# 1212
Delta R.T. -0.012 min
Lab File: BF140505.D
Acq: 20 Nov 2024 17:51

Tgt Ion:172 Resp: 698141
Ion Ratio Lower Upper
172 100
171 35.0 28.5 42.7
170 23.3 19.1 28.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.398 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF140505.D

Acq: 20 Nov 2024 17:51

Instrument :

BNA_F

ClientSampleId :

MH-COTTAGE





Tgt Ion:188 Resp: 352738

Ion Ratio Lower Upper

188 100

94 8.8 7.6 11.4

80 9.3 8.0 12.0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.045 min Scan# 2032

Delta R.T. -0.006 min

Lab File: BF140505.D

Acq: 20 Nov 2024 17:51




Tgt Ion:240 Resp: 211653


Ion Ratio Lower Upper

240 100

120 10.6 8.8 13.2


236 26.0 20.9 31.3








#79
 Terphenyl-d14
 Concen: 52.811 ng
 RT: 12.980 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF140505.D
 Acq: 20 Nov 2024 17:51

Instrument :
 BNA_F
 ClientSampleId :
 MH-COTTAGE



Tgt Ion:244 Resp: 643943
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.8 8.8
 122 10.5 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.533 min Scan# 2285
 Delta R.T. -0.023 min
 Lab File: BF140505.D
 Acq: 20 Nov 2024 17:51

Tgt Ion:264 Resp: 208834
 Ion Ratio Lower Upper
 264 100
 260 22.9 19.2 28.8
 265 21.3 17.1 25.7

