

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112118\
 Data File : BF110930.D
 Acq On : 21 Nov 2018 16:05
 Operator : JU/SJ
 Sample : J6017-01 5X
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Nov 21 17:17:03 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 13 12:43:10 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.94	152	59725	20.00	ng	0.00
21) Naphthalene-d8	8.22	136	254498	20.00	ng	0.00
39) Acenaphthene-d10	9.98	164	115515	20.00	ng	-0.01
64) Phenanthrene-d10	11.48	188	189892	20.00	ng	0.00
76) Chrysene-d12	14.13	240	133372	20.00	ng	0.00
87) Perylene-d12	15.67	264	125033	20.00	ng	0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
5) 2-Fluorophenol	5.56	112	75164	20.44	ng	0.00
7) Phenol-d6	6.57	99	99948	21.26	ng	0.00
23) Nitrobenzene-d5	7.52	82	65500	14.82	ng	0.00
42) 2,4,6-Tribromophenol	10.79	330	18500	15.89	ng	0.00
45) 2-Fluorobiphenyl	9.30	172	134937	16.68	ng	0.00
79) Terphenyl-d14	13.06	244	98179	13.79	ng	-0.01


Target Compounds	R.T.	QIon	Response	Conc	Units	Qvalue
9) Benzaldehyde	6.58	77	120	Below Cal		# 1
19) n-Nitroso-di-n-propylamine	7.52	70	8156	2.717	ng	# 76
25) Isophorone	7.52	82	65500	9.043	ng	# 67
51) 2,6-Dinitrotoluene	9.98	165	14207	7.493	ng	# 22
57) 2,4-Dinitrotoluene	9.98	165	14207	5.763	ng	# 19
71) Phenanthrene	11.50	178	23006	2.261	ng	97
75) Fluoranthene	12.70	202	41500	4.069	ng	100
78) Pyrene	12.93	202	79425	7.734	ng	96
81) Benzo(a)anthracene	14.12	228	52760	6.618	ng	98
83) Chrysene	14.16	228	53922	7.100	ng	98
86) Indeno(1,2,3-cd)pyrene	17.26	276	15148	2.779	ng	95
88) Benzo(b)fluoranthene	15.22	252	54263	7.255	ng	# 96
89) Benzo(k)fluoranthene	15.22	252	54263	7.342	ng	# 95
90) Benzo(a)pyrene	15.60	252	34674	5.102	ng	98
92) Benzo(a,h,i)perylene	17.74	276	15535	2.722	ng	# 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112118\
Data File : BF110930.D
Acq On : 21 Nov 2018 16:05
Operator : JU/SJ
Sample : J6017-01 5X
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :

Quant Time: Nov 21 17:17:03 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF110818.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 13 12:43:10 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.94 min Scan# 825
Delta R.T. -0.01 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05

Instrument :
BNA_F
ClientSampleId :

Tot Ion:152 Resp: 59725
Ion Ratio Lower Upper
152 100
150 158.6 122.7 184.1
115 67.3 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 20.442 ng
RT: 5.56 min Scan# 591
Delta R.T. 0.00 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05

Tgt Ion:112 Resp: 75164
Ion Ratio Lower Upper
112 100
64 57.2 44.1 66.1
63 32.3 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 21.257 ng

RT: 6.57 min Scan# 762

Delta R.T. -0.01 min

Lab File: BF110930.D

Acq: 21 Nov 2018 16:05

Instrument :

BNA_F

ClientSampleId :


Tot Ion: 99 Resp: 99948

Ion Ratio Lower Upper




99 100

42 20.2 15.8 23.6

71 35.4 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#19

n-Nitroso-di-n-propylamine

Concen: 2.717 ng

RT: 7.52 min Scan# 923

Delta R.T. 0.16 min

Lab File: BF110930.D

Acq: 21 Nov 2018 16:05

Tgt Ion: 70 Resp: 8156


Ion Ratio Lower Upper

70 100



42 46.8 47.4 71.2#


101 0.0 7.3 10.9#

130 0.0 16.2 24.2#



Abundance Ion 70.00 (69.70 to 70.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 101.00 (100.70 to 101.70): BF1
Ion 130.00 (129.70 to 130.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.22 min Scan# 1043
Delta R.T. -0.01 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05




Instrument :
BNA_F
ClientSampled :


Tot Ion:	136	Resp:	254498
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.8	13.2
54	8.1	5.4	8.2
68	5.4	4.2	6.2



#23
Nitrobenzene-d5
Concen: 14.822 ng
RT: 7.52 min Scan# 923
Delta R.T. 0.00 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05

Tgt Ion:	82	Resp:	65500
Ion	Ratio	Lower	Upper
82	100		
128	44.4	34.2	51.2
54	53.1	38.6	58.0









#25
Isophorone
Concen: 9.043 ng
RT: 7.52 min Scan# 923
Delta R.T. -0.25 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05




Instrument :
BNA_F
ClientSampleId :


Tot Ion: 82 Resp: 65500
Ion Ratio Lower Upper
82 100
95 0.0 5.7 8.5#
138 0.0 13.2 19.8#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.98 min Scan# 1342
Delta R.T. -0.01 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05

Tgt Ion: 164 Resp: 115515
Ion Ratio Lower Upper
164 100
162 104.5 83.0 124.6
160 47.2 37.0 55.6





#42

2,4,6-Tribromophenol

Concen: 15.894 ng

RT: 10.79 min Scan# 1479

Delta R.T. 0.00 min

Lab File: BF110930.D

Acq: 21 Nov 2018 16:05

Instrument :

BNA_F

ClientSampleId :


Tot Ion:330 Resp: 18500

Ion Ratio Lower Upper

330 100

332 94.4 77.1 115.7




141 40.2 27.0 40.4



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 16.683 ng

RT: 9.30 min Scan# 1226

Delta R.T. -0.01 min

Lab File: BF110930.D

Acq: 21 Nov 2018 16:05


Tgt Ion:172 Resp: 134937

Ion Ratio Lower Upper

172 100

171 34.8 28.6 43.0



170 22.9 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#51
 2,6-Dinitrotoluene
 Concen: 7.493 ng
 RT: 9.98 min Scan# 1342
 Delta R.T. 0.21 min
 Lab File: BF110930.D
 Acq: 21 Nov 2018 16:05

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
165	100		
63	0.0	48.9	73.3#
89	2.3	46.6	69.8#




Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1






#57
 2,4-Dinitrotoluene
 Concen: 5.763 ng
 RT: 9.98 min Scan# 1342
 Delta R.T. -0.21 min
 Lab File: BF110930.D
 Acq: 21 Nov 2018 16:05

Tgt Ion	Ratio	Lower	Upper
165	100		
63	0.0	44.8	67.2#
89	2.3	62.2	93.4#
182	0.0	2.1	3.1#



Abundance Ion 165.00 (164.70 to 165.70): E
 Ion 63.00 (62.70 to 63.70): BF1
 Ion 89.00 (88.70 to 89.70): BF1
 Ion 182.00 (181.70 to 182.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.48 min Scan# 1597
Delta R.T. -0.01 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05

Instrument :
BNA_F
ClientSampleId :

Tot Ion:188 Resp: 189892
Ion Ratio Lower Upper
188 100
94 7.8 7.2 10.8
80 8.7 7.9 11.9




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#71
Phenanthrene
Concen: 2.261 ng
RT: 11.50 min Scan# 1601
Delta R.T. -0.01 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05

Tgt Ion:178 Resp: 23006
Ion Ratio Lower Upper
178 100
176 17.9 15.5 23.3
179 16.9 12.5 18.7



Abundance Ion 178.00 (177.70 to 178.70): E
Ion 176.00 (175.70 to 176.70): E
Ion 179.00 (178.70 to 179.70): E





#75

Fluoranthene

Concen: 4.069 ng

RT: 12.70 min Scan# 1804

Delta R.T. -0.01 min

Lab File: BF110930.D

Acq: 21 Nov 2018 16:05

Instrument :

BNA_F

ClientSampleId :


Tot Ion:202 Resp: 41500

Ion Ratio Lower Upper

202 100

101 11.2 0.0 31.4




203 17.9 0.0 37.7



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.13 min Scan# 2048

Delta R.T. -0.01 min

Lab File: BF110930.D

Acq: 21 Nov 2018 16:05


Tgt Ion:240 Resp: 133372

Ion Ratio Lower Upper

240 100

120 9.8 8.3 12.5



236 24.3 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#78
Pvrene
Concen: 7.734 ng
RT: 12.93 min Scan# 1844
Delta R.T. 0.00 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05




Instrument :
BNA_F
ClientSampled :


Tot Ion:202 Resp: 79425
Ion Ratio Lower Upper
202 100
200 19.7 17.8 26.6
203 16.5 14.2 21.4



#79
Terphenyl-d14
Concen: 13.786 ng
RT: 13.06 min Scan# 1865
Delta R.T. -0.01 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05

Tgt Ion:244 Resp: 98179
Ion Ratio Lower Upper
244 100
212 6.5 5.8 8.8
122 10.8 8.7 13.1









#81
Benzo(a)anthracene
Concen: 6.618 ng
RT: 14.12 min Scan# 2046
Delta R.T. -0.01 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05




Instrument :
BNA_F
ClientSampleId :


Tot Ion:228 Resp: 52760
Ion Ratio Lower Upper
228 100
226 26.4 22.1 33.1
229 20.3 15.6 23.4



#83
Chrysene
Concen: 7.100 ng
RT: 14.16 min Scan# 2052
Delta R.T. -0.01 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05

Tgt Ion:228 Resp: 53922
Ion Ratio Lower Upper
228 100
226 32.2 24.7 37.1
229 20.7 15.9 23.9









#86
 Indeno(1,2,3-cd)pyrene
 Concen: 2.779 ng
 RT: 17.26 min Scan# 2579
 Delta R.T. 0.02 min
 Lab File: BF110930.D
 Acq: 21 Nov 2018 16:05

Instrument :
 BNA_F
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
276	100		
138	25.7	18.5	27.7
277	26.9	20.0	30.0




Abundance Ion 276.00 (275.70 to 276.70): E
 Ion 138.00 (137.70 to 138.70): E
 Ion 277.00 (276.70 to 277.70): E






#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.67 min Scan# 2309
 Delta R.T. 0.01 min
 Lab File: BF110930.D
 Acq: 21 Nov 2018 16:05

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.2	18.7	28.1
265	22.0	16.7	25.1



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E









#88
Benzo(b)fluoranthene
Concen: 7.255 ng
RT: 15.22 min Scan# 2232
Delta R.T. 0.01 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05

Instrument :
BNA_F
ClientSampleId :

Tot Ion:252 Resp: 54263
Ion Ratio Lower Upper
252 100
253 22.0 17.2 25.8
125 13.9 8.2 12.4#




Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E






#89
Benzo(k)fluoranthene
Concen: 7.342 ng
RT: 15.22 min Scan# 2232
Delta R.T. -0.02 min
Lab File: BF110930.D
Acq: 21 Nov 2018 16:05

Tgt Ion:252 Resp: 54263
Ion Ratio Lower Upper
252 100
253 22.0 17.2 25.8
125 13.9 7.4 11.0#



Abundance Ion 252.00 (251.70 to 252.70): E
Ion 253.00 (252.70 to 253.70): E
Ion 125.00 (124.70 to 125.70): E





#90

Benzo(a)pyrene

Concen: 5.102 ng

RT: 15.60 min Scan# 2298

Delta R.T. 0.01 min

Lab File: BF110930.D

Acq: 21 Nov 2018 16:05

Instrument :

BNA_F

ClientSampleId :


Tot Ion:252 Resp: 34674

Ion Ratio Lower Upper

252 100

253 22.8 18.2 27.4




125 13.5 9.0 13.6



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#92

Benzo(g,h,i)perylene

Concen: 2.722 ng

RT: 17.74 min Scan# 2661

Delta R.T. 0.03 min

Lab File: BF110930.D

Acq: 21 Nov 2018 16:05


Tgt Ion:276 Resp: 15535

Ion Ratio Lower Upper

276 100

277 26.6 18.8 28.2

138 25.8 16.0 24.0#



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 277.00 (276.70 to 277.70): E

Ion 138.00 (137.70 to 138.70): E

